







**Simply
BRANDS**



B E T T E R T O G E T H E R



Serving the Custom Installation,
AV, DataCom, Electrical, CATV and
Security markets for over 20 years.



BULK CABLE & ACCESSORY PRODUCT LINES

REV0126



Phone: +1-954-327-5770

|

Email: sales@simplybrands.com

|

Web: www.simplybrands.com



Structured Cable Products®
Quality Installations Deserve Quality Products

PRODUCT LINES

EU WAREHOUSE ONLY

OUR COMPANY

Structured Cable Products Inc ("SCP") – Ft. Lauderdale, FL USA, is a leading manufacturer and global supplier of low voltage cables and infrastructure accessories. Serving the Custom Installation, AV, DataCom, Electrical, CATV, and Security markets for over 20 years. Please find in this brochure a listing of our core products and product line solutions for our EU warehouse.

For our USA warehouses, please refer to our North America brochure.




CELEBRATING 20 YEARS IN BUSINESS



For over 25 Years SCP has been a trusted brand in the low voltage cable industry. SCP has grown into a global industry leader with sales and distribution in over 80 countries and over 1400 inventory items.

We recognize our growth and success could not have been done without the support of our domestic/international distribution partners along with a dedicated team of people here at SCP. We want to thank all of you for your support!

SCP DELIVERS LOW VOLTAGE SOLUTIONS FOR THE 21ST CENTURY



AV and ProAV



Commercial



Residential



Buying Groups



Multi-Dwelling Units



Houses of Worship



LAN/Networking



Education



Hospitality

WE LISTEN

When we get asked why a company should do business with SCP, the most concise reply: **WE LISTEN**. We listen to you. We listen to your challenges, your needs, your ideas and your suggestions. We then use this knowledge to develop better products, better solutions, better service, and a better company.

Our value proposition is built on four principles: **Quality, Selection, Service & Value.**

Quality

- Uncompromising commitment to consistently deliver high quality products
- Industry innovation and leadership. Not just another brand on a box
- 3rd Party Certifications: UL, cUL, ETL, CPR EuroClasses Eca to B2ca
- Our popular tangle-free & lightweight pull boxes, now even better
- Lifetime Warranty SCP branded bulk cables
- Growing list of TAA compliant products

Selection

- Wide product range focused on end-to-end solutions
- Over 1400 total sku's and over 250 million feet of cable in stock
- SCP brand sold in over 80 countries worldwide
- Ongoing product development to meet your needs today and tomorrow

Service

- Knowledgeable team of people that are easy to do business with
- Training support to our value-added distributors
- Fast same day shipping from USA warehouses
- Convenient distribution centers –
USA: Florida & Texas; Europe: The Netherlands
- Private label, OEM, and Factory Direct for our international customers

Value

- Affordable solutions without compromising on quality
- Best combination of quality, selection, service & pricing in the industry

Items highlighted in YELLOW are NEW items for 2025.				
BULK CABLES				
	Lighting and Control Cables			
Lutron System Compatible Cables				
Features: Manufactured to exacting specifications. For use with Lutron® and other control systems. Descending M/FT and Zone/Outlet Jkt Markings; Spool or Box			Compliance: UL CM CL2/3, FT4 75C; EN50575 Dca & Eca; LSZH - IEC 60332-1-2; RoHS; UL 444	
Applications: Touch panels, keypads, tuner, audio processors and other control applications. Compatible with Lutron® control systems. Class 2/3 low voltage power.				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
LUT-BLUE-LSZH	2C/12AWG BC Str + 1C/18AWG BC Str + 2C/22AWG BC Str FPE Twisted Pair, Shielded w/Ground	LSZH - White w/Blue Stripe	Eca	152m/500ft Spool
LUT-GREEN-D-BX	2C/18AWG BC Str (BK,RD) + 2C/22AWG BC Str FPE, Twisted Pair (PUR, WT) Shielded w/Ground	PVC - White w/Green Stripe	Dca-s3,d2,a3	305m/1000ft Box
LUT-GREEN-LSZHBL-BX	2C/18AWG BC Str (BK,RD) + 2C/22AWG BC Str HDPE, Twisted Pair (PUR, WT) Shielded w/Ground, 5.3mm OD	LSZH - Blue w/Green Stripe	Dca-s2,d1,a3	305m/1000ft Box
LUT-GREEN-LSZHBL-SPL	2C/18AWG BC Str (BK,RD) + 2C/22AWG BC Str HDPE, Twisted Pair (PUR, WT) Shielded w/Ground, 5.3mm OD	LSZH - Blue w/Green Stripe	Dca-s2,d1,a3	305m/1000ft Spool
LUT-QS-LSZH-1000	2C/16AWG BC Str + 2C/22AWG BC Str FPE, Twisted Pair, Shielded w/Ground	LSZH - White	Dca-s2,d1,a3	305m/1000ft Spool
LUT-QS-LSZH	2C/16AWG BC Str + 2C/22AWG BC Str Twisted Pair, Shielded w/Ground	LSZH - White	Dca-s2,d1,a3	152m/500ft Spool
LUT-QS12-LSZH	2C/12AWG BC Str + 2C/22AWG BC Str FPE, Twisted Pair, Shielded w/Ground, Indoor/Outdoor UV Sun Res	UV Sun Res LSZH - Blue w/Orange	Dca-s2,d1,a3	152m/500ft Spool
Crestron* System Compatible Cables				
Features: Compare to Crestnet®bus cable. UL Plenum and Non-Plenum jacket options. Descending FT and Zone/Outlet Jkt Markings			Compliance: UL CM CL2/3, c(UL) FT4 75C; LSZH; EN50575 Dca EuroClass; RoHS	
Applications: Touch panels, keypads, tuner, audio processors and other control applications. Compatible with Crestron® control systems.				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
CREST-1-D	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str FPE, Twisted Pair, Shielded	PVC - Teal w/Yellow Stripe	Dca-s2,d2,a3	305m/1000ft Spool
CREST-1-LSZH-TL	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str FPE, Twisted Pair, Shielded	LSZH - Teal w/Yellow Stripe	Dca-s2,d1,a3	305m/1000ft Spool
DMX				
Features: DMX Lighting Control Cables. Supports USITT Standards for DMX512 and RS485 120Ω impedance. Low Capacitance. Descending feet and Zone/Outlet Jkt Markings			Compliance: Low Smoke Zero Halogen; EN50575 Dca EuroClass; RoHS	
Applications: DMX Lighting Control. DMX512/RS485.				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
DX24/2-LSZH-BK	DMX512/RS485 120Ω - 2C/24AWG STR TC (7x32) FPE (Blue/White), Dual Foil/Braid Shield w/Drain	LSZH- Black	Dca-s2,d1,a3	305m/1000ft Spool
DX24/4-LSZH-BK	DMX512/RS485 120Ω - 4C/24AWG STR TC (7x32) FPE (Blue/White), Dual Foil/Braid Shield w/Drain	LSZH- Black	Dca-s2,d1,a3	305m/1000ft Spool
KNX Cables				
Applications: KNX/EIB Field Bus Cable. Control for Lighting, HVAC and Security.		Compliance: EN50575 Dca-s1,d1,a1 EuroClass; IEC 60332-1-2; IEC 60754-1,2; IEC 61034-1,2; IEC 61156; RoHS		
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
EIB-BUS-2X2-LSZH	2-Pair 20AWG (0.8mm) SOL BC, AL Foil Shield	LSZH - Green	Dca-s1,d1,a1	305m/1000ft Spool
Universal Control/Bus Cables				
Features: Universal Control Bus Cables are ideal cable solution for Control4, AMX, and other control systems. Touch panels, keypads, tuner, audio processors and other control applications.		Compliance: UL CM CL2/3, c(UL) FT4 75C; LSZH; EN50575 Dca EuroClass; RoHS; Class 2/3 Low Voltage Power		
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
CTRL-1-D	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str FPE, Twisted Pair, Shielded	PVC - Yellow w/Red Stripe	Dca-s3,d2,a3	305m/1000ft Spool
CTRL-1-LSZH	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str FPE, Twisted Pair, Shielded	LSZH - Yellow w/Red Stripe	Dca-s2,d1,a3	305m/1000ft Spool
CTRL-2-D	2C/16AWG BC Str w/Ground + 2C/22AWG BC Str FPE, Twisted Pair, Shielded	PVC - Yellow	Dca-s3,d2,a3	152m/500ft Spool
CTRL-2-LSZH	2C/16AWG BC Str w/Ground + 2C/22AWG BC Str FPE, Twisted Pair, Shielded	LSZH - Yellow	Dca-s2,d1,a3	152m/500ft Spool
	Coaxial Cables			
RG6/U Quad Shield Coax				
Features: Premium 75 Ohm 3.0GHz Tested Quad (4) Shield Coax, UL Listed, Sun Resistant Jkt; Descending FT and Zone/Outlet Jkt Markings		Compliance: UL TYPE CATV CMP, CMR, CM c(UL); RoHS; NEC: CATV, CATVR, CMR, CM		
Applications: Audio/Video, CATV, SATV, Antenna				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
RG6/U Quad Shield Coax - Solid Bare Copper (BC):				
RG6/UQ-BC-BK	18AWG SOL BC F-FEP, Bonded AL Foil + AL Braid 60% + AL Foil + AL Braid 40%	UV Sun Res PVC - Black	UL CM/ Eca	305m/1000ft Box
RG6/UQ-BC-BK-5	18AWG SOL BC F-FEP, Bonded AL Foil + AL Braid 60% + AL Foil + AL Braid 40%	UV Sun Res PVC - Black	UL CM/ Eca	152m/500ft Box
RG6/UQ-BC-WT	18AWG SOL BC F-FEP, Bonded AL Foil + AL Braid 60% + AL Foil + AL Braid 40%	UV Sun Res PVC - White	UL CM/ Eca	305m/1000ft Box
RG6/UQ-BC-WT-5	18AWG SOL BC F-FEP, Bonded AL Foil + AL Braid 60% + AL Foil + AL Braid 40%	UV Sun Res PVC - White	UL CM/ Eca	152m/500ft Box
RG6/U Quad Shield Coax - Solid Copper Clad Steel (CCS):				
RG6/UQ-CCS-BK	18AWG SOL CCS FPE, Bonded AL Foil + AL Braid 60% + AL Foil + AL Braid 40%	UV Sun Res PVC - Black	UL CM/ Eca	305m/1000ft Box

RG6/U Dual Shield Coax				
Features: Premium 75 Ohm 3.0GHz Tested Dual Shield Coax, Solid Bare Copper Conductor, UL Listed, Descending M/FT and Zone/Outlet Jkt Markings			Compliance: UL TYPE CATV c(UL) CM; RoHS; EN50575 Eca	
Applications: Audio/Video, CATV, CCTV transmission				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
RG6/U Dual Shield Coax - Solid Bare Copper (BC):				
RG6/U-BC-BK	18AWG SOL BC FPE, Bonded CU Foil, 60% AL Braid	UV Sun Res PVC - Black	UL CM/ Eca	305m/1000ft Box
Type 100 Dual Screen Coax - Compare with WF-100				
Features: Premium 75 Ohm Type 100 Coax, Solid BC Conductor, Dual Copper Shield: BC Braid/BC Foil Shield, Descending M/FT and Zone/Outlet Jkt Markings			Compliance: BS/EN 50117; IEC 62821; EN50575 Eca; RoHS	
Applications: Standard Type 100 Coax used in UK market SAT/Cable. Audio/Video, CATV, SATV, Antenna				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
SCP100-LSZH	18AWG SOL BC FPE, CU Foil/CU Braid	LSZH - Black	UL CM	250m/820ft Spool
	Category / LAN Cables			
CAT7A Class Fa				
Features: 1200MHz tested 10GBaseT; Descending FT and Zone/Outlet Jkt Markings; Easy Strip Jacket. Limited Lifetime Warranty. CPR Rated - B2ca or Dca. HDBaseT Enhanced version with Dca EuroClass.			Compliance: ANSI/TIA 568.2-D; ISO/IEC 11801 Class Fa; PoE: IEEE 802.3bt Type 3/4; EN50575 EuroClass: B2ca-s1a,d1,a1 & Dca; IEC 60332-1-2; RoHS	
Applications: High performance IT, LAN & Ethernet installations. Suitable for use in all Class Fa structured wiring systems. PoE/PoH Compliant				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
CAT7A-LSZH-BL-B2	4pr 23+AWG S/FTP, SOL BC / SFPE	LSZH - Blue	B2ca-s1a,d1,a1	305m/1000ft Spool
Small Cable Diameter Cat7a Stranded. Ideal for conduit/tube installations needing small cable OD. Indoor/Outdoor Rated Sun Resistant				
CAT7A-STR-LSZH-WT	4pr 26AWG Stranded Bare Copper, S/FTP Indoor/Outdoor Rated	UV Sun Res LSZH - White	Dca-s2,d2,a1	300m/984ft Spool
CAT6A Class Ea				
Features: 600MHz tested 10GBaseT; Low Smoke Zero Halogen (LSZH); HDBaseT 3.0 Approved; CPR Rated; Descending FT and Zone/Outlet Jkt Markings; Limited Lifetime Warranty			Compliance: ANSI/TIA 568.2-D; ISO/IEC 11801 Class Ea; EN50575 B2ca & Dca; IEC 60332-1-2; PoE,PoH: IEEE 802.3bt; HDBaseT Recommended; UL CMR; UL 444, UL 1666; RoHS	
Applications: High performance IT, LAN & Ethernet installations. Suitable for use in all Class Ea structured wiring systems. HDBaseT Recommended; PoE/PoH Compliant				
Cat6a Premium ProSeries				
Features: Higher Copper Content. Higher Bandwidth Performance. Higher PoE Performance. HDBaseT Recognized. 600MHz Bandwidth --- IEEE802.3bt Type 4 PoE 90W --- SCP Premium Reel-in-Box or Spool				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
Cat6a Premium ProSeries Low Smoke Zero Halogen				
Shielded U/FTP Low Smoke Zero Halogen (LSZH) -- EuroClass: B2ca-s1a,d1,a1 or Dca-s2,d2,a1				
CAT6ASH-PREM-LS-BL-B2	4pr 23+AWG U/FTP SOL BC / SFPE	LSZH - Blue	B2ca	305m/1000ft Spool
CAT6ASH-PREM-LS-BK	4pr 23+AWG U/FTP SOL BC / SFPE	LSZH - Black	Dca	305m/1000ft RIB
CAT6ASH-PREM-LS-BL	4pr 23+AWG U/FTP SOL BC / SFPE	LSZH - Ice Blue	Dca	305m/1000ft RIB
CAT6ASH-PREM-LS-WT	4pr 23+AWG U/FTP SOL BC / SFPE	LSZH - White	B2ca	305m/1000ft Spool
CAT6A-U/FTP-LSZH-BL-B2	4pr 23+AWG U/FTP SOL BC / SFPE	LSZH - Blue	B2ca	305m/1000ft Spool
HNCPROPLUS-6A-LSZH-BL-D-BX	4pr 23+AWG U/FTP SOL BC / SFPE	LSZH - Blue	Dca	305m/1000ft RIB
CAT6A-U/FTP-LSZH-BL-D	4pr 23+AWG U/FTP SOL BC / SFPE	LSZH - Blue	Dca	305m/1000ft Spool
Shielded U/FTP PVC - Indoor/Outdoor UV Sun Resistant -- UL CMR Riser/In-Wall Rated -- EuroClass: Dca-s3,d2,a3				
CAT6ASH-PREM-BK-D	4pr 23+AWG U/FTP SOL BC / SFPE	UV Sun Res PVC - Black	UL CMR/Euro:Dca	305m/1000ft RIB
Unshielded U/UTP Low Smoke Zero Halogen (LSZH) -- EuroClass: Dca-s2,d2,a1				
CAT6A-PREM-LS-BK	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resistant Center Spline	LSZH - Black	Dca	305m/1000ft RIB
CAT6A-PREM-LS-BL	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resistant Center Spline	LSZH - Ice Blue	Dca	305m/1000ft RIB
CAT6A-PREM-LS-GN	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resistant Center Spline	LSZH - Green	Dca	305m/1000ft RIB
HNCPROPLUS-6A-UTP-LSZH-BL-BX	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resistant Center Spline	LSZH - Blue	Dca	305m/1000ft RIB
HNCPROPLUS-6A-UTP-LSZH-WT-BX	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resistant Center Spline	LSZH - White	Dca	305m/1000ft RIB
Cat6a Premium ProSeries Indoor-Outdoor UL CMR Rated				
Unshielded U/UTP PVC - Indoor/Outdoor UV Sun Resistant -- UL CMR Riser/In-Wall Rated -- EuroClass: Dca-s3,d2,a3				
CAT6A-PREM-BK-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resistant Center Spline	UV Sun Res PVC - Black	UL CMR/Euro:Dca	305m/1000ft Spool
HNCPROPLUS-6A-UTP-BK	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resistant Center Spline	UV Sun Res PVC - Black	UL CMR/Euro:Dca	305m/1000ft Spool
HNCPROPLUS-6A-UTP-WT	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resistant Center Spline	UV Sun Res PVC - White	UL CMR/Euro:Dca	305m/1000ft Spool

Cat6a Eco Series				
Features: Standards Performance at Lower Price Point - Reel in Box or Reelex II box 500MHz Bandwidth ETL Verified -- EuroClass: Dca-s2,d2,a1 -- IEEE802.3at Type 2-3 PoE 30W/60W				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
Cat6a Eco Series Low Smoke Zero Halogen				
Shielded U/FTP Low Smoke Zero Halogen (LSZH) - EuroClass: Dca-s2,d2,a1				
CAT6ASH-ECO-LS-BK	4pr 23AWG, U/FTP SOL BC / SFPE	LSZH - Black	Dca	305m/1000ft RIB
CAT6ASH-ECO-LS-BL	4pr 23AWG, U/FTP SOL BC / SFPE	LSZH - Ice Blue	Dca	305m/1000ft RIB
CAT6ASH-ECO-LS-WT	4pr 23AWG, U/FTP SOL BC / SFPE	LSZH - White	Dca	305m/1000ft RIB
Unshielded U/UTP Low Smoke Zero Halogen (LSZH) - EuroClass: Dca-s2,d2,a1				
CAT6A-ECO-LS-BK	4pr 23AWG U/UTP SOL BC / SFPE /Center Spline	LSZH - Black	Dca	305m/1000ft Box
CAT6A-ECO-LS-BL	4pr 23AWG U/UTP SOL BC / SFPE /Center Spline	LSZH - Blue	Dca	305m/1000ft Box
CAT6A-ECO-LS-GN	4pr 23AWG U/UTP SOL BC / SFPE /Center Spline	LSZH - Green	Dca	305m/1000ft Box
Cat6A Direct Burial - Outdoor				
Superior Linear Low-Density Polyethylene (LLDPE) Jacket - UV Sunlight Resistant - Outdoor Applications Only Superior Puncture & Impact Resistance - Retains Flexibility at Extreme Temperatures - Rodent Resistant				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
CAT6A-SH-DB	4pr 23AWG U/FTP SOL BC / SFPE / Center Spline	LLDPE - Black	UV Sun Res Direct Burial Outdoor	305m/1000ft Spool
Category 6 LAN Cables				
Features: 550MHz tested 1000BaseT Gigabit; HDBaseT Enhanced; CPR Rated B2ca and Dca; Descending FT/M and Zone/Outlet Jkt Markings; Packaging: Spool, Reel-in-Box, SCP Tangle-Free Reelex II Boxes; Limited Lifetime Warranty		Compliance: ANSI/TIA 568.2-D; ISO/IEC 11801 Class E; EN50575 B2ca & Dca; IEC 60332-1-2; PoE,PoH: IEEE 802.3bt; HDBaseT Recommended; UL CMR; UL 444, UL 1666; RoHS		
Applications: High performance IT, LAN & Ethernet installations. Suitable for use in all Class E structured wiring systems. PoE/PoH Compliant				
CAT6 Premium ProSeries				
Features: Higher Copper Content 23AWG+. Higher Bandwidth Performance. Higher PoE Performance. HDBaseT Recognized. 550MHz Bandwidth --- IEEE802.3bt Type 4 PoE 90W --- SCP Premium Tangle-Free Box				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
Cat6 Premium ProSeries Low Smoke Zero Halogen				
U/UTP Unshielded Low Smoke Zero Halogen (LSZH) - EuroClass: B2ca-s1a,d1,a1 or Dca-s2,d2,a1				
CAT6-PREM-LS-BK-B2	4pr 23+AWG U/UTP SOL BC / SFPE / Flame Resist Center Spline	LSZH - Black	B2ca	305m/1000ft Reel in Box
CAT6-PREM-LS-BK	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Black	Dca	305m/1000ft Box
CAT6-PREM-LS-BL	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Blue	Dca	305m/1000ft Box
CAT6-PREM-LS-OR	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Orange	Dca	305m/1000ft Box
CAT6-PREM-LS-RD	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Red	Dca	305m/1000ft Box
CAT6-LSZH-VL-B2	4pr 23+AWG U/UTP SOL BC / SFPE / Flame Resist Center Spline	LSZH - Violet	B2ca	305m/1000ft Reel in Box
CAT6-LSZH-BK-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Black	Dca	305m/1000ft Box
HNCPROPLUS-LSZH-BL-B2	4pr 23+AWG U/UTP SOL BC / SFPE / Flame Resist Center Spline	LSZH - Blue	B2ca	305m/1000ft Reel in Box
HNCPROPLUS-LSZH-WT-B2	4pr 23+AWG U/UTP SOL BC / SFPE / Flame Resist Center Spline	LSZH - White	B2ca	305m/1000ft Reel in Box
HNCPROPLUS-LSZH-BL	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Blue	Dca	305m/1000ft Box
HNCPROPLUS-LSZH-GN	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Green	Dca	305m/1000ft Box
CAT6-LSZH-BL	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Blue	Dca	305m/1000ft Box
CAT6-LSZH-GN	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Green	Dca	305m/1000ft Box
CAT6-LSZH-GY	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Gray	Dca	305m/1000ft Box
CAT6-LSZH-OR	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Orange	Dca	305m/1000ft Box
CAT6-LSZH-WT	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - White	Dca	305m/1000ft Box
Shielded F/UTP Low Smoke Zero Halogen (LSZH) - EuroClass: Dca-s2,d2,a1				
CAT6SH-WT-LSZH	4pr 23AWG F/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - White	Dca	305m/1000ft Spool
HNCPROPLUS-SH-LSZH	4pr 23AWG F/UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - Ice Blue	Dca	305m/1000ft Spool
Cat6 Premium ProSeries Indoor-Outdoor UL CMR				
U/UTP Indoor/Outdoor UV Sun Res -- HDBaseT Recognized -- UL CMR -- EuroClass: Dca-s3,d2,a3 -- SCP Premium Tangle-Free Box				
CAT6-PREM-BK-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - Black	Dca	305m/1000ft Box
CAT6-PREM-BL-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - Blue	Dca	305m/1000ft Box
CAT6-PREM-GN-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - Blue	Dca	305m/1000ft Box
HNCPROPLUS-BK-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - Black	Dca	305m/1000ft Box
HNCPROPLUS-BL-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - Blue	Dca	305m/1000ft Box
HNCPROPLUS-GN-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - Green	Dca	305m/1000ft Box
HNCPROPLUS-OR-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - Orange	Dca	305m/1000ft Box
HNCPROPLUS-RD-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - Red	Dca	305m/1000ft Box
HNCPROPLUS-WT-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - White	Dca	305m/1000ft Box
HNCPROPLUS-YL-D	4pr 23+AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - Yellow	Dca	305m/1000ft Box

Shielded F/UTP Indoor/Outdoor UV Sun Res -- HDBaseT Recognized -- UL CMR -- EuroClass: Dca-s3,d2,a3				
HNCPROPLUS-SH-BL-D	4pr 23AWG F/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - Blue	Dca	305m/1000ft Spool
HNCPROPLUS-SH-PK-D	4pr 23AWG F/UTP SOL BC / HDPE / Flame Resist Center Spline	UV Sun Res PVC - Pink	Dca	305m/1000ft Spool

Cat6 Installer Series				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
Cat6 Installer Series Indoor-In-Wall Rated ETL CMR				
500MHz ETL Verified CMR In-Wall Rated PVC Jacket. 23AWG U/UTP -- EuroClass: Dca-s3,d2,a3 PoE: IEEE 802.3at Type3 PoE 60W -- Tangle Free Box				
CAT6-BK-ETL-D	4pr 23AWG U/UTP SOL BC / HDPE / Center Spline	PVC - Black	ETL CMR/EU:Dca	305m/1000ft Box
CAT6-BL-ETL-D	4pr 23AWG U/UTP SOL BC / HDPE / Center Spline	PVC - Blue	ETL CMR/EU:Dca	305m/1000ft Box
CAT6-GY-ETL-D	4pr 23AWG U/UTP SOL BC / HDPE / Center Spline	PVC - Gray	ETL CMR/EU:Dca	305m/1000ft Box
CAT6-WT-ETL-D	4pr 23AWG U/UTP SOL BC / HDPE / Center Spline	PVC - White	ETL CMR/EU:Dca	305m/1000ft Box
CAT6-GY-D	4pr 23AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	PVC - Gray	UL CMR/EU:Dca	305m/1000ft Box
CAT6-GN-D	4pr 23AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	PVC - Green	UL CMR/EU:Dca	305m/1000ft Box
CAT6-WT-D	4pr 23AWG U/UTP SOL BC / HDPE / Flame Resist Center Spline	PVC - White	UL CMR/EU:Dca	305m/1000ft Box

Cat6 Installer Series Direct Burial - Outdoor Only				
Puncture & Impact Resistant Linear Low-Density Polyethylene (LLDPE) Jkt - Flexible at extreme Temperatures - Rodent Resistant, UV Sunlight Resistant				
CAT6-DB	4pr 23AWG U/UTP SOL BC / HDPE / Gel Fill / Center Spline	LLDPE - Black	Direct Burial/UV Outdoor	305m/1000ft Spool
CAT6SH-DB	4pr 23AWG F/UTP SOL BC / HDPE / Center Spline	LLDPE - Black	Direct Burial/UV Outdoor	305m/1000ft Spool

CAT6 Eco Series				
Features: Quality - Price - Performance, Reelx Air Tangle Free Box				
250+MHz Bandwidth ETL Verified -- Indoor Rated -- 23-24+AWG U/UTP -- IEEE802.3at Type 2 PoE 30W				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
Cat6 Eco Series Low Smoke Zero Halogen				
Unshielded U/UTP Low Smoke Zero Halogen -- EuroClass: Dca-s2,d2,a1				
CAT6-ECO-LS-BK	4pr 23/24+AWGU/UTP SOL BC / HDPE / Center Spline	LSZH - Black	Dca-s2,d2,a1	305m/1000ft RA Box
CAT6-ECO-LS-BL	4pr 23/24+AWGU/UTP SOL BC / HDPE / Center Spline	LSZH - Blue	Dca-s2,d2,a1	305m/1000ft RA Box
CAT6-ECO-LS-GN	4pr 23/24+AWGU/UTP SOL BC / HDPE / Center Spline	LSZH - Green	Dca-s2,d2,a1	305m/1000ft RA Box
Cat6 Eco Series Indoor In-Wall Rated ETL CMR				
Unshielded U/UTP In-Wall Rated PVC ETL CMR -- EuroClass: Dca-s3,d2,a3				
CAT6-ECO-BK-D	4pr 23/24+AWGU/UTP SOL BC / HDPE / Center Spline	PVC - Black	CMR/Dca	305m/1000ft RA Box
CAT6-ECO-BL-D	4pr 23/24+AWGU/UTP SOL BC / HDPE / Center Spline	PVC - Blue	CMR/Dca	305m/1000ft RA Box
CAT6-ECO-GN-D	4pr 23/24+AWGU/UTP SOL BC / HDPE / Center Spline	PVC - Green	CMR/Dca	305m/1000ft RA Box

CAT5E Class D	
Features: 350MHz tested Gigabit Ethernet. HDBaseT Enhanced. CPR Rated. Descending FT/M and Zone/Outlet Jkt Markings. SCP Tangle-Free Reelx II Boxes. Limited Lifetime Warranty	Compliance: ANSI/TIA 568.2-D; ISO/IEC 11801 Class D; EN50575 Dca; IEC 60332-1-2; PoE,PoH: IEEE 802.3bt; HDBaseT Recommended; UL CMR; UL 444, UL 1666; RoHS
Applications: High performance IT, LAN & Ethernet installations. Suitable for use in all Class D structured wiring systems. PoE/PoH Compliant	

Cat5e Premium ProSeries				
SCP Part Number	Construction	Jacket / Color	Installation Rating	Packaged Length
Cat5e Premium ProSeries Low Smoke Zero Halogen				
Unshielded U/UTP Low Smoke Zero Halogen EuroClass Dca-s2,d2,a1 or Dca-s1,a1,d1 PoE: IEEE 802.3af,at Type 1-2				
CAT5E-PREM-LS-BK	4pr 24AWG U/UTP SOL BC / HDPE	LSZH - Black	Dca	305m/1000ft Box
CAT5E-PREM-LS-BL	4pr 24AWG U/UTP SOL BC / HDPE	LSZH-Blue	Dca	305m/1000ft Box
CAT5E-BL-LSZH	4pr 24AWG U/UTP SOL BC / HDPE	LSZH - Blue	Dca	305m/1000ft Box
HNCPRO-LSZH-BL	4pr 24AWG U/UTP SOL BC / HDPE	LSZH - Blue	Dca	305m/1000ft Box
Shielded F/UTP Low Smoke Zero Halogen (LSZH) EuroClass Dca-s2,d2,a1 or Dca-s1,d1,a1 PoE: IEEE 802.3af,at Type 1-2				
CAT5ESH-LS-BL-D	4pr 24AWG F/UTP SOL BC / HDPE	LSZH - Blue	Dca	305m/1000ft Box
CAT5E-SH-LSZH-GY	4pr 24AWG F/UTP SOL BC / HDPE	LSZH - Gray	Dca	305m/1000ft Box
Cat5e Premium ProSeries Indoor/Outdoor UL CMR				
Unshielded U/UTP Indoor/Outdoor UV Sun Res PVC Jkt EuroClass Dca-s3,d2,a3 PoE: IEEE 802.3af,at Type 1-2				
CAT5E-PREM-BK-D	4pr 24AWG U/UTP SOL BC / HDPE	UV Sun Res PVC- Black	UL CMR/Euro:Dca	305m/1000ft Box
HNCPRO-BL-D	4pr 24AWG U/UTP SOL BC / HDPE	UV Sun Res PVC- Blue	UL CMR/Euro:Dca	305m/1000ft Box
HNCPRO-GN-D	4pr 24AWG U/UTP SOL BC / HDPE	UV Sun Res PVC- Green	UL CMR/Euro:Dca	305m/1000ft Box
HNCPRO-OR-D	4pr 24AWG U/UTP SOL BC / HDPE	UV Sun Res PVC- Orange	UL CMR/Euro:Dca	305m/1000ft Box
HNCPRO-WT-D	4pr 24AWG U/UTP SOL BC / HDPE	UV Sun Res PVC- White	UL CMR/Euro:Dca	305m/1000ft Box
Shielded F/UTP Indoor/Outdoor Rated UV Sun Res PVC Jk EuroClass Dca-s3,d2,a3 PoE: IEEE 802.3af,at Type 1-2				
HNCPRO-SH-PK-D	4pr 24AWG F/UTP SOL BC / HDPE	UV Sun Res PVC - Pink	UL CMR/Euro:Dca	305m/1000ft Box

Cat5e Installer Series					
SCP Part Number	AWG	Construction	Jacket / Color	Installation Rating	Packaged Length
Unshielded U/UTP Indoor In-Wall Rated PVC Jkt EuroClass Dca-s3,d2,a3 PoE: IEEE 802.3af Type 1					
CAT5E-BL-D		4pr 24AWG U/UTP SOL BC / HDPE	PVC - Blue	UL CMR/Euro:Dca	305m/1000ft Box
CAT5E-GN-D		4pr 24AWG U/UTP SOL BC / HDPE	PVC - Green	UL CMR/Euro:Dca	305m/1000ft Box
CAT5E-OR-D		4pr 24AWG U/UTP SOL BC / HDPE	PVC - Orange	UL CMR/Euro:Dca	305m/1000ft Box
PVC In-Wall Rated Cat5e F/UTP EuroClass Dca-s3,d2,a3 PoE: IEEE 802.3af Type 1					
CAT5E-SH-GY-D		4pr 24AWG F/UTP SOL BC / HDPE	PVC - Gray	UL CMR/Euro:Dca	305m/1000ft Box
Direct Burial & UV Sun Res LLDPE Jkt - U/UTP - Outdoor Only					
CAT5E-DB		4pr U/UTP SOL BC / HDPE/Water Block Tape	LLDPE - Black	Direct Burial/UV Sun Res	305m/1000ft Spool

Bulk Fiber Cables						
SCP-EasyFiber® UltraBendable "Installs Like Copper"						
Multimode SCP-EasyFiber® with Corning ClearCurve® OM3 50/125						
SCP-EasyFiber® with Corning® ClearCurve® is a premium Ultra-Bendable and Laser-Optimized® multimode fiber designed to withstand tight bends and challenging cable routs with substantially less signal loss than conventional multimode fiber cables. Installs "Like Features: UltraBendable and Super Strong. Easy to Install, "Installs Like Copper". UL Listed. Features Corning® ClearCurve® ultra-bendable optical fiber. Descending FT and Zone/Outlet jacket markings. Lightweight and easy to carry box packaging.				Compliance: OM3 50/125 Multimode, OS2 9/125 Single Mode. ITU G.657.A1 EN50575 B2ca-s1a,d1,a1 and Dca-s1,d1,a1. Indoor/Outdoor Rated UV Sun Res Jkt; RoHS.		
Applications: Commercial and Residential LAN, Networking, AV & Digital Signage, Security, and Multi-Dwelling Units.						
SCP Part Number		Construction			Packaged Length	
B2ca EuroClass - SCP EasyFiber® Featuring Corning ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 - Indoor/Outdoor Rated - UV Sun Res:						
EF-OM3LSB2-2DIST-BK	2 Strand Tight Buffered Distribution, 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber™, Black LSZH Jkt			200m/656ft Reel-in-Box		
EF-OM3LSB2-4DIST-BK	4 Strand Tight Buffered Distribution, 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber™, Black LSZH Jkt			200m/656ft Reel-in-Box		
EF-OM3LSB2-8DIST-BK	8 Strand Tight Buffered Distribution, 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber™, Black LSZH Jkt			200m/656ft Reel-in-Box		
Dca EuroClass - SCP EasyFiber® Featuring Corning ClearCurve®, LSZH EN50575 Dca-s1,d1,a1 - Indoor/Outdoor Rated - UV Sun Res:						
EF-OM3LSD-DUP-AQ	Duplex Zip OM3 LSZH - SCP-EasyFiber™ - 10G Multimode OM3 50/125, 2.0mm, LSZH Aqua Jkt			200m/656ft Reel-in-Box		
EF-DUP-OM3LSZH-AQ	Duplex Zip OM3 LSZH - SCP-EasyFiber™ - 10G Multimode OM3 50/125, 2.0mm, LSZH Aqua Jkt			305m/1000ft Reel-in-Box		
EF-OM3LSD-4DIST-AQ	4 Strand Tight Buffered Distribution, 10G Multimode OM3 50/125, 2.0mm, SCP-EasyFiber™, LSZH Aqua Jkt			200m/656ft Reel-in-Box		
EF-6DIST-OM3LSZH-BK	6 Strand OM3 SCP-EasyFiber™ - Tight Buffered Distribution, 10G Multimode OM3 50/125, LSZH Aqua Jkt			305m/1000ft Reel-in-Box		
EF-12DIST-OM3LSZH-BK	12 Strand OM3 SCP-EasyFiber™ - Tight Buffered Distribution, 10G Multimode OM3 50/125, LSZH Aqua Jkt			305m/1000ft Reel-in-Box		
Note: Above are stock items. Custom Length and Other Multimode Fiber Cables may be available upon request.						
Single Mode SCP-EasyFiber® with Corning® SMF-28® Ultra OS2 9/125						
SCP-EasyFiber® OS2 Single Mode with Corning® SMF-28® Ultra (ITU G.657.A1) provides the best installation and macrobending performance. SCP-EasyFiber® is a full-spectrum single-mode OS2 fiber delivering superior 10mm macro bend performance with significantly				Compliance: OS2 9/125 Single Mode, ITU G.657.A1 compliant. EN50575 B2ca-s1a,d1,a1 and Dca-s1,d1,a1. Indoor/Outdoor		
Features: UltraBendable and Super Strong. Easy to Install, "Installs Like Copper". UL Listed. Features Corning®SMF-28® Ultra OS2 ultra-bendable optical fiber. ITU G.657.A1. Descending FT/M and Zone/Outlet jacket markings. Lightweight and easy to carry box packaging.						
Applications: Commercial and Residential LAN, Networking, AV & Digital Signage, Security, and Multi-Dwelling Units.						
SCP Part Number		Construction			Packaged Length	
B2ca EuroClass - SCP-EasyFiber® Featuring Corning® SMF-28® Ultra, LSZH B2ca-s1a,d1,a1 Indoor/Outdoor UV Sun Res						
EF-OS2LSB2-2DIST-BK	2 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm, SCP-EasyFiber™, LSZH Black Jkt			500m/1640ft Reel-in-Box		
EF-OS2LSB2-4DIST-BK	4 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm, SCP-EasyFiber™, LSZH Black Jkt			500m/1640ft Reel-in-Box		
EF-OS2LSB2-8DIST-BK	8 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm, SCP-EasyFiber™, LSZH Black Jkt			500m/1640ft Reel-in-Box		
Dca EuroClass - SCP-EasyFiber® Featuring Corning® SMF-28® Ultra, LSZH Dca-s1,d1,a1 Indoor/Outdoor UV Sun Res						
EF-SIM-OS2LSZH-WT	Simplex Drop OS2 SCP-EasyFiber® Simplex Single Mode OS2 9/125, 4.8mm, LSZH White/Neutral Jkt			610m/2000ft Reel-in-Box		
EF-OS2LSD-DUP-YL	Duplex Zip SCP-EasyFiber® Single Mode OS2 9/125, 2.0mm, LSZH Yellow Jkt			500m/1640ft Reel-in-Box		
EF-DUP-OS2LSZH-YL	Duplex Zip SCP-EasyFiber® Single Mode OS2 9/125, 2.0mm, LSZH Yellow Jkt			610m/2000ft Reel-in-Box		
EF-6DIST-OS2LSZH-BK	6 Strand Tight Buffered Distribution SCP-EasyFiber®, Single Mode OS2 9/125, 2.0mm, LSZH Black Jkt			610m/2000ft Reel-in-Box		
EF-12DIST-OS2LSZH-BK	12 Strand Tight Buffered Distribution SCP-EasyFiber®, Single Mode OS2 9/125, 2.0mm, LSZH Black Jkt			610m/2000ft Reel-in-Box		
Dca EuroClass - Slim Armored SCP-EasyFiber® Featuring Corning® SMF-28® Ultra LSZH Dca-s1,d1,a1 Indoor/Outdoor UV Sun Res						
EF-2DISTARM-OS2LSZH-BK	Slim Armored 2 Strand Tight Buffered Distribution, SCP-EasyFiber® Single Mode, LSZH Black Jkt			610m/2000ft Reel-in-Box		
EF-6DISTARM-OS2LSZH-BK	Slim Armored 6 Strand Tight Buffered Distribution, SCP-EasyFiber® Single Mode, LSZH Black Jkt			610m/2000ft Reel-in-Box		
Note: Above are stock items. Custom Length and Other Single Mode Fiber Cables may be available upon request.						
Multi-Purpose - Audio, Communication & Control Cables						
Analog Audio Cables						
Features: Balanced line level audio and control. Superior signal-to-noise ratio. HD LSZH Jacket, Dca EuroClass. Descending M and Zone/Outlet Jkt Markings. SCP Tangle-Free Reelex II Box.				Compliance: EN50575 EuroClass: Dca-s1,d1,a1; IEC 60332-1-2; RoHS; Low Voltage & Power Limited Systems; 300V 75°C		
Applications: High performing audio and control distribution. Permanent or Semi-Permanent Installations. Microphone/Intercom Distribution. Sound/Audio Systems. Security and Power-Limited Control Controls.						
SCP Part Number		Construction		Jacket / Color	Installation Rating	Packaged Length
22/2ESH-LSZH		2C/22AWG BC Str Twisted Pair w/Drain, Shielded		HD LSZH - Gray	Dca	305m/1000ft Box
22/4EPSH-LSZH-BX		(2) Pair 22AWG BC Str Twisted Pair w/Drain, Each Pair Shielded		HD LSZH - Gray	Dca	305m/1000ft Box

Speaker Cables					
LSZH ProSeries Euro Speaker Cables					
Features: Commercial/Institutional/Public Buildings/Residential. High Strand Count Oxygen Free Copper (OFC); Unshielded; Insulated twisted pair; Easy Strip Round Rope Lay Construction; Indoor/Outdoor Rated UV Sun Res; Reel in Box or Wooden Spool; Descending Meter and Zone/Outlet Jkt Markings			Compliance: EN 50575 EuroClass: B2ca and Dca; RoHS; Low Voltage & Power Limited Systems; 75°C		
Applications: Commercial/Institutional/Public Bldg/Residential; High Definition; Home Theater Systems, In-Wall Rated Speakers; Class 2/3 Low Voltage Power; Supports 100V systems. Indoor/Outdoor UV Sun Resistant Jacket					
SCP Part Number	mm2	Construction	Jacket / Color	Installation Rated	Packaging
1.5mm2 - B2ca Euroclass - Indoor/Outdoor Rated - UV Sun Res LSZH Jacket					
SP-1.5/2-LSZH-BK-B2	1.5	2 Cond (1.5mm2)/30 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	305m/1000ft Spool
SP-1.5/2-LSZH-WT	1.5	2 Cond (1.5mm2)/30 Str OFC	LSZH - White	B2ca-s1a,d1,a1	305m/1000ft Spool
2.5mm2 - B2ca Euroclass - Indoor/Outdoor Rated - UV Sun Res LSZH Jacket					
SP-2.5/2-LSZH-BK-B2	2.5	2 Cond (2.5mm2)/50 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	305m/1000ft Spool
SP-2.5/2-LSZH-BK-500	2.5	2 Cond (2.5mm2)/50 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	152m/500ft Reel in Box
SP-2.5/2-LSZH-WT-B2	2.5	2 Cond (2.5mm2)/50 Str OFC	UV Sun Res LSZH - White	B2ca-s1a,d1,a1	305m/1000ft Spool
SP-2.5/2-LSZH-WT-500	2.5	2 Cond (2.5mm2)/50 Str OFC	UV Sun Res LSZH - White	B2ca-s1a,d1,a1	152m/500ft Reel in Box
SP-2.5/4-LSZH-BK	2.5	4 Cond (2.5mm2)/50 Str OFC	LSZH - Black	B2ca-s1a,d1,a1	152m/500ft Reel in Box
SP-2.5/4-LSZH-WT	2.5	4 Cond (2.5mm2)/50 Str OFC	LSZH - White	B2ca-s1a,d1,a1	152m/500ft Reel in Box
2.5mm2 - Dca Euroclass - Indoor/Outdoor Rated - UV Sun Res LSZH Jacket					
SP-2.5/2-LSZH-BK-D	2.5	2 Cond (2.5mm2)/50 Str OFC	UV Sun Res LSZH - Black	Dca-s1,d1,a1	305m/1000ft Spool
SP-2.5/2-LSZH-WT-D	2.5	2 Cond (2.5mm2)/50 Str OFC	UV Sun Res LSZH - White	Dca-s1,d1,a1	305m/1000ft Spool
4.0mm2 - B2ca Euroclass - Indoor/Outdoor Rated - UV Sun Res LSZH Jacket					
SP-4.0/2-LSZH-BK-100M	4.0	2 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	100m/328ft Reel in Box
SP-4.0/2-LSZH-WT-100M	4.0	2 Cond (4.0mm2)/56 Str OFC	LSZH - White	B2ca-s1a,d1,a1	100m/328ft Reel in Box
SP-4.0/2-LSZH-BK-305M	4.0	2 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	305m/1000ft Spool
SP-4.0/2-LSZH-BK-305M-A2	4.0	2 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a2	305m/1000ft Spool
SP-4.0/2-LSZH-BK-500M	4.0	2 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	500m/1640ft Spool
SP-4.0/2-LSZH-BK-500M-A2	4.0	2 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a2	500m/1640ft Spool
SP-4.0/4-LSZH-BK-100M	4.0	4 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	100m/328ft Reel in Box
SP-4.0/4-LSZH-BK-305M	4.0	4 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	305m/1000ft Spool
SP-4.0/4-LSZH-BK-305M-A2	4.0	4 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a2	305m/1000ft Spool
SP-4.0/4-LSZH-BK-500M	4.0	4 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	500m/1640ft Spool
SP-4.0/4-LSZH-BK-500M-A2	4.0	4 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a2	500m/1640ft Spool
4.0mm2 - Dca Euroclass - Indoor/Outdoor Rated - UV Sun Res LSZH Jacket					
SP-4.0/2-LSZH-BK-D	4.0	2 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	Dca-s1,d1,a1	305m/1000ft Spool
NEW - ProSeries Tinned Copper Indoor/Outdoor Speaker Cable Series - Premium Performance- Commercial/Residential					
Features: Tinned Copper Conductors - Protects against oxidation of conductors. Oxidation of conductors increases resistance which reduces cable performance. Highly Flexible and more round. Indoor/Outdoor Rated HD UV Sun Resistant PVC Jacket. High Strand Count Tinned Copper; Unshielded; Insulated twisted pair; Easy Strip Round Rope Lay Construction; SCP Tangle Free Reelxx II Box; Descending Meter and Zone/Outlet Jkt Markings			Compliance: EN50575 EuroClass: Dca-s3,d2,a3; UL CMR CL2R/CL3R c(UL) FT4; RoHS; Low Voltage & Power Limited Systems; Tested 300V 75°C		
Applications: Indoor/Outdoor Installations. Commercial & Residential; High Definition; Home Theater Systems, In-Wall Speakers; Class 2/3 Low Voltage Power; Outdoor: HD UV Sun Resistant PVC; Indoor/In-Wall Rated UL CMR/EN50575: EuroClass Dca-s3,d2,a3. Not recommended for direct burial but for above ground outdoor installations.					
SCP Part Number	AWG	Construction	Jacket / Color	Installation Rated	Packaging
16/20FCTC-HD-BKD	16	2 Cond/65 Strand Tinned Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - Black	UL CMR/EU: Dca	152m/500ft Pull Box
16/20FCTC-HD-WTD	16	2 Cond/65 Strand Tinned Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - White	UL CMR/EU: Dca	152m/500ft Pull Box
14/20FCTC-HD-BKD	14	2 Cond/105 Strand Tinned Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - Black	UL CMR/EU: Dca	152m/500ft Pull Box
14/20FCTC-HD-WTD	14	2 Cond/105 Strand Tinned Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - White	UL CMR/EU: Dca	152m/500ft Pull Box
14/20FCTC-HD-WTD-1000	14	2 Cond/105 Strand Tinned Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - White	UL CMR/EU: Dca	305m/1000ft Spool
12/20FCTC-HD-WTD	12	2 Cond/65 Strand Tinned Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - White	UL CMR/EU: Dca	152m/500ft Reel in Box
Installer Series Indoor/Outdoor Speaker Cable Series					
Features: Indoor/Outdoor Rated. High Strand Count Oxygen Free Copper (OFC); Unshielded; Insulated twisted pair; Highly Flexible and Round HD UV Sun Res PVC Jacket; Easy Strip Round Rope Lay Construction; SCP Tangle Free Pull Box, Reel in Box, or Wood Spool; Descending Feet/Meter and Zone/Outlet Jacket Markings			Compliance: EN50575 EuroClass: Dca-s3,d2,a3; UL CMR CL2R/CL3R c(UL) FT4; RoHS; Low Voltage & Power Limited Systems; 300V 75°C		
Applications: High Definition; Home Theater Systems, In-Wall Speakers; Class 2/3 Low Voltage Power; Outdoor: HD UV Sun Resistant; Indoor/In-Wall Rated UL CMR/EN50575: EuroClass Dca-s3,d2,a3. Not recommended for direct burial but for above ground outdoor installations.					
SCP Part Number	AWG	Construction	Jacket / Color	Installation Rated	Packaging
16/20FC-HD-BK-D	16	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - Black	UL CMR/EU: Dca	152m/500ft Pull Box
16/20FC-HD-PUR-D	16	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - Purple	UL CMR/EU: Dca	152m/500ft Pull Box
16/20FC-HD-WT-D	16	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - White	UL CMR/EU: Dca	152m/500ft Pull Box
H-16/20FC-OR-1000-D	16	4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	HD UV SunRes-PVC - Orange	UL CMR/EU: Dca	305m/1000ft Pull Box
16/40FC-HD-BK-D	16	4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	HD UV Sun Res-PVC - Black	UL CMR/EU: Dca	152m/500ft Pull Box
16/40FC-HD-PUR-D	16	4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	HD UV SunRes-PVC - Purple	UL CMR/EU: Dca	152m/500ft Pull Box
16/40FC-HD-WT-D	16	4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	HD UV SunRes-PVC - White	UL CMR/EU: Dca	152m/500ft Pull Box
14/20FC-HD-BK-D	14	2 Cond/105 Strand Oxygen Free Copper, Black/Red, PVC Insulated	HD UV SunRes-PVC - Black	UL CMR/EU: Dca	152m/500ft Pull Box
14/20FC-HD-BK-D-1000	14	2 Cond/105 Strand Oxygen Free Copper, Black/Red, PVC Insulated	HD UV SunRes-PVC - Black	UL CMR/EU: Dca	305m/1000ft Spool
14/20FC-HD-PUR-D	14	2 Cond/105 Strand Oxygen Free Copper, Black/Red, PVC Insulated	HD UV SunRes-PVC - Purple	UL CMR/EU: Dca	152m/500ft Pull Box
14/20FC-HD-WT-D	14	2 Cond/105 Strand Oxygen Free Copper, Black/Red, PVC Insulated	HD UV SunRes-PVC - White	UL CMR/EU: Dca	152m/500ft Pull Box
14/20FC-HD-WT-D-1000	14	2 Cond/105 Strand Oxygen Free Copper, Black/Red, PVC Insulated	HD UV SunRes-PVC - White	UL CMR/EU: Dca	305m/1000ft Spool
14/40FC-HD-BK-D	14	4 Cond/105 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	HD UV SunRes-PVC - Black	UL CMR/EU: Dca	152m/500ft Reel in Box
14/40FC-HD-BK-D-1000	14	4 Cond/105 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	HD UV SunRes-PVC - Black	UL CMR/EU: Dca	305m/1000ft Spool
14/40FC-HD-WT-D	14	4 Cond/105 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	HD UV SunRes-PVC - Purple	UL CMR/EU: Dca	152m/500ft Reel in Box
12/20FC-HD-BK-D	12	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - Black	UL CMR/EU: Dca	152m/500ft Reel in Box
12/20FC-HD-WT-D	12	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - White	UL CMR/EU: Dca	152m/500ft Reel in Box
12/40FC-HD-WT-D	12	4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	HD UV SunRes-PVC - White	UL CMR/EU: Dca	152m/500ft Spool

LSZH Installer Series In-Wall Speaker Cable Series

High Strand Count Oxygen Free Copper Speaker Cable with Smaller Cable OD for Easy Installation When Bundling through Conduit

Features: Highly Flexible with Minimum OD. High Strand Count Oxygen Free Copper; Unshielded; Insulated twisted pair BK/RD & BK/RD-GN/WT; Easy Strip PVC Jkt; Smaller OD ideal for conduit. SCP Tangle Free Pull Box, Reel in Box, or Wood Spool; Descending Feet/Meter and Zone/Outlet Jacket Markings

Compliance: EN50575 EuroClass: Dca-s1,d1,a1 LSZH RoHS; Low Voltage & Power Limited Systems; 300V 75°C

Applications: Commercial & Residential; High Definition; Home Theater Systems, In-Wall Speakers; Class 2/3 Low Voltage Power; CPR Rated Dca-s1,d1,a1.

16/20FC-LSZH-BK-D	16	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	LSZH - Black	Dca-s1,d1,a1	152m/500ft Box
16/20FC-LSZH-BK-1000-D	16	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	LSZH - Black	Dca-s1,d1,a1	305m/1000ft Box
16/20FC-LSZH-PUR-D	16	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	LSZH - Purple	Dca-s1,d1,a1	152m/500ft Box
16/20FC-LSZH-WT	16	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	LSZH - White	Dca-s1,d1,a1	152m/500ft Box
16/20FC-LSZH-WT-1000	16	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	LSZH - White	Dca-s1,d1,a1	305m/1000ft Box
16/40FC-LSZH-BK-D	16	4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	LSZH - Black	Dca-s1,d1,a1	152m/500ft Box
16/40FC-LSZH-PUR-D	16	4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	LSZH - Purple	Dca-s1,d1,a1	152m/500ft Box
16/40FC-LSZH-WT	16	4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	LSZH - White	Dca-s1,d1,a1	152m/500ft Box
14/20FC-LSZH-BK-D	14	2 Cond/105 Strand Oxygen Free Copper, Black/Red, PVC Insulated	LSZH - Black	Dca-s1,d1,a1	152m/500ft Box
14/20FC-LSZH-PUR	14	2 Cond/105 Strand Oxygen Free Copper, Black/Red, PVC Insulated	LSZH - Purple	Dca-s1,d1,a1	152m/500ft Box
14/20FC-LSZH-WT	14	2 Cond/105 Strand Oxygen Free Copper, Black/Red, PVC Insulated	LSZH - White	Dca-s1,d1,a1	152m/500ft Box
14/40FC-LSZH-BK-D	14	4 Cond/105 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	LSZH - Black	Dca-s1,d1,a1	152m/500ft Reel in Box
14/40FC-LSZH-PUR	14	4 Cond/105 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	LSZH - Purple	Dca-s1,d1,a1	152m/500ft Reel in Box
14/40FC-LSZH-WT	14	4 Cond/105 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	LSZH - White	Dca-s1,d1,a1	152m/500ft Reel in Box
12/20FC-LSZH-BK-D	12	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	LSZH - Black	Dca-s1,d1,a1	152m/500ft Reel in Box
12/20FC-LSZH-WT	12	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	LSZH - White	Dca-s1,d1,a1	152m/500ft Reel in Box
12/40FC-LSZH-BK-D	12	4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	LSZH - Black	Dca-s1,d1,a1	152m/500ft Spool
12/40FC-LSZH-WT-D	12	4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	LSZH - White	Dca-s1,d1,a1	152m/500ft Spool

Installer Series In-Wall Rated Speaker Cables - PVC Jacket

High Strand Count Oxygen Free Copper Speaker Cable with Smaller Cable OD for Easy Installation When Bundling through Conduit

Features: Highly Flexible with Minimum OD. High Strand Count Oxygen Free Copper; Unshielded; Insulated twisted pair BK/RD & BK/RD-GN/WT; Easy Strip PVC Jkt; Smaller OD ideal for conduit. SCP Tangle Free Box; Descending Feet and Zone/Outlet Jacket Markings

Compliance: UL CMR CL2R/CL3R c(UL) FT4; EN50575 EuroClass: Dca-s3,d2,a3; RoHS; Low Voltage & Power Limited Systems; 300V 75°C

Applications: Commercial & Residential; High Definition; Home Theater Systems, In-Wall Speakers; Class 2/3 Low Voltage Power; In-Wall Riser Rated

SCP Part Number	AWG	Construction	Jacket / Color	Installation Rated	Packaging
16/20FC-BK-D	16	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated TP	PVC - Black	UL CMR/EU: Dca	152m/500ft Box
16/20FC-PUR-D	16	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated TP	PVC - Purple	UL CMR/EU: Dca	152m/500ft Box
16/20FC-WT-D	16	2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated TP	PVC - White	UL CMR/EU: Dca	152m/500ft Box
16/40FC-WT-D	16	4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White PVC Insulated TP	PVC - White	UL CMR/EU: Dca	152m/500ft Box
14/20FC-BK-D	14	2 Cond/105 Strand Oxygen Free Copper, Black/Red PVC Insulated TP	PVC - Black	UL CMR/EU: Dca	152m/500ft Box
14/20FC-WT-D	14	2 Cond/105 Strand Oxygen Free Copper, Black/Red PVC Insulated TP	PVC - White	UL CMR/EU: Dca	152m/500ft Box
14/40FC-WT-D	14	4 Cond/105 Strand Oxygen Free Copper, Black/Red, Green/White PVC Insulated TP	PVC - White	UL CMR/EU: Dca	152m/500ft Reel in Box

Pro Series Landscape / Direct Burial/Outdoor Speaker Cables

Professionals Choice for All High Performance Landscape and Outdoor Speaker Systems. Retains Flexibility in All Outdoor Environments. ProSeries Landscape/Direct Burial cables feature LLDPE (Linear Low-Density Polyethelene) jackets that provide superior performance and durability over PVC or standard PE jacket cables. These cables also are UV Sun Resistant and retains flexible performance in both hot and cold environments.

Features: High Strand Count Oxygen Free Copper; Unshielded; Insulated twisted pair; LLDPE Jacket; Waterproof: Gel Filled; Superior Durability and Longevity; Rodent Resistant; UV Sun Resistant; Descending Feet Markings

Compliance: UL 444, NEC CL3, RoHS

Applications: Professional Outdoor Speaker Systems; Direct Burial Waterproof; Audio/Security/Control; Class 2/3 Low Voltage Power; Installs in Wet Environments; Commercial/Residential/Institutional. Not for indoor in-wall installation.

NEW - ProSeries Direct Burial / Landscape Speaker Cables

Features: **Tinned Copper Conductors** - Protects against oxidation of conductors. Oxidation of conductors increases resistance which reduces cable performance.High Strand Count Oxygen Free Copper; Unshielded; Insulated twisted pair BK/RD & BK/RD-GN/WT; Linear Low-Density Polyethylene (LLDPE) Jacket; Waterproof: Gel Filled; Superior Durability and Longevity; Rodent Resistant; UV Sun Resistant; Descending Meter Markings. For outdoor installs only.

Compliance: UL 444, NEC CL3, RoHS

SCP Part Number	AWG	Constuction	Jacket / Color	Installation Rating	Packaged Length
14/2SPTC-DB-152M	14	2 Cond/105 Strand Tinned Copper Oxygen Free, Gel Filled	LLDPE - Black	Direct Burial/UV Outdoor	152m/500ft Spool
14/4SPTC-DB-100M	14	4 Cond/105 Strand Tinned Copper Oxygen Free, Gel Filled	LLDPE - Black	Direct Burial/UV Outdoor	100m/328ft Spool
14/4SPTC-DB-152M	14	4 Cond/105 Strand Tinned Copper Oxygen Free, Gel Filled	LLDPE - Black	Direct Burial/UV Outdoor	100m/328ft Spool

Installer Series Direct Burial / Landscape Speaker Cables

Features: High Strand Count Oxygen Free Copper; Unshielded; Insulated Twisted Pair BK/RD & BK/RD-GN/WT; Linear Low-Density Polyethylene (LLDPE) Jacket; Waterproof: Gel Filled; Superior Durability and Longevity; Rodent Resistant; UV Sun Resistant; Descending Feet Markings. For outdoor installs only.

Compliance: UL 444, NEC CL3, RoHS

SCP Part Number	AWG	Constuction	Jacket / Color	Installation Rating	Packaged Length
14/2SP-DB-100	14	2 Cond/105 Stranded Oxygen Free Copper, Gel Filled Moisture Protection	LLDPE - Black	Direct Burial/UV Outdoor	100m/328ft Spool
14/2SP-DB-500	14	2 Cond/105 Stranded Oxygen Free Copper, Gel Filled Moisture Protection	LLDPE - Black	Direct Burial/UV Outdoor	152m/500ft Spool
14/2SP-DBWBT-500	14	2 Cond/105 Stranded Oxygen Free Copper, Water Block Tape	LLDPE - Black	Direct Burial/UV Outdoor	152m/500ft Spool
14/4SP-DB-100	14	4 Cond/105 Stranded Oxygen Free Copper, Gel Filled Moisture Protection	LLDPE - Black	Direct Burial/UV Outdoor	100m/328ft Spool
14/4SP-DB-GEL-500	14	4 Cond/105 Stranded Oxygen Free Copper, Gel Filled Moisture Protection	LLDPE - Black	Direct Burial/UV Outdoor	152m/500ft Spool
14/4SP-DBWBT-500	14	4 Cond/105 Stranded Oxygen Free Copper, Water Block Tape	LLDPE - Black	Direct Burial/UV Outdoor	152m/500ft Spool
12/2SP-DB	12	2 Cond/65 Stranded Oxygen Free Copper, Gel Filled Moisture Protection	LLDPE - Black	Direct Burial/UV Outdoor	305m/1000ft Spool

Contractor Series

Features: Standard strand count; Unshielded; Insulated twisted pair BK/RD & BK/RD-GN/WT; Easy Strip PVC Jacket; SCP Tangle Free Box; Descending Meter and SCP Zone/Outlet Jacket Markings

Compliance: EN50575 EuroClass: Eca; RoHS; Low Voltage & Power Limited Systems; 300V 75°C

Applications: Residential; Speaker, Audio, Control; In-Wall Speakers; Class 2/3 Low Voltage Power

SCP Part Number	AWG	Construction	Jacket / Color	Installation Rated	Packaging
16/2SP-26-WT-1000	16	2 Cond/26 Strand Oxygen Free Copper, PVC Insulated	PVC - White	Eca	305m/1000ft Pull Box
16/4SP-26-WT	16	4 Cond/26 Strand Oxygen Free Copper, PVC Insulated	PVC - White	Eca	152m/500ft Pull Box

Networking - Copper

Simply45® RJ45 Termination System

Features: Best RJ45 termination system on the market. Improves termination performance for both Pass-Through and Standard 8P8C RJ45. Patented and leading industry award winner. Commercial Rated for up to B2ca EuroClass. PoE/PoH full support.

Compliance: ANSI/TIA 568.2-D, ISO/IEC 11801; TIA 1096A; UL94 V0; PoE IEEE 802.3bt; HDBaseT Recommended; RoHS

Patented ProSeries Pass-Through RJ45 Connectors

Features: Patented. Only certifiable Pass-Through solution on the market. Exclusively featuring Cap45® and BarS45™. Recommended for all installations. Commercial/Plenum/B2ca rated.

SCP Part Number	Description	Packaging
S45-1755P	ProSeries CAT7a/6a Shielded Pass-Through RJ45 with Cap45™ for Shielded Cat7a/6a 23AWG Solid FPE Insulated Wire Cond, Max Cable OD 8.0mm (0.315"); 2pc Plug with BarS45™ Load Bar, Hi/Lo Stagger, UL94 V0 Comm Rated - Yellow Tint - 50 plugs per Jar. Sold per Jar.	Sold per Plastic Jar
S45-1750P	ProSeries CAT6 Shielded Pass-Through RJ45 with Cap45™ for Shielded Cat6 23AWG Solid PE Insulated Wire Cond, Max Cable OD 8.0mm (0.315"); 2pc Plug with BarS45™ Load Bar, Hi/Lo Stagger, Internal Ground, UL94 V0 Comm Rated - Red Tint Plug- 50 plugs per Jar. Sold per Jar.	Sold per Plastic Jar
S45-1700P	ProSeries CAT6A/6 Unshielded Pass-Through RJ45 Mod Plugs w/Cap45™ for 23AWG SOL (Cat6/6a UTP), Hi/Lo Stagger, For Larger Cable OD, UL94 V0 Comm Rated - Red Tint Plug - 100 plugs per Jar. Sold per Jar	Sold per Plastic Jar
S45-1600P	ProSeries CAT6 Unshielded Pass-Through RJ45 Mod Plugs w/Cap45™ for 23AWG SOL (Cat6 UTP) & 24-26AWG Stranded (Cat6/5e Stranded UTP), UL94 V0 Comm Rated - Green Tint Plug - 100 plugs per Jar. Sold per Jar	Sold per Plastic Jar
S45-1500P	ProSeries Cat5e Unshielded Pass-Through RJ45 Mod Plugs with Cap45® for 24AWG Solid (Cat5e UTP), 28-26AWG Stranded (Cat5e/6 Stranded), Max Lan Cable OD 6.10mm (0.24"), UL94 V0, Blue Tint Plug. 100pcs/jar. Sold per Jar.	Sold per Plastic Jar

Simply45 Pass-Through RJ45 Connectors

SCP Part Number	Description	Packaging
S45-1700	CAT6/6A Unshielded Pass Through RJ45 Mod Plugs for 23AWG Solid (Cat6a/6 UTP Solid), Hi/Lo Stagger for Larger Cable OD; UL94 V0 Comm Rated - Red TintPlug - 100pcs/Jar. Sold per Jar.	Sold per Plastic Jar
S45-1600	Cat6 Unshielded Pass-Through RJ45 Mod Plugs for 23AWG Solid (Cat6 UTP), 26-24AWG Stranded (Cat5e/6 UTP Stranded), Max LAN Cable OD 7.0mm (0.276"), UL94 V0, Green Tint Plug. 100pcs/jar. Sold per Jar.	Sold per Plastic Jar
S45-1601	Cat6 Unshielded Pass-Through RJ45 Mod Plugs for 23AWG Solid (Cat6 UTP), 26-24AWG Stranded (Cat5e/6 UTP Stranded), Max LAN Cable OD 7.0mm (0.276"), UL94 V0, Green Tint Plug. 50pcs/clamshell. Sold per Clam.	Sold per Clamshell
S45-1500	Cat5e Unshielded Pass-Through RJ45 Mod Plugs for 24AWG Solid (Cat5e UTP), 28-26AWG Stranded (Cat5e/6 Stranded), Max Lan Cable OD 6.10mm (0.24"), UL94 V0, Blue Tint Plug. 100pcs/jar. Sold per Jar.	Sold per Plastic Jar
S45-1501	Cat5e Unshielded Pass-Through RJ45 Mod Plugs for 24AWG Solid (Cat5e UTP), 28-26AWG Stranded (Cat5e/6 Stranded), Max Lan Cable OD 6.10mm (0.24"), UL94 V0, Blue Tint Plug. 50pcs/clam shell. Sold per Clam.	Sold per Clamshell
S45-1550	Cat5e Shielded Pass-Through RJ45 Mod Plugs for 24AWG SOL (Cat5e STP), 28-26AWG Stranded (Cat5e/6/6a STP Stranded), Max LAN Cable OD 6.10mm (0.24"), UL94 V0, Blue Tint Plug- 50pcs/per Clamshell. Sold per Clam.	Sold per Plastic Jar

Simply45 Standard Non-Pass-Through RJ45 Connectors

SCP Part Number	Description	Packaging
S45-1155	CAT7a/6a Shielded External Ground Standard (8P8C) RJ45 for Shielded Cat7a/6a 23AWG Solid FPE Insulated Wire Cond, Max Cable OD 8.0mm (0.315"); 2pc Plug with BarS45™ Load Bar, Hi/Lo Stagger, UL94 V0, Orange Tint Plug, 50 plugs/Jar. Sold per Jar.	Sold per Plastic Jar
S45-1150	Cat6 Shielded External Ground Standard (8P8C) RJ45 Mod Plugs for Shielded Cat6 23AWG Solid PE Insulated Wire Cond, Max Cable OD 8.0mm (0.315"); 2pc Plug with BarS45™ Load Bar, Hi/Lo Stagger, Internal Ground, UL94 V0, Green Tint Plug, 50 plugs/Jar. Sold per Jar	Sold per Plastic Jar
S45-1100	Cat6/6a Unshielded Standard (8P8C) RJ45 Mod Plugs with BarS45 Load Bar; 23AWG Solid PE Insulated Cat6/6a UTP, UL94 V0, Green Tint Plug, 100pcs/Jar. Sold per Jar.	Sold per Plastic Jar
S45-1050	Cat5e Shielded Internal Ground Standard (8P8C) RJ45 Mod Plugs for 24 AWG Cat5e STP Solid, 28-24AWG Cat5e/6/6a STP Stranded, UL94 V0, Blue Tint Plug, 50pcs/Jar. Sold per Jar.	Sold per Plastic Jar
S45-1000	Cat5e Unshielded Standard WE/SS RJ45 Mod Plugs for 24AWG Cat5e UTP Solid, 28-24AWG Cat5e/6 UTP Stranded LAN cables, UL94 V0, Blue Tint Plug, 100pcs/Jar. Sold per Jar.	Sold per Plastic Jar

Simply45 Strain Reliefs/Boots

SCP Part Number	Description	Packaging
S45-B001	Snagless Strain Reliefs for Simply45 Cat5e S45-1500/1501/1000 ONLY. Pass-Through & Standard RJ45 Mod Plugs, UL94 V0, Blue Tint, 100 pcs. Sold per Bag.	Sold per Bag
S45-B002	Snagless Strain Reliefs for Simply45 Cat6a/6 UTP & Cat5e STP Pass-Through & Standard RJ45 Mod Plugs, UL94 V0. Not for Cat5e UTP (See part: S45-B001), Clear Tint, 100pcs. Sold per Bag.	Sold per Bag
S45-B003	8.5mm - Simply45 Strain Reliefs for All Simply45 Shielded External Ground RJ45 Mod Plugs. Works on both Pass-Through & Standard, Trimmable. Clear Tint, 100pcs. Sold per Bag	Sold per Bag
S45-B004P	PROSeries Integrated Strain Relief for all Simpy45® External Ground Shielded RJ45 - Clear - 100pcs/Bag	Sold per Bag

Simply45 RJ45 Crimp Tools				
SCP Part Number		Description	Packaging	
S45-C101	ProSeries All-In-One RJ45 Crimp Tool for All Shielded & Unshielded Simply45 Brand Pass-Through & Standard (8P8C) RJ45 Mod Plugs. Includes: Tool Lock, Click Socket, Blade Storage, Stripper/Cutter.		1ea Blister	
S45-C100	Pass-Through RJ45 Crimp Tool for UTP & Shielded Simply45 Brand RJ45 Mod Plugs, Built-In Stripper/Cutter.		1ea Blister	
S45-C200	Universal RJ45 Crimp Tool for Standard (8P8C) UTP & Shielded Internal Grnd RJ45 Mod Plugs. Includes Wire Cutter & Stripper. Works with most brands standard RJ45 plugs.		1ea Blister	
S45-C250	Universal RJ45 Crimp Tool for Standard (8P8C) Shielded External Ground RJ45 Mod Plugs. Includes Crimp Socket for Ext Ground Arm. Works with most RJ45 brand standard plugs.		1ea Blister	
S45-C190	Replacement Trimming/Cutting Blades for Simply45 RJ45 Crimp Tool (S45-C101/C100)- 1 set of 2 blades. Sold per Bag or Clamshell.		1set Clam or Bag	
	RJ45 Field Plugs			
Features: SCP developed RJ45 Field Plug. First 1-Piece Field Plug. Improves Channel Performance. Toolless. Easy to Use. PoE/PoH full support.		Compliance: 10GBase-T ANSI/TIA 568.2-D, ISO/IEC 11801 Class Ea; TIA 1096A; PoE: IEEE 802.3bt; RoHS		
SCP Part Number		Description	Packaging	Master Pack
10G-FPS	Slim Style Toolless ProGrade 10GBaseT Shielded RJ45 Field Plug, 1pc Design + Load Bar. For Cat7a/6a/6 22-26 AWG, UL. Sold in 10ea Mstr Pack		1ea/Bag	10ea per MP
10G-FP	Toolless ProGrade 10GBaseT Shielded RJ45 Field Plug, 1pc Design + Load Bar. For Cat7a/6a/6 22-26 AWG, UL. Sold in 10ea Mstr Pack		1ea/Bag	10ea per MP
10G-FPU	Toolless Unshielded 10GBaseT Shielded RJ45 Field Plug, 1pc Design + Load Bar. For Cat7a/6a/6 22-26 AWG, UL. Sold in 10ea Mstr Pack		1ea/Bag	10ea per MP
	RJ45 Keystone Jacks & Couplers			
180° Inline Style Keystone Jacks				
Features: Customize your patch panels. Featuring SCP Exclusive 6-Color Snap-On ID bars. 1 SKU allows you to color code your ports.		Compliance: 10GBase-T ANSI/TIA 568.2-D, ISO/IEC 11801 Class Ea, E, D; TIA 1096A; PoE: IEEE 802.3bt; RoHS		
Applications: Use with SCP Unloaded Patch Panels, parts: 324U and 348U				
SCP Part Number		Description	Packaging	
Shielded In-Line Keystone Jack for Cat7a/6a/6 Cable- 10GBaseT Rated:				
CAT6A-SH-JACK-WT	10GBaseT RJ45 8P8C Shielded Keystone Jack for Cat7a/6a/6 Shielded Cabling, 23 AWG. ANSI/TIA 568.2-D, ISO/IEC 11801 Class Ea, E; PoE IEEE 802.3bt Type 3,4. Toolless, Slim Design, Fully Shielded Zinc Alloy Shell- White Clip		1ea Bag	
Unshielded In-Line Keystone Jacks Cat6a, Cat6, Cat5e:				
KJ180U-CAT6/6A-BK	Cat6/6A UTP 180° Keystone Jack, Slim Style, Unshielded, Toolless, w/6 Color ID Bars, 10GBaseT Rated, 568B Wiring Label, ANSI/TIA 568-D.2, ISO/IEC 11801 Class E, Ea Rated, UL - Black		1ea Bag	
KJ180U-CAT6/6A-WT	Cat6/6A UTP 180° Keystone Jack, Slim Style, Unshielded, Toolless, w/6 Color ID Bars, 10GBaseT Rated, 568B Wiring Label, ANSI/TIA 568-D.2, ISO/IEC 11801 Class E, Ea Rated, UL - Black		1ea Bag	
KJ180U-C5E-BK	Cat5e UTP 180° Keystone Jack 110 Style, Toolless, w/6 Color ID, 568B Wiring Label, ANSI/TIA 568.2-D, ISO/IEC 11801 Class D, UL - Black		1ea Bag	
KJ180U-C5E-WT	Cat5e UTP 180° Keystone Jack 110 Style, Toolless, w/6 Color ID, 568B Wiring Label, ANSI/TIA 568.2-D, ISO/IEC 11801 Class D, UL - White		1ea Bag	
6-Color Keystone Jack Snap-On ID Bars:				
SCP Part Number		Description	Packaging	Master Pack
KJ-BARS-60	SCP Keystone Snap-On ID Bars - (6) Colors (Blue, Green, Orange, Purple, Red, Yellow), 10pcs per Color, 60pcs Total - Bag/1ea		Bag	na
Keystone Jack Couplers - Feed Thru				
Features: Supports SCP 6-Color Snap-On ID Bars for easy color coding your ports.		Compliance: 10GBase-T ANSI/TIA 568.2-D, ISO/IEC 11801 Class Ea, E, D; TIA 1096A; PoE: IEEE 802.3bt; RoHS		
Applications: Use with SCP Unloaded Patch Panels, parts: 324U and 348U				
SCP Part Number		Description	Packaging	Master Pack
Shielded Keystone Jack Feed-Thru Couplers - Slim Style:				
KCOU-10GSH	10GBaseT Shielded Keystone Coupler - Inline/Slim Style, Cat7a/6a STP - Zinc Housing. 1ea/Poly Bag. Sold in Master Packs 10ea		1ea/Bag	10ea per MP
KCOU-6SH	Cat6 Shielded Keystone Coupler - Inline/Slim Style, Cat6 STP Class E - Zinc Housing. 1ea/Poly Bag. Sold in Master Packs 10ea		1ea/Bag	10ea per MP
Shielded Keystone Jack Feed-Thru Couplers - Slim Style:				
KCOU-10GU-BK	10GBaseT Unshielded Keystone Coupler - Inline/Slim Style, Cat6a UTP - Black. 1ea/Poly Bag. Sold in Master Packs 10ea		1ea/Bag	10ea per MP
KCOU-10GU-WT	10GBaseT Unshielded Keystone Coupler - Inline/Slim Style, Cat6a UTP - White. 1ea/Poly Bag. Sold in Master Packs 10ea		1ea/Bag	10ea per MP
KCOU-6U-BK	Cat6 Unshielded Keystone Coupler - Inline/Slim Style, Cat6 UTP - Black. 1ea/Poly Bag. Sold in Master Packs 10ea		1ea/Bag	10ea per MP
KCOU-6U-WT	Cat6 Unshielded Keystone Coupler - Inline/Slim Style, Cat6 UTP - White. 1ea/Poly Bag. Sold in Master Packs 10ea		1ea/Bag	10ea per MP
KCOU-5EU-BK	Cat5e Unshielded Keystone Coupler - Inline/Slim Style, Cat5e UTP - Black. 1ea/Poly Bag. Sold in Master Packs 10ea		1ea/Bag	10ea per MP

KCOU-5EU-WT	Cat5e Unshielded Keystone Coupler - Inline/Slim Style, Cat5e UTP - White. 1ea/Poly Bag. Sold in Master Packs 10ea		1ea/Bag	10ea per MP	
90° Style Keystone Jacks					
SCP Part Number		Description	Packaging		
Cat6 Unshielded Keystone Jack:					
CAT6-JACK-BK	Cat6 Unshielded 90° Keystone Jack, UL Listed. Color: Black		1ea Bag		
CAT6-JACK-GN	Cat6 Unshielded 90° Keystone Jack, UL Listed. Color: Blue		1ea Bag		
CAT6-JACK-OR	Cat6 Unshielded 90° Keystone Jack, UL Listed. Color: Orange		1ea Bag		
CAT6-JACK-WT	Cat6 Unshielded 90° Keystone Jack, UL Listed. Color: White		1ea Bag		
Networking Accessories					
Waterproof IP68 Rated RJ45 Couplers					
SCP Part Number		Description	Packaging		
S45-WP3200	Waterproof In-Line/Splice Coupler rated for Cat5e/6/6a Shielded. IP68 Rated		1ea Blister		
S45-WP3201	Waterproof Panel/Surface Mount rated for Cat5e/6/6a Shielded. IP68 Rated		1ea Blister		
Patch Panels & Brackets					
Features: Loaded and Unloaded Rack Mounted Patch Panels. Unloaded supports Keystone style Snap-In Modules.			Compliance: ANSI/TIA 568.2-D, ISO/IEC 11801, TIA 1096A, RoHS		
SCP Part Number		Description	Packaging		
Premium ProSeries Keystone Unloaded Modular Patch Panels:					
324UM	Premium Unloaded Modular 24 Port Unshielded Keystone Patch Panel, 1RU, (3) Front Loadable 8-Port Modular Bezels w/Nylon Clip Cable Mgt Bracket, Keystone Jacks Sold Separately- Black		1ea/Box		
324UM-SH	Premium Unloaded Shielded Modular 24 Port Keystone Patch Panel, 1RU, Front Loadable 8-Port Modular Bezels w/Nylon Clip Cable Mgt Bracket, Keystone Jacks Sold Separately- Black		1ea/Box		
Keystone Unloaded Patch Panels:					
324U-6ASH	24 Port Shielded Keystone Style Unloaded, 10G Cat7a/6a/6/5e STP, 1RU w/Rear Cable Mgt		1ea/Box		
324U	24 Port Unshielded Keystone Style Unloaded Patch Panel, 1RU w/Rear Cable Mgt		1ea/Box		
348U	48 Port Unshielded Keystone Style Unloaded Patch Panel, 2RU w/Rear Cable Mgt		1ea/Box		
PreLoaded 110 Type Patch Panels:					
324-6ASH	24 Port Loaded Shielded 10GBaseT (Cat7a/6a/6 STP) Patch Panel, 1RU w/Rear Cable Mgt		1ea/Box		
324-6	24 Port Loaded Unshielded Cat6 Class E Patch Panel, 1RU w/Rear Cable Mgt		1ea/Box		
Blank Keystone Inserts					
207-BK	Blank Keystone Snap-In Inserts, ABS Plastic, UL. Colors: Black, White		10ea/Bag		
207-WT	Blank Keystone Snap-In Inserts, ABS Plastic, UL. Colors: Black, White		10ea/Bag		
Networking Patch Cords					
Slim Style Cat6a UTP 10GBaseT					
Features: Component Rated Slim Style (3.8mm OD) 10GBaseT Cat6a Patch Cables. Molded/Snagless Boot, UL CM, Indoor/Outdoor UV Sun Res PVC Jkt			Compliance: ANSI/TIA 568.2-D, ISO/IEC 11801 Class Ea, IEC 60332-1-2; UL CM		
SCP Part Number		Length	Description	Packaging	Master Pack
Cat6a UTP Slim Style 3.8mm OD - Component Rated - Indoor/Outdoor UV Sun Res					
Bulk Packaging Options Coming Soon					
C6APC-SL-0.5FT-BK	0.5ft/0.152m	CAT6A 600MHz 10GBaseT Slim Style Patch Cable - 4pr 28AWG Str BC, U/UTP, Indoor/Outdoor UV Sun Res PVC Jkt- Black	1ea/Bag	10ea per MstrPk	
C6APC-SL-0.5FT-BK12	0.5ft/0.152m	CAT6A 600MHz 10GBaseT Slim Style Patch Cable - 4pr 28AWG Str BC, U/UTP, Indoor/Outdoor UV Sun Res PVC Jkt- Black	12pc Speed Pack	na	
C6APC-SL-1-BK	1ft/0.3m	CAT6A 600MHz 10GBaseT Slim Style Patch Cable - 4pr 28AWG Str BC, U/UTP, Indoor/Outdoor UV Sun Res PVC Jkt- Black	1ea/Bag	10ea per MstrPk	
C6APC-SL-3-BK	3.3ft/1m	CAT6A 600MHz 10GBaseT Slim Style Patch Cable - 4pr 28AWG Str BC, U/UTP, Indoor/Outdoor UV Sun Res PVC Jkt- Black	1ea/Bag	10ea per MstrPk	
C6APC-SL-6-BK	6.5ft/2m	CAT6A 600MHz 10GBaseT Slim Style Patch Cable - 4pr 28AWG Str BC, U/UTP, Indoor/Outdoor UV Sun Res PVC Jkt- Black	1ea/Bag	10ea per MstrPk	
C6APC-SL-10-BK	10ft/3.05m	CAT6A 600MHz 10GBaseT Slim Style Patch Cable - 4pr 28AWG Str BC, U/UTP, Indoor/Outdoor UV Sun Res PVC Jkt- Black	1ea/Bag	10ea per MstrPk	
C6APC-SL-15-BK	15ft/4.6m	CAT6A 600MHz 10GBaseT Slim Style Patch Cable - 4pr 28AWG Str BC, U/UTP, Indoor/Outdoor UV Sun Res PVC Jkt- Black	1ea/Bag	10ea per MstrPk	

Cat6a Shielded 10GBaseT Patch Cables				
Features: Component Rated 10GBaseT Cat6a S/FTP Shielded Patch Cables. Molded/Snagless Boot, LSZH or PVC jkt			Compliance: ANSI/TIA 568.2-D, ISO/IEC 11801 Class Ea, IEC 60332-1-2	
SCP Part Number	Length	Description	Packaging	Master Pack
Cat6a Shielded Premium Patch Cables - Low Smoke Zero Halogen - Indoor Rated				
C6APC-LSZH-0.3M-BK	0.30m/1ft	CAT6A 600MHz 10GBaseT Patch Cable - 4pr 26AWG Str BC, S/FTP, LSZH Jkt- Black	1ea/Bag	10ea per MP
C6APC-LSZH-0.5M-BK	0.5m/1.6ft	CAT6A 600MHz 10GBaseT Patch Cable - 4pr 26AWG Str BC, S/FTP, LSZH Jkt- Black	1ea/Bag	10ea per MP
C6APC-LSZH-1M-BK	1m/3.3ft	CAT6A 600MHz 10GBaseT Patch Cable - 4pr 26AWG Str BC, S/FTP, LSZH Jkt- Black	1ea/Bag	10ea per MP
C6APC-LSZH-2M-BK	2m/6.5ft	CAT6A 600MHz 10GBaseT Patch Cable - 4pr 26AWG Str BC, S/FTP, LSZH Jkt- Black	1ea/Bag	10ea per MP
C6APC-LSZH-3M-BK	3m/10ft	CAT6A 600MHz 10GBaseT Patch Cable - 4pr 26AWG Str BC, S/FTP, LSZH Jkt- Black	1ea/Bag	10ea per MP
C6APC-LSZH-5M-BK	5m/16.5ft	CAT6A 600MHz 10GBaseT Patch Cable - 4pr 26AWG Str BC, S/FTP, LSZH Jkt- Black	1ea/Bag	na
C6APC-LSZH-10M-BK	10m/33ft	CAT6A 600MHz 10GBaseT Patch Cable - 4pr 26AWG Str BC, S/FTP, LSZH Jkt- Black	1ea/Bag	na
Cat6a Shielded Premium Patch Cables - Indoor/Outdoor Rated UV Sun Res - Component Rated				
C6APCSH-1M-BK12	1m/3.3ft	Cat6a Shielded Premium Patch Cable - 4pr 26awg (7/0.16mm) BC, S/FTP, Indoor/Outdoor Rated, UL CM PVC Jkt- Black	12pc Speed Pack	na
	2m/6.5ft	Cat6a Shielded Premium Patch Cable - 4pr 26awg (7/0.16mm) BC, S/FTP, Indoor/Outdoor Rated, UL CM PVC Jkt- Black	12pc Speed Pack	na
C6APCSH-2M-BK12				
Cat6 Shielded Patch Cables				
Features: Supports shielded Cat6 (Class E) networking applications.		Compliance: ANSI/TIA 568.2-D, ISO/IEC 11801 Class E, IEC 60332-1-2; RoHS		
SCP Part Number	Length	Description	Packaging	Master Pack
Cat6 Shielded Patch Cables - PVC				
C6PCSH-0.3M-BK	0.30m/1ft	CAT6 Shielded 550MHz Patch Cable - 4pr 26AWG Str BC, F/UTP, PVC Jkt- Black	1ea/Bag	10ea per MP
C6PCSH-0.5M-BK	0.5m/1.6ft	CAT6 Shielded 550MHz Patch Cable - 4pr 26AWG Str BC, F/UTP, PVC Jkt- Black	1ea/Bag	10ea per MP
C6PCSH-1M-BK	1m/3.3ft	CAT6 Shielded 550MHz Patch Cable - 4pr 26AWG Str BC, F/UTP, PVC Jkt- Black	1ea/Bag	10ea per MP
C6PCSH-2M-BK	2m/6.5ft	CAT6 Shielded 550MHz Patch Cable - 4pr 26AWG Str BC, F/UTP, PVC Jkt- Black	1ea/Bag	10ea per MP
C6PCSH-3M-BK	3m/10ft	CAT6 Shielded 550MHz Patch Cable - 4pr 26AWG Str BC, F/UTP, PVC Jkt- Black	1ea/Bag	10ea per MP
C6PCSH-5M-BK	5m/16.5ft	CAT6 Shielded 550MHz Patch Cable - 4pr 26AWG Str BC, F/UTP, PVC Jkt- Black	1ea/Bag	na
C6PCSH-10M-BK	10m/33ft	CAT6 Shielded 550MHz Patch Cable - 4pr 26AWG Str BC, F/UTP, PVC Jkt- Black	1ea/Bag	na
C6PCSH-15M-BK	15m/49ft	CAT6 Shielded 550MHz Patch Cable - 4pr 26AWG Str BC, F/UTP, PVC Jkt- Black	1ea/Bag	na
C6PCSH-25M-BK	25m/82ft	CAT6 Shielded 550MHz Patch Cable - 4pr 26AWG Str BC, F/UTP, PVC Jkt- Black	1ea/Bag	na
Cat6 Shielded Premium Patch Cables - Indoor/Outdoor Rated UV Sun Res				
C6PCSH-0.5M-BK12	0.5m/1.6ft	CAT6 Shielded Premium Patch Cable - 4pr 26AWG (7/0.16mm) BC, F/UTP, UL CM Indoor/Outdoor PVC Jkt- Black	12pc Speed Pack	na
	1m/3.3ft	CAT6 Shielded Premium Patch Cable - 4pr 26AWG (7/0.16mm) BC, F/UTP, UL CM Indoor/Outdoor PVC Jkt- Black	12pc Speed Pack	na
C6PCSH-1M-BK12				
C6PCSH-2M-BK12	2m/6.5ft	CAT6 Shielded Premium Patch Cable - 4pr 26AWG (7/0.16mm) BC, F/UTP, UL CM Indoor/Outdoor PVC Jkt- Black	12pc Speed Pack	na
C6PCSH-5M-BK6	5m/16.5ft	CAT6 Shielded Premium Patch Cable - 4pr 26AWG (7/0.16mm) BC, F/UTP, UL CM Indoor/Outdoor PVC Jkt- Black	6pc Speed Pack	na
Cat6 Unshielded Patch Cables				
Features: Supports Cat6 Class E Unshielded networking applications.		Compliance: ANSI/TIA 568.2-D, ISO/IEC 11801 Class E, IEC 60332-1-2; RoHS		
Part Number	Length	Description	Packaging	Master Pack
Cat6 Unshielded Premium Patch Cables - Indoor/Outdoor Rated UV Sun Res				
C6PC-0.3M-BK12	0.3m/1ft	Cat6 Unshielded Premium Patch Cable - 4PR (7/0.16mm) BC, UTP, UL CM Indoor/Outdoor Rated PVC Jkt - Black	12pc Speed Pack	na
	0.5m/1.6ft	Cat6 Unshielded Premium Patch Cable - 4PR (7/0.16mm) BC, UTP, UL CM Indoor/Outdoor Rated PVC Jkt - Black	12pc Speed Pack	na
C6PC-0.5M-BK12				
C6PC-1M-BK12	1m/3.3ft	Cat6 Unshielded Premium Patch Cable - 4PR (7/0.16mm) BC, UTP, UL CM Indoor/Outdoor Rated PVC Jkt - Black	12pc Speed Pack	na
C6PC-3M-BK12	3m/10ft	Cat6 Unshielded Premium Patch Cable - 4PR (7/0.16mm) BC, UTP, UL CM Indoor/Outdoor Rated PVC Jkt - Black	12pc Speed Pack	na
Cat6 Unshielded Patch Cables - PVC				
C6PC-0.3M-BK	0.3m/1ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Black	1ea/Bag	10ea per MP
C6PC-0.3M-BL	0.3m/1ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Bue	1ea/Bag	10ea per MP
C6PC-0.3M-GY	0.3m/1ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Gray	1ea/Bag	10ea per MP
C6PC-0.5M-BK	0.5m/1.6ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Black	1ea/Bag	10ea per MP

C6PC-0.5M-BL	0.5m/1.6ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Bue	1ea/Bag	10ea per MP
C6PC-0.5M-GY	0.5m/1.6ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Gray	1ea/Bag	10ea per MP
C6PC-1M-BK	1m/3.3ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Black	1ea/Bag	10ea per MP
C6PC-1M-BL	1m/3.3ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Bue	1ea/Bag	10ea per MP
C6PC-1M-GY	1m/3.3ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Gray	1ea/Bag	10ea per MP
C6PC-2M-BK	2m/6.5ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Black	1ea/Bag	10ea per MP
C6PC-2M-BL	2m/6.5ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Bue	1ea/Bag	10ea per MP
C6PC-2M-GY	2m/6.5ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Gray	1ea/Bag	10ea per MP
C6PC-3M-BK	3m/10ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Black	1ea/Bag	10ea per MP
C6PC-3M-BL	3m/10ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Bue	1ea/Bag	10ea per MP
C6PC-3M-GY	3m/10ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Gray	1ea/Bag	10ea per MP
C6PC-5M-BK	5m/16.5ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Black	1ea/Bag	na
C6PC-10M-BK	10m/33ft	Cat6 Unshielded 550MHz Patch Cable - 4PR (7/0.16mm) Str BC, PVC Jkt. Color: Black	1ea/Bag	na

Cat5e Unshielded Patch Cables

Features: Supports Cat5e Class D Unshielded networking applications.	Compliance: ANSI/TIA 568.2-D, ISO/IEC 11801 Class D, IEC 60332-1-2; RoHS
---	---

Part Number	Length	Description	Packaging	Master Pack
C5PC-0.3M-BK	0.3m/1ft	Cat5e Unshielded 350MHz Patch Cable - 4PR 24AWG Str BC, PVC Jkt - Black	1ea/Bag	10ea per MP
C5PC-0.5M-BK	0.5m/1.6ft	Cat5e Unshielded 350MHz Patch Cable - 4PR 24AWG Str BC, PVC Jkt - Black	1ea/Bag	10ea per MP
C5PC-1M-BK	1m/3.3ft	Cat5e Unshielded 350MHz Patch Cable - 4PR 24AWG Str BC, PVC Jkt - Black	1ea/Bag	10ea per MP
C5PC-2M-BK	2m/6.5ft	Cat5e Unshielded 350MHz Patch Cable - 4PR 24AWG Str BC, PVC Jkt - Black	1ea/Bag	10ea per MP
C5PC-5M-BK	5m/16.5ft	Cat5e Unshielded 350MHz Patch Cable - 4PR 24AWG Str BC, PVC Jkt - Black	1ea/Bag	na

Coax Connectors & Adapters

Coax Compression Connectors

SCP Part Number	Description	Packaging
908	F-Type Compression Connector for RG6/U Quad Shield	50ea/Bag
909	F-Type Compression Connector for RG6/U	50ea/Bag

Fiber Accessories

SCP-EasyFiber™ Keystone Solutions

Features: Fiber connectivity does not have to be complicated. SCP Fiber Keystone Solutions are the fastest, most cost effective, and most flexible way to customize your commercial or residential fiber network connections. No tools required. Our Snap-In and Snap-Out compact module designs allow you to customize your fiber network connectivity for all FFTH and FFTD applications.
--

SCP Part Number	Description	Packaging
<i>Fiber Keystone Jacks - LC and SC</i>		
F-KJ-MMLCLCD-BK	Duplex LC to LC Multimode OM3/OM4 50/125 - High Density Keystone Jack. Colors: Black	1ea/Bag
F-KJ-MMLCLCD-WT	Duplex LC to LC Multimode OM3/OM4 50/125 - High Density Keystone Jack. Colors: White	1ea/Bag
F-KJ-MMSCSC-BK	Simplex SC to SC Multimode OM3/OM4 50/125 High Density Keystone Jack. Colors: Black	1ea/Bag
F-KJ-MMSCSC-WT	Simplex SC to SC Multimode OM3/OM4 50/125 High Density Keystone Jack. Colors: White	1ea/Bag
F-KJ-SMLCLCD-BK	Duplex LC to LC Single-Mode OS2 9/125 High Density Keystone Jack, Colors: Black	1ea/Bag
F-KJ-SMLCLCD-WT	Duplex LC to LC Single-Mode OS2 9/125 High Density Keystone Jack, Colors: White	1ea/Bag
F-KJ-SMSCSC-BK	Simplex SC to SC Single-Mode OS2 9/125 High Density Keystone Jack w/Shutter - Black	1ea/Bag
F-KJ-SMSCSC-WT	Simplex SC to SC Single-Mode OS2 9/125 High Density Keystone Jack w/Shutter - White	1ea/Bag
F-KJ-SMSCASCA-BK	Simplex SCA to SCA Single-Mode OS2 9/125 High Density Keystone Jack w/Shutter - Black	1ea/Bag
F-KJ-SMSCASCA-WT	Simplex SCA to SCA Single-Mode OS2 9/125 High Density Keystone Jack w/Shutter - White	1ea/Bag
<i>Fiber Keystone Couplers - MPO</i>		
F-KJ-MPO-WT	MPO Keystone Coupler - Connect MPO female to MPO male (Panel/Wallplate Mount), Narrow Snap-In Design -White	1ea/Bag

Field Installable Connectors

Features: SCP-EasyFiber™ Field Installable Connectors are used to terminate optical fiber cable without all the fuss. Field Installable means that the termination can easily be done at the jobsite. For LAN, AV, MDU, FFTH/FFTD and most other applications, high quality mechanical connectors are usually the preferred choice by integrators as they have lower initial investment costs; and are faster/easier to terminate in the field. SCP-EasyFiber™ Premium Connectors outperform most other Field Installable Connectors. These are professional level, premium performance connectors with very low terminated signal loss and reflection; comparable to fusion splice connections. These connectors provide fast terminations comparable to RJ45 termination time.

SCP Part Number	Description	Packaging	Master Pack
EF-CON-MM-LC	SCP-EasyFiber™ Premium LC Simplex Multimode 50/125 OM3/OM4 Prepolished Field-Installable Mechanical Fiber Optic Connector for 250µm/900µm Distribution Cable, Aqua -	1ea/Bag	10ea/MP Bag
EF-CON-MM-LCZ	SCP-EasyFiber™ Premium LC Simplex Multimode 50/125 OM3/OM4 Prepolished Field-Installable Mechanical Fiber Optic Connector for 2.0mm Duplex Zip Cable, Aqua - 1ea/10 pack	1ea/Bag	10ea/MP Bag
EF-CON-MM-SC	SCP-EasyFiber™ Premium SC Simplex Multimode 50/125 OM3/OM4 Prepolished Field-Installable Mechanical Fiber Optic Connector for 250µm/900µm Distribution & 2.0mm Duplex Zip Cable, Aqua - 1ea/10 pack	1ea/Bag	10ea/MP Bag
EF-CON-SM-LC	SCP-EasyFiber™ Premium LC Simplex Single Mode OS2 9/125 Prepolished Field-Installable Mechanical Fiber Optic Connector for 250µm/900µm Distribution Cable, Blue - 1ea/10 pack	1ea/Bag	10ea/MP Bag
EF-CON-SM-LCZ	SCP-EasyFiber™ Premium LC Simplex Single Mode OS2 9/125 Prepolished Field-Installable Mechanical Fiber Optic Connector for 2.0mm Duplex Zip Cable, Blue - 1ea/10 pack	1ea/Bag	10ea/MP Bag
EF-CON-SM-SC	SCP-EasyFiber™ Premium SC Simplex Single Mode OS2 9/125 Prepolished Field-Installable Mechanical Fiber Optic Connector for 250µm/900µm Distribution & 2.0mm Duplex Zip Cable, Blue - 1ea/10 pack	1ea/Bag	10ea/MP Bag
EF-CON-SM-SCA	SCP-EasyFiber™ Premium SC/APC Simplex Single Mode OS2 9/125 Prepolished Field-Installable Mechanical Fiber Optic Connector for 250µm/900µm Distribution & 2.0mm Duplex Zip Cable, Green - 1ea/10 pack	1ea/Bag	10ea/MP Bag

SFP Transceiver Modules & Direct Attach Cables

SCP Part Number	Description	Packaging
SFP Gigabit Transceivers - Generic		
F-SFP1G-MM	SFP 1.25G SX 850nm 550m LC DOM Transceiver -- Multimode Fiber	1ea/Bag
F-SFP1G-SM	SFP 1.25G LX 1310nm 20km LC DOM Transceiver -- Single Mode Fiber	1ea/Bag
SFP+ 10G Gigabit Transceivers - Generic		
F-SFP10G-MM	SFP+ 10G SR 850nm 300m LC DOM Transceiver - Multimode Fiber	1ea/Bag
F-SFP10G-SM	SFP+ 10G LR 1310nm 10km LC DOM Transceiver - Single Mode Fiber	1ea/Bag

SCP-EasyFiber™ Patch Cables

Features: SCP exclusive Ultra-Bendable Fiber Patch Cables for both Multimode and Single Mode. Featuring Corning® ClearCurve® and SMF-28 Ultra® bend insensitive optical glass. Provides substantially less signal loss and superior installation performance than traditional fiber patch cables. Easier to Install.

SCP Part Number	Length	Description	Packaging
B2ca Rated LSZH MPO(f) / MPO(f) SCP EasyFiber™ Patch Cable for 48Gbps HDMI Dongle Extender Kit, Part: 998-DO-EXT.			
EF9-998-LSZH-5M	5m/16.4ft	MPO(f)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Aqua	1ea/Bag
EF9-998-LSZH-10M	10m/33ft	MPO(f)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Aqua	1ea/Bag
EF9-998-LSZH-20M	20m/65ft	MPO(f)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Aqua	1ea/Bag
EF9-998-LSZH-50M	50m/164ft	MPO(f)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Aqua	1ea/Plastic Reel
EF9-998-LSZH-100M	100m/328ft	MPO(f)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Aqua	1ea/Plastic Reel
MPO(m) to MPO(f) SCP EasyFiber™ Patch Cable LSZH B2ca Rated. For use with Inline Coupler or MPO Keystone Coupler			
EF9-998MF-LSZH-1M	1m/3.28ft	MPO(m)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Teal	1ea/Bag
EF9-998MF-LSZH-2M	2m/6.5ft	MPO(m)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt- Teal	1ea/Bag
EF9-998MF-LSZH-5M	5m/16.4ft	MPO(m)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt- Teal	1ea/Bag
EF9-998MF-LSZH-15M	15m/49.2ft	MPO(m)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt- Teal	1ea/Plastic Spool
MPO In-Line Couplers - Connects MPO (female) patch lead to MPO (male) patch lead			
EF9-MPO-COU	MPO In-Line Coupler (female to male) for SCP EasyFiber MPO Patch Cables - 1ea/Bag. Mstr Pk 10ea		1ea/Bag/10pcs Mstr Pk
SF-WPMPO	SimplyFiber™ Waterproof Inline MPO Coupler (female to male coupler). IP68 Rated. For EasyFiber MPO Patch Cables.		1ea/Blister
SCP Part Number	Length	Description	Packaging
Multimode OM4 - LC/LC Duplex - LSZH Dca-s1,d1,a1 Indoor/Outdoor Rated			
EF9-OM4LSZH-LCLC-1M	1m/3.3ft	LC/LC Duplex - SCP-EasyFiber™ w/Corning® ClearCurve® - Patch Cable - 10G Multimode OM4 50/125, LSZH Dca, Indoor/Outdoor, Erica Violet Jkt	1ea/Bag
EF9-OM4LSZH-LCLC-2M	2m/6.5ft	LC/LC Duplex - SCP-EasyFiber™ w/Corning® ClearCurve® - Patch Cable - 10G Multimode OM4 50/125, LSZH Dca, Indoor/Outdoor, Erica Violet Jkt	1ea/Bag
EF9-OM4LSZH-LCLC-3M	3m/10ft	LC/LC Duplex - SCP-EasyFiber™ w/Corning® ClearCurve® - Patch Cable - 10G Multimode OM4 50/125, LSZH Dca, Indoor/Outdoor, Erica Violet Jkt	1ea/Bag
EF9-OM4LSZH-LCLC-5M	5m/16.4ft	LC/LC Duplex - SCP-EasyFiber™ w/Corning® ClearCurve® - Patch Cable - 10G Multimode OM4 50/125, LSZH Dca, Indoor/Outdoor, Erica Violet Jkt	1ea/Bag

EFP-OM4LSZH-LCLC-7M	7m/23ft	LC/LC Duplex - SCP-EasyFiber™ w/Corning® ClearCurve® - Patch Cable - 10G Multimode OM4 50/125, LSZH Dca, Indoor/Outdoor, Erica Violet Jkt		1ea/Bag
EFP-OM4LSZH-LCLC-10M	10m/33ft	LC/LC Duplex - SCP-EasyFiber™ w/Corning® ClearCurve® - Patch Cable - 10G Multimode OM4 50/125, LSZH Dca, Indoor/Outdoor, Erica Violet Jkt		1ea/Bag
EFP-OM4LSZH-LCLC-15M	15m/49ft	LC/LC Duplex - SCP-EasyFiber™ w/Corning® ClearCurve® - Patch Cable - 10G Multimode OM4 50/125, LSZH Dca, Indoor/Outdoor, Erica Violet Jkt		1ea/Bag
EFP-OM4LSZH-LCLC-20M	20m/65ft	LC/LC Duplex - SCP-EasyFiber™ w/Corning® ClearCurve® - Patch Cable - 10G Multimode OM4 50/125, LSZH Dca, Indoor/Outdoor, Erica Violet Jkt		1ea/Bag
Single Mode OS2 - LC/LC Duplex - LSZH Dca-s1,d1,a1 Indoor/Outdoor Rated				
EFP-OS2LSZH-LCLC-1M	1m/3.3ft	LC/LC Duplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-LCLC-2M	2m/6.5ft	LC/LC Duplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-LCLC-3M	3m/10ft	LC/LC Duplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-LCLC-5M	5m/16.4ft	LC/LC Duplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-LCLC-7M	7m/23ft	LC/LC Duplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-LCLC-10M	10m/33ft	LC/LC Duplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-LCLC-15M	15m/49ft	LC/LC Duplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-LCLC-20M	20m/65ft	LC/LC Duplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
Single Mode OS2 - Simplex - SC-APC - LSZH Dca-s1,d1,a1 Indoor/Outdoor Rated				
EFP-OS2LSZH-SIM-SCA-1M	1m/3.3ft	SC-APC Simplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-SIM-SCA-2M	2m/6.5ft	SC-APC Simplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-SIM-SCA-3M	3m/10ft	SC-APC Simplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-SIM-SCA-5M	5m/16.4ft	SC-APC Simplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-SIM-SCA-7M	7m/23ft	SC-APC Simplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-SIM-SCA-10M	10m/33ft	SC-APC Simplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-SIM-SCA-15M	15m/49ft	SC-APC Simplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
EFP-OS2LSZH-SIM-SCA-20M	20m/65ft	SC-APC Simplex - SCP-EasyFiber™ Single Mode Patch Cable w/Corning® SMF-28® Ultra OS2 9/125, LSZH Dca Indoor/Outdoor, Yellow Jkt		1ea/Bag
	HDMI Cables & Adapters			
Premium ProSeries				
ProSeries 8K 48Gbps Full v.2.1 HDMI with eARC over EasyFiber™ up to 300m				
Features: 48Gbps/8K HDMI Dongle Extender Kit. Extend full HDMI 2.1 feature support up to 300m/1000ft using MPO preterminated SCP EasyFiber™.		Compliance: Supports all of the features for HDMI v2.1. 8K@60 4:4:4 48Gbps, 4K@120Hz; HDCP 2.3, eARC, VRR, Dynamic HDR, QMS, QFT. Audio Formats: DTS:A, Dolby TrueHD, Dolby Atmos		
Applications: Gaming, Conference Room Solutions, Home Theater, Digital Signage, LED signboards, Medical Imaging Equipment, Schools, Offices, Residential and all 4K/8K display device connectivity.				
SCP Part Number		Description		Packaging
998-DO-EXT	48Gbps HDMI Dongle Extender Kit - Tx & Rx HDMI Dongles, HDMI Type A (m)/MPO (f), (2) USB Power cables, (1) Pulling Capsule. SCP MPO EasyFiber™ patch cables sold separately.			1Kit/Box
	For EasyFiber MPO Patch Cables refer to below MPO Fiber Section Below			
B2ca Rated LSZH MPO(f)/MPO(f) EasyFiber™ Patch Cable for HDMI Dongle Extender Kit, Part: 998-DO-EXT.				Packaging
EFP-998-LSZH-5M	5m/16.4ft	MPO(f)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Aqua		1ea/Bag
EFP-998-LSZH-10M	10m/33ft	MPO(f)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Aqua		1ea/Bag
EFP-998-LSZH-20M	20m/65ft	MPO(f)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Aqua		1ea/Bag
EFP-998-LSZH-50M	50m/164ft	MPO(f)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Aqua		1ea/Plastic Reel
EFP-998-LSZH-100M	100m/328ft	MPO(f)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Aqua		1ea/Plastic Reel

MPO(male) to MPO(female) EasyFiber™ Patch Cable LSZH B2ca Rated. Must use with MPO Inline or Keystone Coupler				Packaging
EFP-998MF-LSZH-1M	1m/3.28ft	MPO(m)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Teal		1ea/Bag
EFP-998MF-LSZH-2M	2m/6.5ft	MPO(m)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Teal		1ea/Bag
EFP-998MF-LSZH-5M	5m/16.4ft	MPO(m)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Teal		1ea/Bag
EFP-998MF-LSZH-15M	15m/49.2ft	MPO(m)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl Jkt-Teal		1ea/Plastic Spool
MPO In-Line Couplers - Connects MPO (female) patch lead to MPO (male) patch lead				Packaging
EFP-MPO-COU	MPO In-Line Coupler (female to male) for SCP EasyFiber MPO Patch Cables - 1ea/Bag. Mstr Pk 10ea			1ea/Bag/10pcs Mstr Pk
SF-WPMPO	SimplyFiber™ Waterproof Inline MPO Coupler (female to male coupler). IP68 Rated. For EasyFiber MPO Patch Cables.			1ea/Blister
ProSeries UltraFlex by SimplyAV 8K 48Gbps v2.1 Silicon Jacket				
Features: Our highest quality/performance HDMI. Ultra Flexible 8K HDMI with Silicone Jacket. 30% Smaller Connector Housing. Passive Bi-Directional. Certified by HDMI ATC. Triple Shielded construction.		Compliance: Certified Ultra High Speed - HDMI v2.1b 8K@60 4:4:4 48Gbps, 4K@120Hz; HDCP 2.3, eARC, VRR, Dynamic HDR, QMS, QFT. CL3 In-Wall Rated. All v2.1 Audio Formats: DTS:A, Dolby TrueHD, Dolby Atmos		
Applications: Premium HDMI cables for Gaming, Conference Room Solutions, Home Theater, Digital Signage, LED signboards, Medical Imaging Equipment, Schools, Offices, Residential and all 4K/8K display device connectivity.				
SCP Part Number	Length	Description	Jacket / Color	Packaging
SAV-2001	1m/3.3ft	UltraFlex by SimplyAV, 8K@60 4:4:4 48Gbps, Silicone Jacket	Silicone - Black	1 ea/Bag
SAV-2002	2m/6.6ft	UltraFlex by SimplyAV, 8K@60 4:4:4 48Gbps, Silicone Jacket	Silicone - Black	1 ea/Bag
SAV-2003	3m/10ft	UltraFlex by SimplyAV, 8K@60 4:4:4 48Gbps, Silicone Jacket	Silicone - Black	1 ea/Bag
SAV-2005	5m/16.4ft	UltraFlex by SimplyAV, 8K@60 4:4:4 48Gbps, Silicone Jacket	Silicone - Black	1 ea/Bag
Installer Series HDMI				
8K 48Gbps HDMI Cables (Shielded) Installer Series Certified Ultra High Speed HDMI Cables v2.1 - (Passive)				
Features: 48Gbps bandwidth. Passive Bi-Directional. Certified by HDMI ATC. Triple Shielded construction. Type A (m) to Type A (m).		Compliance: Certified Ultra High Speed - HDMI v2.1 8K@60 4:4:4 48Gbps, 4K@120Hz; HDCP 2.3, eARC, VRR, Dynamic HDR, QMS, QFT. CL3 In-Wall Rated. All v2.1 Audio Formats: DTS:A, Dolby TrueHD, Dolby Atmos		
Applications: Gaming, Conference Room Solutions, Home Theater, Digital Signage, LED signboards, Medical Imaging Equipment, Schools, Offices, Residential and all 4K/8K display device connectivity.				
SCP Part Number	Length	Description	Jacket / Color	Packaging
992UHS-0.5M	0.5m/1.6ft	8K 48Gbps, Bare Copper Conductors, Shielded	PVC - Black	1 ea/Bag
992UHS-1M	1m/3.3ft	8K 48Gbps, Bare Copper Conductors, Shielded	PVC - Black	1 ea/Bag
992UHS-2M	2m/6.6ft	8K 48Gbps, Bare Copper Conductors, Shielded	PVC - Black	1 ea/Bag
992UHS-3M	3m/10ft	8K 48Gbps, Bare Copper Conductors, Shielded	PVC - Black	1 ea/Bag
992UHS-5M	5m/16.4ft	8K 48Gbps, Bare Copper Conductors, Shielded	PVC - Black	1 ea/Bag
4K 18Gbps HDMI Cables (Shielded) Installer Series Premium Certified v2.0b - ATC Tested/Certified				
Ultra Slim Premium Certified HDMI (Passive)				
Features: Ultra-Slim and Ultra-Flexible cable. Slim style connector housing Type A. Tested and certified by HDMI ATC. 4K@60 4:4:4 HDR 18Gbps. Triple Shielded for maximum EMI protection. CL2 In-Wall rated black PVC.				
SCP Part Number	Length	Description	Packaging	
991UHD-0.5M	0.5m/1.6ft	Ultra Slim Premium Certified, Bare Copper Conductors, Shielded	1ea/Printed Bag	
991UHD-1M	1m/3.3ft	Ultra Slim Premium Certified, Bare Copper Conductors, Shielded	1ea/Printed Bag	
991UHD-2M	2m/6.5ft	Ultra Slim Premium Certified, Bare Copper Conductors, Shielded	1ea/Printed Bag	
991UHD-2.5M	2.5m/8.2ft	Ultra Slim Premium Certified, Bare Copper Conductors, Shielded	1ea/Printed Bag	
UltraV Premium Certified HDMI - Violet Connector Housing (Passive)				
Features: Ultra V features all premium quality components. Tested and certified by HDMI ATC. 4K@60 4:4:4 HDR 18Gbps. Triple Shielded for maximum EMI protection. CL2 In-Wall rated black PVC jacket with Violet connector housing.				
SCP Part Number	Length	Description	Packaging	
990UHDV-3	0.91m/3ft	Ultra V Premium Certified HDMI 4K Ultra HD 18Gbps, Triple Shielded Cable/Connectors	1ea/Resealable Bag	
990UHDV-6	1.8m/6ft	Ultra V Premium Certified HDMI 4K Ultra HD 18Gbps, Triple Shielded Cable/Connectors	1ea/Resealable Bag	
990UHDV-10	3m/10ft	Ultra V Premium Certified HDMI 4K Ultra HD 18Gbps, Triple Shielded Cable/Connectors	1ea/Resealable Bag	
990UHDV-15	4.5m/15ft	Ultra V Premium Certified HDMI 4K Ultra HD 18Gbps, Triple Shielded Cable/Connectors	1ea/Resealable Bag	
990UHDV-20	6m/20ft	Ultra V Premium Certified HDMI 4K Ultra HD 18Gbps, Triple Shielded Cable/Connectors	1ea/Resealable Bag	

Premium Certified HDMI (Passive) - Installer Series				
Features: Tested and certified by HDMI ATC. 4K@60 4:4:4 HDR 18Gbps. Triple Shielded for maximum EMI protection. CL2 In-Wall rated black PVC jacket with black PVC connector housing.				
SCP Part Number	Length	Description		Packaging
990UHD-3	0.91m/3ft	Custom Installation Series 4k Ultra HD Premium Certified with Ethernet		1ea/Bag
990UHD-6	1.8m/6ft	Custom Installation Series 4k Ultra HD Premium Certified with Ethernet		1ea/Bag
990UHD-10	3m/10ft	Custom Installation Series 4k Ultra HD Premium Certified with Ethernet		1ea/Bag
990UHD-15	4.5m/15ft	Custom Installation Series 4k Ultra HD Premium Certified with Ethernet		1ea/Bag
990UHD-20	6m/20ft	Custom Installation Series 4k Ultra HD Premium Certified with Ethernet		1ea/Bag
4K 18/24Gbps HDMI v2.0 High Speed with Ethernet				
Longer Distance 24Gbps - Active Optical (AOC) Solutions				
997AOC Series - 4K 24Gbps HDMI AOC - Thinner, More Flexible, More Robust				
Features: SCP's New and Improved HDMI AOC cable series. More Affordable. Plug and Play. Snug-Tite™ Grip (Display Side Only). No external power required. Our 997AOC series features more robust construction, thinner cable and greater flexibility. High Speed with Ethernet				
SCP Part Number	Length	Description		Packaging
997AOC-LSZH-5M	5m/16.4ft	LSZH Rated - 24Gbps 4K Ultra HD Active Optical HDMI		1ea/Bag
997AOC-LSZH-10M	10m/33ft	LSZH Rated - 24Gbps 4K Ultra HD Active Optical HDMI		1ea/Bag
997AOC-LSZH-15M	15m/49ft	LSZH Rated - 24Gbps 4K Ultra HD Active Optical HDMI		1ea/Bag
997AOC-LSZH-20M	20m/65ft	LSZH Rated - 24Gbps 4K Ultra HD Active Optical HDMI		1ea/Bag
997AOC-LSZH-25M	25m/82ft	LSZH Rated - 24Gbps 4K Ultra HD Active Optical HDMI		1ea/Bag
997AOC-LSZH-30M	30m/98ft	LSZH Rated - 24Gbps 4K Ultra HD Active Optical HDMI		1ea/Bag
997AOC-LSZH-40M	40m/131ft	LSZH Rated - 24Gbps 4K Ultra HD Active Optical HDMI		1ea/Bag
997AOC-LSZH-50M	50m/164ft	LSZH Rated - 24Gbps 4K Ultra HD Active Optical HDMI		1ea/Bag
995AOC Series - 4K 24Gbps HDMI AOC with Detachable Connector				
Features: Plug and Play. Detachable connector (display side) for easier installation. Snug-Tite™ Grip for secure connectivity. No external power required.				
SCP Part Number	Length	Description		Packaging
LSZH AOC HDMI - CPR Rated Cca :				
995AOC-10M-LSZH	10m/33ft	LSZH rated 4K 24Gbps AOC HDMI cable w/detachable connector.		1ea/Box
995AOC-15M-LSZH	15m/49ft	LSZH rated 4K 24Gbps AOC HDMI cable w/detachable connector		1ea/Box
995AOC-20M-LSZH	20m/65ft	LSZH rated 4K 24Gbps AOC HDMI cable w/detachable connector		1ea/Box
995AOC-30M-LSZH	30m/98ft	LSZH rated 4K 24Gbps AOC HDMI cable w/detachable connector		1ea/Box
Replacement Connector for 995AOC:				
995CON-D/A		Micro HDMI Type D to HDMI Type A	na	1ea/Bag
Outdoor/Armored AOC 4K 24Gbps HDMI Cables				
Features: Outdoor Rated, Armored 4K Ultra HD 24Gbps AOC HDMI Cable. Includes Neutrik style waterproof connector covers. Black TPU Jacket.				
SCP Part Number	Length	Description		Packaging
996AOC-50M	50m/164ft	Armored 4K 24Gbps AOC HDMI, TPU Jacket, Waterproof Connector Housings		1ea/Plastic Spool
996AOC-100M	100m/328ft	Armored 4K 24Gbps AOC HDMI, TPU Jacket, Waterproof Connector Housings		1ea/Plastic Spool
4K 18Gbps HDMI v2.0 Cables - 100% BC Conductors - Installer Series				
Features: Our Custom Install series is the ideal balance Quality and Price for 4K HDMI cables. These Active cables are reliable and all Active cables include our Snug-Tite Grip for more secure connections. PVC CL2/3 In-Wall rated, Black PVC jacket.				
Active (Unidirectional) Longer Length 4K 18Gbps HDMI v2.0				
SCP Part Number	Length	Description	Packaging	Master Pack
Active (Unidirectional) 4K HDMI with Snug-Tite™ Grip. CL2/3 In-Wall Rated. Standard Connector Housing				
944E-25	7.6m/25ft	Active, 4K@50/60 18Gbps, Black PVC, Snug-Tite Grip	1ea/Bag	na
944E-30	9m/30ft	Active, 4K@50/60 18Gbps, Black PVC, Snug-Tite Grip	1ea/Bag	na
944E-35	10.7m/35ft	Active, 4K@50/60 18Gbps, Black PVC, Snug-Tite Grip	1ea/Bag	na
944E-50	15m/50ft	Active, 4K@50/60 18Gbps, Black PVC, Snug-Tite Grip	1ea/Bag	na
Passive 4K 18Gbps HDMI v2.0				
SCP Part Number	Length	Description	Packaging	Master Pack
Ultra Slim 4K 50% smaller connector housing & thinner, more flexible cable. 100% Bare Copper Conductors				
940-1.6B	0.5m/1.6ft	Passive, UltraSlim, 4K@50/60 18Gbps, Black PVC jacket	1ea/Bag	10ea per MP
940-3B	0.91m/3ft	Passive, UltraSlim, 4K@50/60 18Gbps, Black PVC jacket	1ea/Bag	10ea per MP

940-6B	1.8m/6ft	Passive, UltraSlim, 4K@50/60 18Gbps, Black PVC jacket	1ea/Bag	10ea per MP
940-8B	2.5m/8.2ft	Passive, UltraSlim, 4K@50/60 18Gbps, Black PVC jacket	1ea/Bag	10ea per MP
940-13B	4m/13ft	Passive, UltraSlim, 4K@50/60 18Gbps, Black PVC jacket	1ea/Bag	10ea per MP
940-15B	4.5m/15ft	Active Uni-Directional, UltraSlim, 4K@50/60 18Gbps, Black PVC	1ea/Bag	na
Standard Connector Housing 100% Bare Copper Conductors				
944E-3	0.91m/3ft	Passive, 4K@50/60 18Gbps, Black PVC jacket/connectors	1ea/Bag	10ea per MP
944E-6	1.8m/6ft	Passive, 4K@50/60 18Gbps, Black PVC jacket/connectors	1ea/Bag	10ea per MP
944E-10	3m/10ft	Passive, 4K@50/60 18Gbps, Black PVC jacket/connectors	1ea/Bag	10ea per MP
944E-15	4.6m/15ft	Passive, 4K@50/60 18Gbps, Black PVC jacket/connectors	1ea/Bag	10ea per MP
944E-20	6m/20ft	Passive, 4K@50/60 18Gbps, Black PVC jacket/connectors	1ea/Bag	na
NEW EcoSeries HDMI				
Our new EcoSeries HDMI combine best of being more environmental friendly (less waste, recyclable materials) with economical price points. All while meeting HDMI performance requirements.				
8K 48Gbps and 4K 18Gbps HDMI Contractor Packs				
Packaged for Installers. Our multifunctional Contractor Packs feature stackable boxes with easy cable access dispenser; no plastic cable packaging - reduces waste; easy storage at office or in your van.				
SCP Part Number		Description	Packaging	
8K 48Gbps (HDMI v2.1) Ultra High Speed - with HDMI Certification Sticker				
992ECO-1M-30	1m/3.3ft - 30pc Contractor Box. Passive HDMI v2.1 8K 48Gbps. In stock YE2025		Sold per Box	
992ECO-2M-20	2m/6.5ft - 20pc Contractor Box. Passive HDMI v2.0 8K 48Gbps. In stock YE2025		Sold per Box	
992ECO-3M-15	3m/10ft - 15pc Contractor Box. Passive HDMI v2.0 8K 48Gbps. In stock YE2025		Sold per Box	
4K 18Gbps (HDMI v2.0) High Speed with Ethernet				
944ECO-1M-30	1m/3.3ft - 30pc Contractor Box. Passive HDMI v2.0 4K 18Gbps. In stock YE2025		Sold per Box	
944ECO-2M-20	2m/6.5ft - 20pc Contractor Box. Passive HDMI v2.0 4K 18Gbps. In stock YE2025		Sold per Box	
944ECO-3M-15	3m/10ft - 15pc Contractor Box. Passive HDMI v2.0 4K 18Gbps. In stock YE2025		Sold per Box	
Look for More EcoSeries Solutions Coming Soon				
The Dongler® HDMI Dongles and Adapters				
Conference Room Solutions				
Features: Award winning universal dongle and adapter ring holder that safely and securely holds all types of pigtail dongles and adapters. Can be securely attached to infrastructure cable, devices and furniture. The pigtail dongles feature true 4K Ultra HD performance supporting the latest HDMI, DisplayPort, and USB Standards.			Compliance: Supports up to 32Gbps. HDMI 4K@60 4:4:4, DisplayPort 1.4, USB Certified, VESA Certified, HDCP 2.3, HDR, ARC. RoHS	
Applications: Ideal for presenters, trade shows, conference rooms, offices, hotels, churches, gaming, home and more.				
SCP Part Number		Description	Packaging	
DO-L001	The Dongler- Loaded - ProAV 4K HDMI Dongle Adapter Ring- DP1.4, MDP1.4, USBTypeC, HDMI Port Saver, Combination Lock, HDMI Cable Harness, w/ Harness Tool		1ea/Box	
DO-U001	The Dongler Unloaded -Universal Dongle/Adapter Ring Holder: 3pc Dongle Harness, 3pc Adapter Harness, 1pc HDMI Cable Harness, w/Harness Tool		1ea/Box	
DO-H001	The Dongler- Universal Dongle Harness 3 Pack - Harnesses for attaching any brand pigtail dongle adapters to The Dongler HDMI Dongle/Adapter Ring Holder		1ea/Bag	
DO-H002	The Dongler- Universal Adapter Harness 3 Pack - Harnesses for attaching any brand HDMI adapter to The Dongler HDMI Dongle/Adapter Ring Holder		1ea/Bag	
DO-D001	The Dongler -DisplayPort1.4 to HDMI 2.0b Pigtail Adapter Dongle - Up to 32Gbps, Aluminum Housing, HDMI 4K@60 4:4:4 18Gbps, HDR. Includes Dongle Harness for attaching to The Dongler		1ea/Bag	
DO-D002	The Dongler -MiniDisplayPort1.4 to HDMI 2.0b Pigtail Adapter Dongle - Up to 32Gbps, Aluminum Housing, HDMI 4K@60 4:4:4 18Gbps, HDR. Includes Dongle Harness for attaching to The Dongler		1ea/Bag	
DO-D003	The Dongler- USB TYPE-C to HDMI 2.0b Pigtail Adapter Dongle-Supports HDMI 4K@60Hz4:4:4 18Gbps, HDR. Aluminum Housing. Includes Dongle Harness for attaching to The Dongler		1ea/Bag	
DO-D004	The Dongler - HDMI Port Saver Adapter Dongle - Type A to Type A. Supports HDMI 4K@60 4:4:4 18Gbps, HDR. Includes Dongle Harness for attaching to The Dongler		1ea/Bag	
DO-D005	The Dongler - Authentic APPLE Lightning Digital AV Adapter. MFI Certified. Supports up to 1080p HD, White. Includes Dongle Harness & tool set for attaching to The Dongler		1ea/Bag	
DO-D006	The Dongler - Authentic APPLE USB-C Digital AV Adapter. MFI Certified. Supports up to 1080p HD, White. Includes Dongle Harness for attaching to The Dongler		1ea/Bag	
HDMI Adapters - SCP Brand				
SCP Part Number		Description	Packaging	
9AD-DP1.4	DisplayPort 1.4 to HDMI 2.0b Adapter Dongle - DP (m) to HDMI Type A (f) - 150mm/6in, Supports 4K@60Hz HDR		1ea/Bag	
9AD-MDP1.4	Mini DisplayPort 1.4 to HDMI 2.0b Adapter Dongle - MDP (m) to HDMI Type A (f) - 150mm/6in, Supports 4K@60Hz HDR		1ea/Bag	
9AD-USBTYPEC	USB Type-C to HDMI 2.0b Adapter Dongle - USB-C (m) to HDMI Type A (f) - 150mm/6in, Supports 4K@60Hz		1ea/Bag	
951	HDMI Port Saver Adapter - HDMI Type A (m) to HDMI Type A (f), Passive Adapter		1ea/Bag	

		DisplayPort Interconnect Cables			
Features: DisplayPort 1.4 standard - 32Gbps. Supports 8K/4K					
SCP Part Number		Length	Description		Packaging
DP14-0.5M		0.5m/1.6ft	DP1.4 HBR3 8K@60Hz 32.4Gbps, Dynamic HDR, DP(m) to DP(m), Passive, PVC Jkt - Black		1ea/Bag
DP14-1M		1m/3.3ft	DP1.4 HBR3 VESA Certified 8K@60Hz 32.4Gbps, Dynamic HDR, DP(m) to DP(m), Passive, PVC Jkt - Black		1ea/Bag
DP14-1.8M		1.8m/6ft	DP1.4 HBR3 8K@60Hz 32.4Gbps, Dynamic HDR, DP(m) to DP(m), Passive, PVC Jkt - Black		1ea/Bag
DP14-3M		3m/10ft	DP1.4 HBR3 VESA Certified 8K@60Hz 32.4Gbps, Dynamic HDR, DP(m) to DP(m), Passive, PVC Jkt - Black		1ea/Bag
DP12-5M		5m/16ft	DP1.2 HBR2, VESA Certified, 4K2K@60Hz, 21.6Gbps, DP(m) to DP(m), Passive, PVC Jkt - Black		1ea/Bag
		USB Interconnect Cables			
Features: USB 3.2 Gen 2 - 20Gbps/10Gbps. Power Support 100w/60w. USB-C to USB-C.					
SCP Part Number		Length	Description		Packaging
USBC32-1M		1m/3.3ft	USB Type-C Male/Male 20Gbps USB 3.2 Gen 2 SuperSpeed+, Passive Copper, Power 5A/20V/100W, Video Alt Mode up to 8K@60Hz,TPE Jkt- Black		1ea/Bag
USBC32-2M		2m/6.5ft	Type-C Male/Male 10Gbps USB 3.2 Gen 2 SuperSpeed+, Active Copper, Fast Charging 3A/20V/60W, Video Alt Mode 8K@60Hz, TPE Jkt- Black		1ea/Bag
USBC32-3M		3m/10ft	Type-C Male/Male 10Gbps USB 3.2 Gen 2 SuperSpeed+, Active Copper, Fast Charging 3A/20V/60W, Video Alt Mode 8K@60Hz, TPE Jkt- Black		1ea/Bag
USBC32-5M		5m/16ft	Type-C Male/Male 10Gbps USB 3.2 Gen 2 SuperSpeed+, Active Copper, Fast Charging 3A/20V/60W, Video Alt Mode 8K@60Hz, TPE Jkt- Black		1ea/Bag
		Tools			All Pris \$USD
RJ45 Crimp Tools					
SCP Part Number		Description			Packaging
S45-C101		Simply45 ProSeries All-In-One RJ45 Crimp Tool for All Shielded & Unshielded Simply45 Brand Pass-Through & Standard (8P8C) RJ45 Mod Plugs. Includes: Tool Lock, Click Socket, Blade Storage, Stripper/Cutter.			1ea Blister
S45-C100		Simply45 Pass-Through RJ45 Crimp Tool for UTP & Shielded Simply45 Brand RJ45 Mod Plugs, Built-In Stripper/Cutter.			1ea Blister
S45-C200		Simply45 Universal RJ45 Crimp Tool for Standard (8P8C) UTP & Shielded Internal Grnd RJ45 Mod Plugs. Includes Wire Cutter & Stripper. Works with most brands standard RJ45 plugs.			1ea Blister
S45-C250		Simply45 Universal RJ45 Crimp Tool for Standard (8P8C) Shielded External Ground RJ45 Mod Plugs. Includes Crimp Socket for Ext Ground Arm. Works with most RJ45 brand standard plugs.			1ea Blister
S45-C190		Replacement Trimming/Cutting Blades for Simply45 RJ45 Crimp Tool (S45-C101/C100)- 1 set of 2 blades. Sold per Bag or Clamshell.			1set Clam or Bag
Punchdown Tools					
SCP Part Number		Description			Packaging
S45-P300		Simply45 ProSeries 110 Type Impact Punchdown Tool			1ea/Blister
820		Termination & Cutting Tool for 90 Degree Keystone Jacks			1ea/Blister
Coax Crimp Tools					
SCP Part Number		Description			Packaging
817		Universal Compact Coax Compression Crimp Tool for BNC, F-TYPE, RCA			1ea/Box
Strippers & Cutters					
SCP Part Number		Description			Packaging
S45-S02R		Installer Series No Nick Wire Stripper for Cat5e/6/6a and coaxial cables RG59/6/6Q			1ea Blister
S45-S01BL		Simply45 Professional Adjustable LAN/Category Cable Stripper, Cutter, Wire Straightener. For STP & UTP Cat Cables (7a/6a/6/5e). Also great for stripping Speaker Cables. Color: Blue			1ea Blister
S45-S01YL		Simply45 Professional Adjustable LAN/Category Cable Stripper, Cutter, Wire Straightener. For STP & UTP Cat Cables (7a/6a/6/5e). Also great for stripping Speaker Cables. Color: Yellow			1ea Blister
S45-801		Simply45 5" Premium Flush Cutter Tool, Angled Jaw for Precision, Cushioned Grip, Wire Up To 18AWG			1ea Blister
S45-810		Simply45 ProSeries - 5 1/2" Heavy Duty Serrated Electrician's Scissors			1ea Blister