



Need More Info?

Locate a
Distributor



Important
Resources



Questions?
Contact Us



Simply Brands™ Corporate Office

c/o Warshaw Supply, LLC
6365 NW 6th Way, Suite 320
Ft. Lauderdale, FL 33309 USA

SCP Texas Warehouse

3665 La Reunion Parkway
Dallas, TX 75212 USA

Warshaw Inc New Jersey Warehouse

980 New Durham Rd
Edison, NJ 08817 USA

SCP Europe Warehouse – Netherlands

Marconiweg 3
Tholen 4691 SV, Netherlands



PRODUCT CATALOG



A Note To Our Valued Customers And Our Distributor Partners Across The Globe

Every year, this catalog is our chance to show you what we've been building — but this year, we've got more to showcase than ever.

We're excited to announce that SimplyBRANDS has joined the ELECONNEX family, and alongside that, we've completed our merger with SCP (Structured Cable Products). For our distributor partners, this means one thing above all: we now have the resources, manufacturing muscle, and technical depth to serve you better than ever before. For our installers, it ensures we stay on the forefront of a quickly evolving industry providing products and expertise that continues to make life "simple".

Our growth isn't just about materials and machinery. It's about people. We've expanded our customer service, technical support, and logistics teams so when you need us — whether it's a spec question, a rush order, or troubleshooting on a job site — you get a real answer, fast. That responsiveness has always been at the core of who we are, and now we have the horsepower to make it our superpower.

You'll see the payoff of these investments throughout this catalog: expanded product lines and tighter quality control — see our new "How It's Simply Made" series where our production team goes behind the scenes at our tool and connector factories. None of this happens in a vacuum — it comes from listening to the installers and distributors who use our products day-in and day-out and inform our development at every layer.

Knowledge has always driven this industry forward, and now there's a home for it — introducing SimplyUNIVERSITY. This new resource gives installers direct access to CEU-accredited courses, in-depth technical whitepapers, and a growing library of how-to videos. Be sure to check out our dedicated video series built to cut through the noise around category cable — breaking down the technical claims, marketing tricks, and industry myths so installers can make informed decisions on every job.

Speaking of listening to installers — keep an eye out for the launch of SimplyRewards, our new loyalty rewards program built specifically for the pros in the field. It's our way of putting real value back in the hands of the installers who trust our products on every job.

As always, our doors (and inboxes) are open. Reach out through our website chat, DM us on social, email sales@simplybrands.com, or call the office at 954-928-8600. Thank you for being part of this next chapter — we can't wait to see what's next.

***Simply*REWARDS**



***Simply*UNIVERSITY**




Table of Contents

3 About Us

5 **Simply45**

5 Modular Plugs

- 5 PROSeries Pass-Through
- 7 Installer Series
- 9 Standard Series
- 11 Strain Reliefs & Boots
- 12 Waterproof Couplers

13 Tools

- 13 RJ45 Crimp Tools
- 15 Strippers
- 15 Cutters
- 16 Punchdown
- 16 Screwdrivers

17 Kits

18 Cable Management

- 18 Beam Clamps
- 18 Bridle Rings
- 19 J Hooks
- 19 Cable Ties & Clips

20 Structured Wiring

- 20 Wall Plates
- 24 Patch Panels
- 26 Brackets, Mounts & Enclosures
- 28 Keystones

32 Patch Cables

36 **SimplyTEST**

- 36 Verification
- 39 Qualification
- 40 Certification
- 42 Fiber Meters

44 **SimplyAV**

45 Connector Selector

Removable reference sheet!

47 ProAV 4K-8K HDMI Locking Adapter Ring

47 B Connectors

48 HDMI Cables

52 **SimplyFIBER**

53 Fiber Connectors

- 53 LC Connectors
- 54 SC Connectors

48 Fiber Keystone Jacks

50 Fiber Accessories

60 Bulk Cable

SimplyCABLE



60 Category Cables

- 60 PROSeries
- 62 Installer Series
- 63 Standard Series

68 Automation, Lighting, & Control

71 Coaxial Cables

73 Electrical Low Voltage

74 Fiber Cables

75 Fire Alarm

76 Audio, Communications, & Control

78 Security & Burglar Alarm

79 Speaker Cables

81 Structured Composite Cables

82 **Europe (NL) Warehouse Inventory**

82 Bulk Cables

- 82 Lighting & Control Cables
- 82 Analog Audio Cables
- 83 Coaxial Cables
- 83 Category Cables
- 85 EasyFiber Cables
- 86 Speaker Cables

87 Display Port & USB

88 HDMI Cables

89 Merchandising

Catalog is constantly being updated with new products, please visit our website for the latest digital version.



Simply
BRANDS

provides products and experience

**To Get the Job Done Right,
The First Time.**

Our Brands

**Simply Brands Provides Products and Experience
To Get the Job Done Right, The First Time.**

Our expertise spans 20+ years streamlining the installation process for wire, cable and field terminations. Our unique and innovative designs provide confidence that you have the highest performing connectivity solutions for technology used today.



SCP → **Structured Cable Products®**

SCP® (Structured Cable Products) is SimplyBrands' foundational brand and a leading global supplier of quality, price-competitive, low-voltage bulk copper cable. Since 2001, SCP has been offering good, better, and best solutions to meet the needs of today's integrators.

Simply45®

Simply45® is the award-winning brand for innovative RJ45 modular plug solutions, offering high performance standard and pass-through connectors. Our hybrid PROSeries connectors feature our patented CAP45 that solves electrical arching, PoE issues, and near- and far-end crosstalk - leading causes of network downtime and truck roll backs. Our professional grade tooling and related structured wiring accessories provide a robust end-to-end connectivity solution.

SimplyTEST™

SimplyTEST™ delivers a world-class portfolio of network testing equipment for copper and fiber cable installations, with Level II & III Certification tools (LanTEK series) & OTDR (FiberMASTER Series), bandwidth qualification testers (SignalTEK series), verification tools (VDV series) and robust CCTV set up tools (SecuriTEST IP).

SimplyAV™

SimplyAV™ provides connectivity solutions for audio and video installations. Our patented ProAV 8K HDMI Locking Adapter Ring - The First True Universal HDMI® Dongle Adapter Ring Holder and is ideal for presenters at schools, universities, trade shows, conference rooms and other locations where multiple connecting options are needed.

SimplyFIBER™

SimplyFIBER™ offering an easy-to-use, high-quality, and affordable systems for deploying fiber and terminating both mechanical and fusion splice connectors in the field. Featuring a full line up of bulk fiber optic cable options, connectors, and comprehensive fiber tools and kits, SimplyFIBER™ gives integrators everything they need to terminate and install fiber networks right the first time.

SimplyCABLE™

SimplyCABLE™ is a premium cable line that provides superior infrastructure to support high demand applications. SimplyCABLE provides the highest copper content, for elevated bandwidth and PoE performance with UV resistant for both indoor/outdoor applications. Premium cables designed for Pros that demand the best.

SimplyREWARDS



Buy. Earn. Reward Yourself.*

Every SimplyBRANDS® purchase already helps you get the job done right. Now it can also work for your business.

SimplyRewards is a rewards program built exclusively for installers and integrators buying SimplyBRANDS product lines through participating distributors.

How it works:

- **Buy through a participating Value-Added Distributor (VAD):** Qualifying purchases are tracked automatically at the point of sale. No receipts, no claim forms, no extra steps.
- **Not buying through a VAD yet?** Submit proof of purchase directly through the SimplyREWARDS portal to earn points on qualifying orders.
- **Watch for Product Accelerators:** Limited-time bonus-point promotions on featured connectors, accessories, and structured cabling products throughout the year.
- **Redeem your way:** Choose from over one million reward options — cash cards, gift cards, travel, experiences, and merchandise, including SimplyBRANDS gear.
- **Get started:** Ask your distributor if they're connected to SimplyREWARDS, or visit www.simplybrandsrewards.com.

*Initial program North America. International program coming soon.



SimplyUNIVERSITY



The School of Not-So-Hard Knocks for Low-Voltage Electrical Products.

Specifying the right cable shouldn't require guesswork — or trusting a datasheet that doesn't match what's in the box. SimplyUNIVERSITY is our ongoing technical education platform, built to help installers and integrators spec with confidence.

Course Catalog:


- **Technical whitepapers** on category cable selection, PoE thermal performance, copper certification, and shielded cable applications (U/FTP vs. F/UTP)
- **"The Truth About Category Cable" video series** — a 12-episode breakdown of industry shortcuts: copper-clad aluminum (CCA) conductors, AWG discrepancies, the "CAT6e" non-standard, MHz marketing claims, and cables sold that don't match their published spec sheets
- **"How It's Simply Made"** — behind-the-scenes manufacturing video content on RJ45 modular plugs and crimp tools

Free to access at simplybrands.com/simplyuniversity.



Simply45[®]

PROSERIES



Simply45 PROSeries Pass-Through RJ45 Modular Plugs with CAP45™

Introducing our best connector line yet. Our PROSeries connectors give integrators the confidence, and performance that today's PoE network, security, and AV equipment demands.

Our PROSeries line are the only pass-through connectors that are HDBaseT approved. Simply45 PROSeries features our patented Cap45, which prevents electrical arching and reduces near and far crosstalk.



3 Prong Contact Design

Increases contact surface area for speed, reliability, PoE, and performance.



Cap45[®] Modular Plugs

Prevents Electrical Shorts. Recommended for PoE and HDBaseT.



Bar45[®] Load Bar

Improves cross talk performance and signal integrity.



UL94V-0 Commercial Rated

Designed for residential and commercial (plenum) applications.



HDBaseT Approved

Recommended for all commercial & residential certified systems



Limited Lifetime Warranty

Buy with confidence, 100% product protection

Color Coded

for easy plug identification:



CAT5E



CAT6



CAT6/6A



6A/7/7A

When you demand the best for your PoE network - choose our hybrid design!

Simply45 PROSeries hybrid connectors are designed to simplify the connector termination process by reducing the length of untwisted wires and ensuring you have the TIA standard correct, all while reducing labor hours and truck rollbacks due to bad terminations. Simply45 PROSeries meets or exceeds industry standards for network connectivity, ensuring that data transmissions remain efficient and stable.

Simply45 PROSeries connectors feature our patented Cap45 system that provides the convenience of a pass-through style connector with the security of a standard modular plug. The hybrid design provides greater electrical conductivity, reduced near and far-end crosstalk when tested with a level 3 certifier, and eliminates electrical arching issues which lead to costly PoE shorts and network downtime.

Additionally, the PROSeries connectors take Cat6A/Cat7A performance a step further by utilizing our patent pending Bar45 to provide better signal isolation which substantially reduces the effects of crosstalk, thus increasing bandwidth capacity (headroom). The larger the headroom, the more scalability and bandwidth your network has to transmit data quickly and accurately.



PROSeries Cat5e

Shielded & Unshielded
Pass-Through RJ45 with Cap45®

Scan for
How-To
Video



Specifications

- Contact: Phosphor Bronze
- 100μ Nickel Base Plating
- 50μ 24ct Gold surface plating
- Patent: 10,811,831 B1

Item#	Quantity	AWG	Conductor Range	Max OD	Price
Unshielded					
S45-1501P	50/Clamshell	24	.95-1.05mm, .037"-.041"	6.5mm, 0.255"	\$40.95
S45-1500P	100/Jar	24	.95-1.05mm, .037"-.041"	6.5mm, 0.255"	\$73.50
S45-1505P	500/Jar	24	.95-1.05mm, .037"-.041"	6.5mm, 0.255"	\$331.95
Shielded					
S45-1550P	50/Clamshell	24	.95-1.05mm, .037"-.041"	6.5mm, 0.255"	\$82.95



PROSeries Cat6

Shielded & Unshielded
Pass-Through RJ45 with Cap45®

Scan for
How-To
Video



Specifications

- Contact: Phosphor Bronze
- 100μ Nickel Base Plating
- 50μ 24ct Gold surface plating
- Patent: 10,811,831 B1

Item#	Quantity	AWG	Conductor Range	Max OD	Price
Unshielded					
S45-1620P	20/Bag	23	.95-1.05mm, .037"-.041"	7.0mm, 0.276"	\$15.95
S45-1601P	50/Clamshell	23	.95-1.05mm, .037"-.041"	7.0mm, 0.276"	\$45.95
S45-1600P	100/Jar	23	.95-1.05mm, .037"-.041"	7.0mm, 0.276"	\$80.95
S45-1605P	500/Jar	23	.95-1.05mm, .037"-.041"	7.0mm, 0.276"	\$369.50
Shielded					
S45-1650P	50/Jar	23	.95-1.05mm, .037"-.041"	8.0mm, 0.315"	\$129.95
S45-1652P	25/Clamshell	23	.95-1.05mm, .037"-.041"	8.0mm, 0.315"	\$67.95



PROSeries Cat6/6a

Shielded & Unshielded
Pass-Through RJ45 with Cap45®

Scan for
How-To
Video



Specifications

- Contact: Phosphor Bronze
- 100μ Nickel Base Plating
- 50μ 24ct Gold surface plating
- Patent: 10,811,831 B1

Item#	Quantity	AWG	Conductor Range	Max OD	Price
Unshielded					
S45-1720P	20/Bag	23	.95-1.05mm, .037"-.041"	7.4mm, 0.291"	\$17.95
S45-1701P	50/Clamshell	23	.95-1.05mm, .037"-.041"	7.4mm, 0.291"	\$50.50
S45-1700P	100/Jar	23	.95-1.05mm, .037"-.041"	7.4mm, 0.291"	\$84.95
S45-1705P	500/Jar	23	.95-1.05mm, .037"-.041"	7.0mm, 0.276"	\$386.95
Shielded					
S45-1750P	50/Jar	23	.95-1.05mm, .037"-.041"	8.0mm, 0.315"	\$131.95



PROSeries Cat6a/7/7a

Shielded Pass-Through
RJ45 with Cap45®

Scan for
How-To
Video




Specifications

- Contact: Phosphor Bronze
- 100μ Nickel Base Plating
- 50μ 24ct Gold surface plating
- Warranty: Lifetime
- Patent: 10,811,831 B1

Item#	Quantity	AWG	Conductor Range	Max OD	Price
S45-1755P	50/Jar	23	1.15-1.35mm, .045"-.053"	8.0mm, 0.315"	\$142.50

Simply45[®]

INSTALLER SERIES



Simply45 Improved Pass-Through RJ45 Modular Plugs Design

Simply45[®] the industry-leading brand for RJ45 modular plug innovation and performance solutions is proud to introduce our Pass-Through RJ45 Modular Plug Product Line. The Simply45[®] Pass-Through RJ45 Product Line has the most innovative and ground-breaking improvements to RJ45 design and performance since the introduction of the original pass-through RJ45.



3 Prong Contact Design

Increases contact surface area for speed, reliability, PoE, and performance.



UL94V-0 Commercial Rated

Designed for residential and commercial (plenum) applications.



Limited Lifetime Warranty

Buy with confidence, 100% product protection

Color Coded

for easy plug identification:



CAT5E



CAT6



CAT6/6A




10G

Improved Pass-Through RJ45 Modular Plug Design

Simply45[®] is the leading brand for RJ45 modular plug innovation and performance solutions. Our patented RJ45 solutions solve many of the problems that cause network downtime and truck roll backs, including electrical arcing and shorts, reducing near and far crosstalk, and category cable compatibility issues. Simply45 is designed for the professional integrator who demands the best.

The Simply45[®] RJ45 modular plugs are designed to provide greater electrical conductivity, improved cross talk performance, and the best PoE/PoH performance of any pass-through RJ45. We understand the critical link LAN cables and RJ45 modular plugs play in supporting the performance requirements for today's network devices.



TRICK OF THE TRADE!

Save time, and your fingers, by using the stripped cable jack to quickly untwist pairs and straighten conductors.



Installer Series Cat5e Shielded & Unshielded Pass-Through RJ45®

Scan for
How-To
Video



Specifications

- Contact: Phosphor Bronze, 100µ Nickel Base Plating, 50µ 24ct Gold Surface Plating
- Lic. Under Patents: 9,543,729; 10,116,082; 10,573,990; 11,146,014

Item#	Quantity	AWG	Conductor Range	Max OD	Price
Unshielded					
S45-1520	20/Clamshell	24	.95-1.05mm, .037"-.041"	6.5mm, 0.255"	\$14.50
S45-1501	50/Clamshell	24	.95-1.05mm, .037"-.041"	6.5mm, 0.255"	\$34.95
S45-1500	100/Jar	24	.95-1.05mm, .037"-.041"	6.5mm, 0.255"	\$61.95
S45-1505	500/Jar	24	.95-1.05mm, .037"-.041"	6.5mm, 0.255"	\$284.95
Shielded					
S45-1550	50/Clamshell	24	.95-1.05mm, .037"-.041"	6.5mm, 0.255"	\$74.95



Installer Series Cat6 Unshielded Pass-Through RJ45

Scan for
How-To
Video



Specifications

- Contact: Phosphor Bronze, 100µ Nickel Base Plating, 50µ 24ct Gold Surface Plating
- Lic. Under Patents: 9,543,729; 10,116,082; 10,573,990; 11,146,014

Item#	Quantity	AWG	Conductor Range	Max OD	Price
S45-1620	20/Clamshell	23	.95-1.05mm, .037"-.041"	7.0mm, .276"	\$15.95
S45-1601	50/Clamshell	23	.95-1.05mm, .037"-.041"	7.0mm, .276"	\$40.95
S45-1600	100/Jar	23	.95-1.05mm, .037"-.041"	7.0mm, .276"	\$70.50
S45-1605	500/Jar	23	.95-1.05mm, .037"-.041"	7.0mm, .276"	\$318.50



Installer Series Cat6a Unshielded Pass-Through RJ45

Scan for
How-To
Video



Specifications

- Contact: Phosphor Bronze, 100µ Nickel Base Plating, 50µ 24ct Gold Surface Plating
- Lic. Under Patents: 9,543,729; 10,116,082; 10,573,990; 11,146,014

Item#	Quantity	AWG	Conductor Range	Max OD	Price
S45-1700	100/Jar	23	1mm-1.10mm, .039" - .043"	7.4mm, .291"	\$77.50



Installer Series 10G RJ45 Field Plug


Scan for
How-To
Video



Specifications

- S45-1710S - 26-22 AWG Solid, 23-27 AWG Stranded Wire, OD: 6.0mm-9.0mm
- S45-1711S - 22-24 AWG, OD: 9.0mm
- Reusable Termination Capability: Up to 5 Times
- PoE IEEE 802.3bt
- Protection Category: IP 20
- Fully Shielded One Piece Construction
- Toolless - No special tools needed.
- Improved Load Bar for faster & easier wire pattern termination

Item#	Quantity	Price
S45-1710S	1ea/Bag	\$14.50
S45-1711S	1ea/Bag	\$15.50



Simply45 Standard Series Non-Pass Through

Simply45 Standard Series connectors feature our enhanced connector designed for all PoE applications and high speed bandwidth requirements. Simply45 only uses the highest quality materials to ensure reliable results that greatly reduce truck roll backs. Not all connectors are created equal.

Simply45 connectors are manufactured to the highest flame retardant rating (UL94V-0) and recommended for both commercial and residential installs. The connectors feature a 3-prong offset trident contact designed for all PoE applications ensuring lower resistance and less heat build-up. These enhancements make Simply45 the most reliable RJ45 termination on the market today.



3 Prong Contact Design
Increases contact surface area for speed, reliability, PoE, & performance.




UL94V-0 Commercial Rated
Designed for residential and commercial (plenum) applications.



HDBaseT Approved
Recommended for all commercial & residential certified systems



Limited Lifetime Warranty
Free from defects in materials or workmanship



Bar45[®] Load Bar
Improves cross talk performance and signal integrity.



WE/SS Non-Pass-Through 8P8C

Color Coded

for easy plug identification:

 **CAT5E**

 **CAT6**

 **CAT6/6A**

 **10G**

Not all RJ45 connectors are created equal! Demand the very best!

Simply45 Standard Series connectors feature our re-engineered connector designed for the technology used today. Simply45 only uses the highest quality materials to ensure reliable results that greatly reduce truck roll-backs. Our connectors are commercial rated and feature a 3-prong style contact designed for all PoE applications making Simply45 the most reliable RJ45 termination on the market today.

Simply45 Standard Series connectors are a premium option for those who need high-performance and reliable RJ45 modular plugs. Their innovative features and focus on quality make them a popular choice among professionals and network enthusiasts.

Modular Plugs



Standard Series RJ11/12

Specifications

- Non-Pass-Through Style
- For Telephone and Data Applications
- 24ct gold plated contacts (15μ)
- Flammability rating: UL94V-2
- Good for 6P4C and 6P6C application



Installer Series RJ11/12

Specifications

- Pass-Through Style
- For Telephone and Data Applications
- 24ct gold plated contacts (15μ)
- Flammability rating: UL94V-2
- Good for 6P4C and 6P6C application



Item#	Quantity	AWG	Conductor Range	Max OD	Price
S45-0111	100/Clamshell	26-24 solid	.90 - 1.00mm, .035"-.039"	4.5mm - .177"	\$21.95

Item#	Quantity	AWG	Conductor Range	Max OD	Price
S45-0112	100/Clamshell	26-24 solid	.90 - 1.00mm, .035"-.039"	4.5mm - .177"	\$21.95



Standard Series Cat5e Shielded & Unshielded RJ45 Non-Pass-Through

Scan for
How-To
Video



Specifications

- Contact: Phosphor Bronze, 100μ Nickel Base Plating
- 50μ 24ct Gold Surface Plating
- Lic. Under Patents: 9,543,729; 10,116,082; 10,573,990; 11,146,014

Item#	Quantity	AWG	Conductor Range	Max OD	Price
Unshielded					
S45-1020	20/Jar	24	.95-1.05mm, .037"-.041"	6.5mm, .255"	\$13.50
S45-1000	100/Jar	24	.95-1.05mm, .037"-.041"	6.5mm, .255"	\$48.95
Shielded					
S45-1050	50/Jar	24	.95-1.05mm, .037"-.041"	6.1mm, .240"	\$59.95



Standard Series Cat6 Shielded & Unshielded RJ45 with Bar45 Non-Pass-Through

Scan for
How-To
Video



Specifications

- Contact: Phosphor Bronze, 100μ Nickel Base Plating
- 50μ 24ct Gold Surface Plating
- Lic. Under Patents: 9,543,729; 10,116,082; 10,573,990; 11,146,014

Item#	Quantity	AWG	Conductor Range	Max OD	Price
Unshielded					
S45-1120	20/Jar	24	1.05-1.17mm, .041"-.046"	7.4mm, .291"	\$17.50
S45-1100	100/Jar	24	1.05-1.17mm, .041"-.046"	7.4mm, .291"	\$65.50
Shielded					
S45-1150	50/Jar	23	1.10-1.20mm, .043"-.047"	6.1mm, .240"	\$115.95



Standard Series Cat6a/7/7a Shielded Non-Pass-Through RJ45

Scan for
How-To
Video



Specifications


- Contact: Phosphor Bronze
- 100μ Nickel Base Plating
- 50μ 24ct Gold Surface Plating
- Patent: TW D214793

Item#	Quantity	AWG	Conductor Range	Max OD	Price
S45-1155	100/Jar	23	1.21-1.45mm, .047"-.057"	8.0mm, .315"	\$121.50

1-954-928-8600 • SALES@SIMPLYBRANDS.COM

All Prices Subject to Change

Accessories



Cap45

Specifications

- Isolation cap that prevents electrical arcing due to exposed copper at front end of connector.
- Recommended for HDBaseT and PoE
- Compatible with all Simply45 PROSeries pass-through connectors (S45-1500P, S45-1501P, S45-1505P, S45-1550P, S45-1600P, S45-1601P, S45-1605P, S45-1700P, S45-1701P, S45-1705P, S45-1750P, & S45-1755P)



Item#	Quantity	Price
S45-CAP45	110/Bag	\$10.95

Integrated Strain Relief Cat5e

Specifications

- Prolongs life of termination
- Maintains proper bend radius
- Narrow design eliminates port crowding
- Snagless Design for RJ45 tab protection
- Max OD 6.5mm, 0.255"
- Commercial rated UL94V-0
- Compatible with all Simply45 Cat5e Standard, Installer, & PROSeries UTP and internal ground STP connectors



Item#	Quantity	Price
S45-B001	100/Bag	\$36.50

Integrated Strain Relief Cat6/6a

Specifications

- Prolongs life of termination
- Maintains proper bend radius
- Narrow design eliminates port crowding
- Snagless Design for RJ45 tab protection
- Max OD 7.0mm, 0.276"
- Commercial rated UL94V-0
- Compatible with all Simply45 Cat6/6a Standard, Installer, & PROSeries UTP connectors



Item#	Quantity	Price
S45-B002	100/Bag	\$36.50

PROSeries Integrated Strain Relief With Locking Pin for Cat6/6a


Specifications

- Security pin locks RJ45 into port
- Prevents tampering and disconnects
- Prolongs life of termination
- Maintains proper bend radius
- Narrow design eliminates port crowding
- Snagless Design for RJ45 tab protection
- Commercial rated UL94V-0
- Compatible with all Simply45 Cat6/6a Standard, Installer, & PROSeries UTP connectors



Item#	Quantity	Size	Color	Price
S45-B002P	100/Bag	7.0mm	Clear	\$47.95
S45-B005P	100/Bag	7.3mm	Red	\$36.50

Modular Plug Accessories



Over Molded Strain Relief

Specifications

- Prolongs life of termination
- Maintains proper bend radius
- Over-molded design slides over connector body
- Snagless Design for RJ45 tab protection
- Max OD 8.5mm, 0.355"
- Commercial rated UL94V-0
- Compatible with all Simply45 Standard, Pass-Through, & PROSeries UTP/STP connectors



Item#	Quantity	Price
S45-B003	100/bag	\$36.50



Integrated Strain Relief for Shielded External Ground Connectors

Specifications

- Prolongs life of termination
- Maintains proper bend radius
- Narrow design eliminates port crowding
- Snagless Design for RJ45 tab protection
- Max OD 8.5mm, 0.335"
- Commercial rated UL94V-0
- Compatible with S45-1150, S45-1155, S45-1750P, & S45-1755P
- Non compliant with other brands



Item#	Quantity	Price
S45-B004P	100/bag	\$36.50



Waterproof Couplers



Specifications

- Rated for Cat5e, Cat6, & Cat6a Shielded and Unshielded Cables
- Min/Max Cable OD 5.5mm, 0.215" - 8.5mm, 0.335"
- Current/Voltage Rating: 250V, AC-2.4A
- Temperature Rating: -40°F to +176°F
- Easy assembly, no tools required
- Accepts pre-terminated cables
- IP68 Rated, UV/impact resistant
- PoE rated, up to 90W

Model	Item#	Quantity	Price
Waterproof RJ45 Double Female Splice Coupler	S45-WP3200	1/Blister	\$19.50
Waterproof RJ45 Double Female Panel Mount Coupler	S45-WP3201	1/Blister	\$17.95
Waterproof Universal Keystone Coupler Splice	S45-WP3202	1/Blister	\$17.95
Waterproof 10g Shielded Double Female RJ45 Coupler for In-Line Splice or Panel Mount	S45-WP3203	1/Blister	\$18.95



Waterproof Surface Mount Box

Specifications

- Prolongs life of termination
- Maintains proper bend radius
- Snagless Design for RJ45 tab protection
- Commercial rated UL94V-0
- Compatible with S45-3201
- Non compliant with other brands



Item#	Quantity	Price
S45-WP3210W	1ea/Box	\$21.95



PROSeries Locking Pin for Integrated Strain Relief Boots

Specifications

- Compatible with S45-B001, S45-B002, & S45-B002P
- 100 per bag
- UL94V-O Rated
- Non compliant with other brands



Item#	Quantity	Price
S45-B00LP	100/Bag	\$15.95

RJ45 Crimp Tools

Simply45 patented Crimp Tools are designed to streamline the process of crimping RJ45 connectors while maintaining the quality and reliability of the terminations. Our dual ratcheting handles deliver more force for a better conductor pin set and provide a smoother, faster termination, with less hand force. The reinforced steel wrapped head ensures tool stability during the crimping cycle. The pre-calibrated blade cartridge delivers consistent flush-to-face wire trimming without deforming the wire conductor. Quality and performance make our crimp tools the perfect addition to any installer's tool bag.



S45-C100 & S45-C101 Common Features



Ratcheted To Ensure Full Compression Cycle With Built-In Wire Stripper and Cable Cutter



Reinforced Steel for Greater Stability



Precision Ground Surgical Steel Blade for Flush-To-Face Pass-Through Wire Trimming



Quick Change Blade Cartridge Pre-Calibrated for Optimum Performance




Laser Etched TIA 568A/B Conductor Alignment Guide




Patented Synchronized Handles For Better Pin Set And Less Hand Fatigue
Patent Number: 10,431,949 B2

S45-C101 Unique Features:




Click-Lock Socket
Ensures Proper Tool & Connector Alignment

*Connector shown is S45-1650P



Sliding Tool Lock
Keeps crimp tool handles closed for easy storage



External Ground Crimp Die
Properly Ground Drain Wire



Extra Blade Storage
Blade storage box attached to handle includes one blade cartridge and one stripping/cutting blade.



Universal Heavy Duty RJ45 Crimp Tool

Specifications

- Works with all TIA Compliant Connectors
- Calibrated blade cartridge designed for precision angle cut with zero flex results in superior flush cuts with no conductor deformation
- Greater stability results in better pin sets and more durability
- Ratcheted for full compression cycle
- Reinforced steel frame prevents connector flexing during crimping process
- Ergonomic grip for right or left hand use
- Lifetime Warranty



Item#	Quantity	Price
S45-C100	1/Blister	\$99.95



Universal PROSeries RJ45 Crimp Tool

Specifications

Includes all S45-C100 features, plus:

- Click-lock socket
- Sliding tool lock
- External ground crimp die
- Extra blade storage
- See images on page 17



Item#	Quantity	Price
S45-C101	1/Blister	\$122.95



Installer Series Dual Cavity Crimp Tool

Specifications

- Crimps all pass-through & standard UTP/STP RJ45/RJ11/RJ12 TIA compliant modular plugs
- Parallel action for precise pin placement
- Built-in cable cutter and stripper
- Push button lock for easy storage
- Same S45 blade cartridge used
- Color TIA 568A/B wiring guide
- Lifetime warranty



Item#	Quantity	Price
S45-C110	1/Blister	\$63.95



External Ground Crimp Tool

Specifications

- Recommended for shielded connectors with ext. ground tabs
- Cable jacket ranges from 0.215" (5.5mm) to 0.335" (8.5mm)
- Built-in notch to crimp terminals/splices 22-18 AWG
- Hardened high carbon steel for durability and long life
- Non-ratcheted with spring-loaded, easy-open design
- Handle lock for easy storage
- Ergonomic Grip
- Limited Lifetime Warranty



Item#	Quantity	Price
S45-C360	1/Blister	\$39.95



PROSeries Dual Cavity Crimp Tool

Specifications

- Crimps all pass-through & standard UTP/STP RJ45/RJ11/RJ12 TIA compliant modular plugs
- Parallel action for precise pin placement
- Built-in cable cutter and stripper
- Push button lock for easy storage
- Same S45 blade cartridge used
- Color TIA 568A/B wiring guide
- Lifetime warranty



Item#	Quantity	Price
S45-C120P	1/Blister	\$69.95



Replacement Blades with Storage Box

Specifications

- Designed for S45-C100 & S45-C101
- Blade storage box attaches to handle
- Includes one blade cartridge and one stripping/cutting blade.



Item#	Quantity	Price
S45-C190	1 Set/Blister	\$6.50
S45-C190B	1 Set/Blister	\$12.95

Cable Strippers, Cutters, & Punchdown Tools



Adjustable LAN Cable Stripper



Specifications

- For UTP/STP Cat5e, Cat6, Cat6a, Cat7, & Cat7a category cable
- Adjustable stripping blade
- 2 available colors - Custom set blade on yellow for Cat5e & blue for Cat6!
- Silver satin / flat cable stripper
- Cable comb for straightening conductors
- Built-in cable cutter
- Lifetime warranty



Item#	Quantity	Price
S45-S01BL - Blue	1/Blister	\$19.95
S45-S01YL - Yellow	1/Blister	\$19.95

No Nick Self-Adjusting Wire Stripper for LAN/Coax Cables



Specifications

- Two stripping cartridges included
- Strips UTP/STP Cat5e, Cat6, Cat6a, Cat7, & Cat7a category cable
- Strips RG59, RG6, & RG6Q with built-in cable stop
- Cable comb for straightening conductors
- Right or left-hand use
- No slip thumb grip with finger ring
- Lifetime Warranty



Item#	Quantity	Price
S45-S02R	1/Blister	\$20.50

Premium 5" Flush Cutter with Angled Jaw



Specifications

- For Wire Up To 18AWG
- Angled Jaw For Precision Flush Cuts
- Cushioned Non-Slip Grip Handles For Greater Comfort
- High Carbon Steel For Greater Durability
- Recommended for Copper Wire
- Do Not Use for Copper Clad Steel



Item#	Quantity	Price
S45-801	1/Blister	\$14.50

5-1/2" ProSeries Electrician's Scissor



Specifications

- Ergonomic Handles Designed for Both Left and Right-Handed Use
- Durable High Carbon Stainless Steel Blades
- Notches To Cut & Strip 18-24 AWG Wire with Ease
- Serrated Teeth for Non-Slip Cutting
- Designed for Cutting Copper Wire, Kevlar, Category Cable, & Coax
- Lifetime Warranty



Item#	Quantity	Price
S45-810	1/Blister	\$34.95

Impact Punchdown Tool & Blades



Specifications

- Hi/Low Impact Settings
- Extra Blade Storage in Handle Base
- Built in hook to help pull/remove conductors
- Built in Spudger to be Used as Screwdriver, IDC Insert Tool or to Clean Debris
- Recommended Use for Patch Panels, Keystones, & Telephone Blocks



Item Name	Item#	Quantity	Price
Impact Punchdown Tool	S45-P300	1/Blister	\$52.95
110 Style Blade	S45-P310	1ea/Bag	\$10.95
66 Style Blade	S45-P311	1ea/Bag	\$10.95
110/66 Combo Style Blade	S45-P312	1ea/Bag	\$10.95

Folding Drywall Hand Saw with 2 Position Blade Lock



Specifications

- Folding blade for safety & easy storage
- No-slip rubber ergonomic handle
- High-carbon steel blade, rust resistant
- Sturdy blade for straight accurate cuts
- Triple ground teeth, cut in both directions
- Blade locks at 180 or 125 degrees
- Cut drywall, plywood, PVC and paneling
- Length = 6" folded/11" fully extended
- Lifetime Warranty



Item#	Quantity	Price
S45-850	1/Blister	\$26.95

Keystone Jack Closure/Seating Pliers



Specifications

- Assist when compressing Simply45 2 PC shielded connectors.
- Easily assembles metal shell to connector body.
- Parallel action prevents damage during compression
- Compatible with most field plugs & toolless keystones
- Crimp die on the tip for wire terminals and splices.
- Non-ratcheted, spring-loaded, easy open design
- Locking tab to keep tool closed for easy storage
- Hardened high carbon steel for durability & long life
- Ergonomic handles with cushioned grip for greater comfort
- Limited Lifetime Warranty



Item#	Quantity	Price
S45-C371	1/Blister	\$49.95

Multi-bit Ratcheting Screwdriver



Specifications

- 6 power tool compatible, Shock resistant, magnetic, chrome plated steel bits
- High-torque ratcheting driver, 2x speed
- Easy View™ bit storage handle for quick selection
- All metal ratchet design for long life use



3/16"
1/4"



#1
#2



T15
T20



Nut
Driver
1/4"



Length	Item#	Quantity	Price
6" Handle	S45-501	1/Blister	\$27.95
3-1/2" Handle	S45-502	1/Blister	\$20.95

PROSeries Self Adjusting Wire Stripper



Specifications

- Automatically Strips Wire & Cable
 - 10-22 AWG Solid
 - 12-24 AWG Stranded
 - 12/2 and 14/2 Romex Cable
- Adjustable stopper to control core strip length
- Tensioning knob for precise stripping
- Copper wire cutter built into the handle
- Crimps a variety of terminals
 - 10-22 AWG insulated & non-insulated
 - 7-8mm Ignition
- Ergonomic handles for comfort & control
- Crafted from durable high-carbon steel
- Lifetime warranty



Item#	Quantity	Price
S45-S110	1/Blister	\$36.50



Subscribe to Our Newsletter

Sign up to our newsletter to receive news, tips, and updates to expand your potential with SimplyBrands Products and services.

Kits



Starter Kits



Starter Kit		Kit Contents (One of Each)	Item#	Quantity	Price
PROSeries Cat6/6a UTP Starter Kit	●	S45-1700P, S45-801, S45-B003, S45-C101, S45-S01YL	S45-PSK6S	1/Box	\$303.95
PROSeries 10G STP Starter Kit	●	S45-1755P, S45-801, S45-B003, S45-C101, S45-S01YL	S45-PSK10G	1/Box	\$333.95
PROSeries Cat6/6a STP Starter Kit	●	S45-1750P, S45-801, S45-B003, S45-C101, S45-S01YL	S45-PSK6U	1/Box	\$279.95
Pass-Through Series Cat5/6 STP Starter Kit	● ●	S45-1501, S45-1601, S45-801, S45-C100, S45-S01YL	S45-PTK56U	1/Box	\$183.95
Pass-Through Series Cat5e/6 UTP Starter Kit	●	S45-1750P, S45-801, S45-B003, S45-C101, S45-S01YL	S45-PTK6U	1/Box	\$213.95
Cat6/6a UTP Tool Bag Kit	● ●	S45-C101, S45-1600P, S45-1700P, S45-810, S45-S02R, S45-TB100R	S45-TBK6U	1/Box	\$327.95



PROSeries Milwaukee Packout Modular Storage System



Starter Kit		Kit Contents (One of Each)	Item#	Quantity	Price
Network/Telecom Crimp & Test Kit	● ● ●	S45-1500P, S45-1600P, S45-1700P, S45-0111, S45-C101, S45-c110, S45-801, S45-810, ST-15800	S45-PSKMP1	1/Box	\$999.95
Structured Wiring Crimp & Test Kit	● ●	S45-801, S45-810, S45-S02R, S45-C101, S45-P420, S45-1600P, S45-1700P, ST-180000, ST-158007, ST-158050, ST-158051, S45-502, S45-3690W (10 pc)	S45-PSKMP2	1/Box	\$1495.95



Heavy Duty Roll-Up Tool Bag

Specifications

- Durable red & black canvas material
- 5 zippered pouches
- Connectors & tools not included



Item#	Quantity	Price
S45-TB100R	1/Each	\$45.95

Cable Management

Ask The Expert

Scan this QR code to be connected via live chat with one of our product experts.



Simply45®

Beam Clamps, Bridle Rings, & J-Hooks



Bridle Ring ¼"x20

Specifications

- Constructed from high-quality steel for strength & durability
- Supports hanging cables both horizontally and vertically
- Easily attached to any ¼" X 20 mounting hardware
- Safe to use in plenum spaces
- Smooth round edge prevents cable damage during installation
- UL and CUL listed, RoHS compliant, includes Lifetime warranty
- 100 pack comes in 10 grab and go inner packs



Item#	Quantity	Size	Price
S45-BR12-10	10/Box	0.75"	\$13.95
S45-BR12-100	100/Box	0.75"	\$122.50
S45-BR21-10	10/Box	1.25"	\$13.95
S45-BR21-100	100/Box	1.25"	\$122.50
S45-BR32-10	10/Box	2"	\$15.50
S45-BR32-100	100/Box	2"	\$136.95

Beam Clamp, Flanges ⅛"-½"

Specifications

- Constructed from high-quality spring steel
- Supports J-Hooks & Bridle Rings from structural beams
- Static load of up to 100 lbs
- 3/8-16, 1/4-20 or #10-24 threaded hardware
- Shark tooth design prevents slippage
- Safe to use in plenum spaces
- UL and CUL listed, RoHS compliant, includes Lifetime warranty
- 100 pack comes in 10 grab and go inner packs



Item#	Quantity	Price
S45-BC12-10	10/Box	\$15.50
S45-BC12-100	100/Box	\$136.95

1-954-928-8600 • SALES@SIMPLYBRANDS.COM

All Prices Subject to Change

Cable Management



Standard J Hooks



Specifications

- High-quality steel for strength & durability.
- Easily mount on a wall or a vertical surface.
- Supports category, coax, AV and fiber cables.
- May also support innerduct, tubing & conduit.
- Cable retainer pin to secure cable bundles.
- J-Hook used as a pull ring with retainer pin.
- Double zinc plating for greater corrosion resistance.
- Low-cost alternative to cable tray or ladder rack.
- Beveled edge provides proper cable bend radius.
- Complies with EIA/TIA requirements.
- Safe to use in plenum spaces.
- UL and CUL listed.
- RoHS compliant.
- Lifetime warranty
- 100 pack comes in 10 grab and go inner packs

Size	Estimated Cable Capacity	Item#	Quantity	Price
3/4"	Cat5e: 18 cables	S45-JH12-10	10/Box	\$17.95
	Cat6: 12 cables	S45-JH12-100	100/Box	\$157.95
	Cat6a: 8 cables			
1 5/16"	Cat5e: 54 cables	S45-JH21-10	10/Box	\$29.95
	Cat6: 36 cables	S45-JH21-100	100/Box	\$265.95
	Cat6a: 18 cables			
2"	Cat5e: 84 cables	S45-JH32-10	10/Box	\$36.95
	Cat6: 54 cables	S45-JH32-100	100/Box	\$330.50
	Cat6a: 27 cables			
4"	Cat5e: 170 cables	S45-JH64-5	5/Box	\$39.95
	Cat6: 110 cables	S45-JH64-50	50/Box	\$352.95
	Cat6a: 60 cables			



Batwing J Hooks



Includes All Features as Standard, Plus:


- Easily attaches to ceiling wire or threaded rod.
- Swivels to adjust to cable orientation
- 100 pack comes in 10 grab and go inner packs



Convenient Grab & Go Pack Sizes

Move from stockroom to showroom with our high quantity boxes.

Size	Estimated Cable Capacity	Item#	Quantity	Price
3/4"	Cat5e: 18 cables	S45-JHw12-10	10/Box	\$28.95
	Cat6: 12 cables	S45-JHw12-100	100/Box	\$258.50
	Cat6a: 8 cables			
1 5/16"	Cat5e: 54 cables	S45-JHW21-10	10/Box	\$39.50
	Cat6: 36 cables	S45-JHW21-100	100/Box	\$352.95
	Cat6a: 18 cables			
2"	Cat5e: 84 cables	S45-JHW32-10	10/Box	\$42.50
	Cat6: 54 cables	S45-JHW32-100	100/Box	\$381.95
	Cat6a: 27 cables			



Cable Ties

Specifications

- UL Certified
- UV resistant nylon.

WT BK



Item#	Length	Quantity	Price
CT-8-XX	8"	100/Bag	\$4.30
CT-11-XX	11"	100/Bag	\$6.30
CT-15-XX	15"	100/Bag	\$7.90



Cable Clips

Specifications

- UL Certified
- UV resistant nylon.

WT BK



Item#	Size	Quantity	Price
900-XX	Cat5 Cable	100/Bag	\$4.30
G4XX	8mm	100/Bag	\$6.30



Wall Plates & Mounting Brackets



1-Port Keystone Wall Plate

Specifications

- Made of durable ABS plastic
- Painted screw heads
- Phillips with straight slot screw head
- White gloss finish
- Available in 25 packs
- cUL US listed



Item#	Quantity	Price
S45-3201W	1ea/Bag	\$1.50
S45-3201W-25	25/Pack	\$35.95



2-Port Keystone Wall Plate

Specifications

- Made of durable ABS plastic
- Painted screw heads
- Phillips with straight slot screw head
- White gloss finish
- Available in 25 packs
- cUL US listed



Item#	Quantity	Price
S45-3202W	1ea/Bag	\$1.50
S45-3202W-25	25/Pack	\$35.95




3-Port Keystone Wall Plate

Specifications

- Made of durable ABS plastic
- Painted screw heads
- Phillips with straight slot screw head
- White gloss finish
- Available in 25 packs
- cUL US listed



Item#	Quantity	Price
S45-3203W	1ea/Bag	\$1.50
S45-3203W-25	25/Pack	\$35.95



4-Port Keystone Wall Plate

Specifications

- Made of durable ABS plastic
- Painted screw heads
- Phillips with straight slot screw head
- White gloss finish
- Available in 25 packs
- cUL US listed



Item#	Quantity	Price
S45-3204W	1ea/Bag	\$1.50
S45-3204W-25	25/Pack	\$35.95

Wall Plates & Mounting Brackets



2-Port Angled Keystone Wall Plate

Specifications

- Made of Durable ABS plastic
- Painted screw heads
- Phillips with straight slot screw head
- White gloss finish
- Reduces cable Bend Strain
- Available in 25 packs
- cUL US listed



Item#	Quantity	Price
S45-3202AW	1ea/Bag	\$1.50
S45-3202AW-25	25/Pack	\$35.95



1-Port Brush Wall Plate

Specifications

- Made of durable ABS plastic
- Painted screw heads
- Phillips with straight slot screw head
- White gloss finish
- Available in 25 packs
- cUL US listed



Item#	Quantity	Price
S45-3201BPW	1ea/Bag	\$6.50
S45-3201BPW-5	5/Pack	\$32.95



1-Port Surface Mount Box

Specifications

- Made of durable ABS plastic
- Includes adhesive & mounting screws
- Phillips with straight slot screw head
- Available in Black and White
- cUL US listed



Item#	Color	Quantity	Price
S45-3101B	Black	1ea/Bag	\$2.30
S45-3101W	White	1ea/Bag	\$2.30



2-Port Surface Mount Box

Specifications

- Made of durable ABS plastic
- Includes adhesive & mounting screws
- Phillips with straight slot screw head
- Available in Black and White
- cUL US listed



Item#	Color	Quantity	Price
S45-3102B	Black	1ea/Bag	\$3.25
S45-3102W	White	1ea/Bag	\$3.25



Single Gang Low Voltage Steel Mounting Bracket

Specifications

- Made of Durable Steel
- Fits 1/2" to 1-1/4" Drywall
- Low voltage use only



Item#	Quantity	Price
S45-LV1M	1ea/Bag	\$2.50
S45-LV1M-10	10/Pack	\$24.95



Single Gang Low Voltage Black ABS Mounting Bracket

Specifications

- Made of durable ABS plastic
- Fits 1/2" to 1-1/4" Drywall
- Low voltage use only
- Available in 10 Packs



Item#	Quantity	Price
S45-LVMB1	1ea/Bag	\$3.25
S45-LV1MB1-10	10/Pack	\$29.50

Wall Plates & Mounting Brackets

Low Voltage Mounting Brackets Coax Connectors



Specifications

- Available for both new construction or retrofit installations.
- Low Voltage Mounting Brackets are the time and money-saving solution for faster and easier mounting of Class 2 communications, computer and cable TV wiring.

Item#	Size	Quantity	Price
MBLV-1	Single Gang, Class 2, Existing Construction	1ea/Loose	\$2.50
MBLV-2	2 Gang, Class 2, Existing Construction	1ea/Loose	\$4.25
MBLV-H1	1" For New Construction	1ea/Loose	\$1.60
MBLV-H1K	1" And 3/4" Low For New Construction	1ea/Loose	\$2.10
MBLV-N1	Single Gang Nail-On	1ea/Loose	\$1.75
MBLV-N2	2 Gang Nail-On	1ea/Loose	\$3.95

Decorator Style Wall Plate

Specifications

- Made of durable ABS plastic
- Phillips with straight slot screw head
- White gloss finish
- cUL US listed

Keystone Style Wall Plate

Specifications

- Made of durable ABS plastic
- Painted screw heads
- Phillips with straight slot screw head
- Available in multiple colors
- cUL US listed

AL BN BK WT LA IV WT-Gloss



Item#	Ports	Quantity	Price
201D-WT	1	1ea/Bag	\$1.90
202D-WT	2	1ea/Bag	\$1.90
203D-WT	3	1ea/Bag	\$1.90
204D-WT	4	1ea/Bag	\$1.90
206D-WT	6	1ea/Bag	\$1.90
200D-WT	Faceplate only	1ea/Bag	\$0.95
200D-2G-WT	Faceplate only	1ea/Bag	\$1.05



Item#	Ports	Quantity	Price
201-XX	1	1ea/Bag	\$1.00
202-XX	2	1ea/Bag	\$1.00
203-XX	3	1ea/Bag	\$1.00
204-XX	4	1ea/Bag	\$1.00
206-XX	6	1ea/Bag	\$1.00

Mid-Size Wall Plate

Specifications

- Made of durable ABS plastic
- Phillips with straight slot screw head
- Available in multiple colors
- cUL US listed

AL WT LA



Item#	Ports	Quantity	Price
301-XX	1	1ea/Bag	\$1.50
302-XX	2	1ea/Bag	\$1.50
303-XX	3	1ea/Bag	\$1.50
304-XX	4	1ea/Bag	\$1.50

Need more Information?

SimplyBrands has built a comprehensive collection of how-to's and other informational videos to help use our products in the best way possible.



Youtube

Wall Plates & Mounting Brackets

Preconstructed Combo Wall Plates

Specifications

- Made of durable ABS plastic
- Phillips with straight slot screw head
- Available in multiple colors
- cUL US listed

AL WT LA BK



Item#	Ports	Quantity	Price
220-WT	Telephone - Kitchen, UL	1ea/Bag	\$1.50
241-WT	CATV F-Type - Coax	1ea/Bag	\$1.20
241-WT-MID	CATV F-Type - Coax Midsize	1ea/Bag	\$1.20

Blank Wall Plates

Specifications

- Made of durable ABS plastic
- Phillips with straight slot screw head
- Available in multiple colors
- cUL US listed

AL WT LA IV BK



Item#	Size	Quantity	Price
242-BK	Single Gang	1ea/Bag	\$0.50
242-WT	Single Gang	1ea/Bag	\$0.50
249-WT	Double Gang	1ea/Bag	\$1.50

Audio/Video Brush Style Wall Plate

Specifications

- Made of durable ABS plastic
- Phillips with straight slot screw head
- Available in multiple colors
- cUL US listed



Item#	Color	Quantity	Price
252	Clear Brush	1ea/Bag	\$4.95
253	Black Brush	1ea/Bag	\$4.95


Ask The Expert

Scan this QR code to be connected via live chat with one of our product experts.



Subscribe to Our Newsletter

Sign up to our newsletter to receive news, tips, and updates to expand your potential with SimplyBrands Products and services.



Patch Panels



24/48 Port Unloaded Keystone Patch Panels



Specifications

- 19" rack mount panel with heavy-duty steel construction
- Scratch-resistant powder-coat finish
- ANSI/TIA 568.2-D
- 24 Port (1 RU) & 48 Port (2 RU)
- RoHS Compliant
- Reach Compliant
- Includes Grounding Wire, Cable Management Bracket, Cable ties, and Mount Screws
- PROSeries S45-2024UP includes detachable face plates and reusable ratcheting cable clamps



Item#	Ports	Price
Unshielded		
S45-2024U	24	\$33.50
S45-2024UP	24	\$36.95
S45-2048U	48	\$55.95
Shielded		
S45-2024SU	24	\$38.50



5e Loaded Keystone Patch Panels



Specifications

- 19" rack mount panel with heavy-duty steel construction
- IDC Compatible for 110 and Krone Tools
- 110 terminals Color Coded T568A/T568B Wiring Labels
- ISO/IEC 11801 Class D
- Gold Plated RJ45 Contacts
- PoE IEEE 802.3bt
- 24 Port (1 RU) & 48 Port (2 RU)
- FCC Part 68 Compliant
- RoHS Compliant
- Reach Compliant



Item#	Ports	Price
Unshielded		
S45-2524	24	\$66.95
S45-2548	48	\$129.50



12-Port Wall Mount UTP Patch Panel



Specifications

- IDC compatible for 110 and Krone tools
- Universal fit panel
- Vertical or Horizontal Mount
- Scratch-resistant finish
- 110 terminals Color Coded T568A/T568B Wiring Labels
- Gold Plated RJ45 Contacts
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class D
- PoE IEEE 802.3bt.
- FCC Part 68
- RoHS Compliant
- Reach Compliant



Item#	Category	Price
S45-2512	Cat5e	\$45.50
S45-2612	Cat6	\$55.95
S45-2012U	Unloaded	\$22.50

Patch Panels



Loaded Cat6 UTP & 10G STP Patch Panels



Specifications

- IDC compatible for 110 and Krone tools
- 19" rack mount panel
- Scratch-resistant finish
- 110 terminals Color Coded T568A/T568B Wiring Labels
- Gold plated RJ45 contacts
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class D
- PoE IEEE 802.3bt
- FCC Part 68
- RoHS Compliant
- Reach Compliant



Item#	Ports	Price
Unshielded		
S45-2624	24	\$92.95
S45-2648	48	\$175.95
Shielded		
S45-2724S	24	\$175.95



Patch Panel Modules



Specifications

- T568A Wiring Standard
- Eight 110 Punch Down and eight RJ-45 Connections
- Exceeds Category 5E Standards
- Compliant with 10/100BASE-T
- Ideal for Basic Networking Applications
- Easy mount to structured wiring panels (Prong-Style) Universal



Item#	Category	Ports	Price
PP-8	5E	8	\$39.50
PP-8-CAT6	6	8	\$44.95



Telecom Patch Panel Modules



Specifications

- Module Distributes 4 Lines to 8 Locations
- Features 8 Bridged 110 Punchdown Connectors
- RJ-31X Security Interface with On/Off Switch
- Expandable Output RJ45
- Pattern: TIA568A Wiring
- Easy mount to structured wiring panel (Prong Style) Universal



Item#	Type	Ports	Price
TM-8	8 PORT RJ45 TELECOM MODULE	8	\$24.95
TM-8-IDC	8 WAY TELECOM MODULE IDC TYPE	8	\$24.95




8 Way Video Splitter

Specifications

- Distribute a video signal outputs for up to 8TVs
- Die-cast housing and printed circuit board
- Use with Video Amplifier for increased signal strength



Item#	Quantity	Price
SM-8	1/Box	\$25.95



19" Cable Organizer Horizontal Panel



Specifications

- Mounts to 19-inch equipment racks, cabinets, and hinged wall-mounted brackets
- Organize and support the horizontal cables at front of your equipment rack

Item#	Description	Price
501	Single Sided Cable Organizer Bracket 1U , 5 Rings, 1.75"H	\$31.50
501-4RB	Single Sided Cable Organizer Bracket 1U , 4 Rings with Brush Manager, 1.75"H	\$36.95
501-BR	Brush Plate Strip 1U	\$32.95
501-BLANK5	Blank Panel 1U	\$35.95
501-HDC	Hi Density Slotted W/Cover Panel Manager 1U	\$34.50
502	Single Sided Cable Organizer Bracket 2U, 4 Rings, 1.75"H	\$39.50
502-BLANK5	Blank Panel 2U	\$35.95
502-HDC	Hi Density Slotted W/Cover Panel Manager 2U	\$38.95



1U Hinged Wall Mount Bracket



Specifications

- 19" 1U Wall mount bracket for mounting 19" networking equipment to a wall
- Hinged design provides easy access for all equipment installs and repair
- Left or right hinge option with 6" equipment depth
- All mounting hardware included
- Sturdy all metal design with horizontal reinforcement support ribs
- Black powdered coated finish
- No rack needed



Item#	Ports	Price
S45-WMB1U	24	\$19.95



2U Hinged Wall Mount Bracket



Specifications

- 19" 2U Wall mount bracket for mounting 19" networking equipment to a wall
- Hinged design provides easy access for all equipment installs and repair
- Left or right hinge option with 6" equipment depth
- All mounting hardware included
- Sturdy all metal design with horizontal reinforcement support ribs
- Black powdered coated finish
- No rack needed



Item#	Ports	Price
S45-WMB2U	48	\$33.95

Brackets, Mounts & Enclosures



ABS Plastic - Structured Media/Wiring Enclosures:

Specifications

- Elegant design appeals to new home buyers
- 5.15 Inch deep interior space
- Cox communications approved
- WiFi transparent Mounts to existing metal or plastic box
- Concealed air flow vents for better appearance
- UL compliant
- Optional Key Lock: HCC-KEY-LOCK
- Optional Shelf: HCC-SMB SMB (Shelf Mount Bracket)



Item#	Inner Size	Quantity	Price
HCC-18-HPEC	18"x14.25"	1/Box	\$61.50
HCC-18-KIT-ECPL	18"x14.25"	1 Kit/Box	\$118.95
HCC-28-BOX-PL5	29.5"x17.25"	5 Kits/Box	\$366.50
HCC-28-HPEC	29.5"x17.25"	1/Box	\$73.50
HCC-28-KIT-ECPL	29.5"x17.25"	1 Kit/Box	\$148.50
HCC-SMB	6.40"x3.5" (Shelf)	1/Box	\$12.50



Metal - Structured Media/Wiring Enclosures:

Specifications

- Elegant design appeals to new home buyers
- 4 Inch deep interior space
- Cox communications approved
- WiFi transparent Mounts to existing metal or plastic box
- Concealed air flow vents for better appearance
- UL compliant
- Replacement Covers available
- Optional Key Lock: HCC-KEY-LOCK
- Optional Shelf: HCC-SMB SMB (Shelf Mount Bracket)



Item#	Inner Size	Quantity	Price
HCC-14	13.6"x13.6"	1/Box	\$74.50
HCC-18	18"x14.25"	1/Box	\$98.95
HCC-28	28"x14.25"	1/Box	\$134.95
HCC-42	42"x14.25"	1/Box	\$177.95
HCC-KEY-LOCK	Replacement Key	1ea/Bag	\$9.95



Open Frame Wall Mounts

Specifications

- 18" depth
- 3 sizes available



Item#	Units	Quantity	Price
WMF-8U	8U	1/Box	\$109.95
WMF-15U	15U	1/Box	\$129.50
WMF-30U	30U	1/Box	\$203.95



Wall Mounted Rack Shelves

Specifications

- 10" Depth
- 2 unit size



Item#	Type	Quantity	Price
WMSH-2U	Solid	1ea/Bag	\$35.95
WMSH-2UV	Vented	1ea/Bag	\$36.95



Surge Protector Power Strip

Specifications

- 6 outlets
- 3ft cord



Item#	Quantity	Price
SG6-3-WT	1ea/Bag	\$10.95




Universal Mounting Brackets

Specifications

- 2 sizes of mounting brackets.
- Used to mount switchers, routers, and modems.
- Allows the brackets to be adjusted easily with its push pin design



Item#	Size	Quantity	Price
UMB-3	6.3"x4"	1ea/Bag	\$14.95
UMB-4	6.3"x7"	1ea/Bag	\$18.95



Simply45[®]

Keystones

Blank Keystone Snap-In Pieces

Specifications

- Used to fill in unused ports on panels and wall plates
- Protects against tampering, dust
- Provides clean professional finish
- UL listed

Item#	Quantity	Price
Black		
S45-3207B	1ea/Bag	\$4.50
S45-3207B-25	25/Pack	\$104.50
White		
S45-3207W	1ea/Bag	\$4.50
S45-3207W-25	25/Pack	\$104.50



3GHz F-Connector Keystone Snap-In Inserts

Specifications

- High Impact UL94V-0 ABS plastic
- 75 ohm impedance with frequency range 0-3GHz
- Voltage 250 VRMS max
- Female-to-Female
- Gold Plated
- UL listed

Item#	Quantity	Price
S45-3209W	1ea/Bag	\$2.95
S45-3209W-25	25/Pack	\$73.95



Speed Jack Termination Tool

Specifications

- Compatible with S45-3590XX & S45-3690XX
- Properly seats and trims all 8 conductors in one fluid motion
- Front load design accommodates close-to-wall installation
- Locking handle for easy storage
- 8x faster than traditional punchdown tools
- Replaceable Blade Cartridge
- Lifetime warranty

Item Name	Item#	Quantity	Price
Speed Jack Termination Tool	S45-P420	1/Blister	\$101.95
Replacement Blade Cartridge	S45-P420RC	1ea/Bag	\$15.95



3 GHz F-Connector

Specifications

- Keystone Snap-In Insert
- Female-Female
- Gold Plated, UL

Item#	Color	Quantity	Price
209-WT	White	1ea/Bag	\$0.95
209-BK	Black	1ea/Bag	\$0.95



RCA Female Snap-in Module

Specifications


- Keystone Snap-In Insert
- Female-Female
- Gold Plated, UL

Item#	Colors	Quantity	Price
243RD-WT	White	50/Bag	\$125.00



1-954-928-8600 • SALES@SIMPLYBRANDS.COM

All Prices Subject to Change




F Female to RCA Insert

Specifications

- Keystone Snap-In Insert
- For Sub Woofer use
- Gold Plated, UL



Item#	Color	Quantity	Price
247-XX	AL IV WT	1ea/Bag	\$1.95



Speaker Binding Posts

Specifications

- 1 GHz F-Type 75 ohm
- Keystone Snap-In Insert
- Female to Female
- Nickle Plated, UL



Item#	Color	Quantity	Price
241BK-WT	Black & White	50/Bag	\$149.95
241RD-WT	Red & White	50/Bag	\$149.95



CATV Splitters and Amplifiers Coax Connectors



Item#	Description	Quantity	Price
222	2 Way Splitter	1ea/Bag	\$1.90
222-DIGITAL	2 Way 2.4ghz Digital Coax Splitter	1ea/Bag	\$3.80
223	3 Way Splitter	1ea/Bag	\$2.90
223-DIGITAL	3 Way 2.4ghz Digital Coax Splitter	1ea/Bag	\$5.70
244	4 Way Splitter	1ea/Bag	\$3.50
244-DIGITAL	4 Way 2.1ghz+ Digital Coax Splitter	1ea/Bag	\$7.40
288	8 Way Splitter 1GHz	1ea/Bag	\$10.50
288-DIGITAL	8 Way 2.4ghz Digital Coax Splitter	1ea/Bag	\$15.70



Cat5e UTP Keystone Feed-Thru Coupler

Specifications

- Inline/Slim Style
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class D
- Includes 6 S45 Snap-On ID Bars



Item#	Quantity	Price
Black		
S45-3250B	1ea/Bag	\$5.25
S45-3250B-25	25/Pack	\$123.50
White		
S45-3250W	1ea/Bag	\$5.25
S45-3250W-25	25/Pack	\$123.50



Cat6/6a UTP Keystone Feed-Thru Coupler

Specifications

- Inline/Slim Style
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class E
- Includes 6 S45 Snap-On ID Bars



Item#	Quantity	Price
Black		
S45-3260B	1ea/Bag	\$5.95
S45-3260B-25	25/Pack	\$141.95
White		
S45-3260W	1ea/Bag	\$5.95
S45-3260W-25	25/Pack	\$141.95



Cat6 STP Keystone Feed-Thru Coupler

Specifications

- Nickel Plated
- Inline/Slim Style
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class E
- Includes 6 S45 Snap-On ID Bars



Item#	Quantity	Price
S45-3270	1ea/Bag	\$7.25
S45-3270-25	25/Pack	\$170.50



10G STP Keystone Feed-Thru Coupler

Specifications

- Cat7a/7/6a STP
- Nickel Plated
- Inline/Slim Style
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class D
- Includes 6 S45 Snap-On ID Bars



Item#	Quantity	Price
S45-3275	1ea/Bag	\$8.95
S45-3275-25	25/Pack	\$217.95



Cat5e UTP 90 Degree Keystone Jack

Specifications

- Terminates 24-22AWG solid / 24AWG stranded
- ANSI/TIA-568.2-D, ANSI/TIA-1096-A
- ISO/IEC 11801-1 (Class D)
- 50μ gold plated Housing abs, UL94v.0 Plenum Rated
- Power over HDBaseT™ PoE (95 Watts)
- 90-degree, includes dust cap
- IEEE 802.3bt PoE Type 1 (15.4 Watts)
- cUL us listed



Item#	Quantity	Price
Blue		
S45-3590BL	1ea/Bag	\$4.50
S45-3590BL-25	25/Pack	\$103.95
White		
S45-3590W	1ea/Bag	\$4.50
S45-3590W-25	25/Pack	\$103.95
Black		
S45-3590B	1ea/Bag	\$4.50
S45-3590B-25	25/Pack	\$103.95



Cat6 UTP 90 Degree Keystone Jack

Specifications

- Terminates 24-22AWG solid / 24AWG stranded
- ANSI/TIA-568.2-D, ANSI/TIA-1096-A
- ISO/IEC 11801-1 (Class E)
- 50μ gold plated Housing abs, UL94v.0 Plenum Rated
- Power over HDBaseT™ PoE (95 Watts)
- 90-degree, includes dust cap
- IEEE 802.3bt PoE Type 1 (15.4 Watts)
- cUL us listed



Item#	Quantity	Price
Blue		
S45-3690BL	1ea/Bag	\$5.25
S45-3690BL-25	25/Pack	\$123.50
White		
S45-3690W	1ea/Bag	\$5.25
S45-3690W-25	25/Pack	\$123.50
Black		
S45-3690B	1ea/Bag	\$5.25
S45-3690B-25	25/Pack	\$123.50



Unshielded Keystone Jack: 90°

Specifications

- Toolless Keystone RJ45 Jack
- 8P8C, 50μ Gold Plated Contacts
- IDC Cap
- ANSI/TIA 1096-A, ANSI/TIA 568-D.2
- ISO/IEC 11801 Class E
- PoE IEEE 802.3bt Type 2
- UL Listed
- 9 color options available



Item#	Cat	Quantity	Price
CAT6-JACK-XX	6/6A	1ea/Bag	\$2.95
101-XX	5E	1ea/Bag	\$1.95



Termination & Cutting Tool for 90° Keystone Jacks

Specifications

- All in one termination and wire cutting tool for 90 degree keystone jacks.
- Use with SCP's (101-XX | 103-XX | CAT6-JACK-XX)



Item#	Quantity	Price
820	1ea/Bag	\$81.50

Keystone Jacks



Cat5e UTP Toolless Keystone Jack

Specifications

- Narrow 180° Degree Design Supports Installation in Patch Panels
- Wire Layout Diagram Simplifies Termination and Reduces Untwisting
- Toolless Design Requires No Punchdown or Specialty Tooling
- UL Listed



Item#	Quantity	Price
Black		
S45-3500B	1ea/Bag	\$5.25
S45-3500B-25	25/Pack	\$122.95
White		
S45-3500W	1ea/Bag	\$5.25
S45-3500W-25	25/Pack	\$122.95



Cat6/6a UTP Toolless Keystone Jack

Specifications

- Narrow 180° Degree Design Supports Installation in Patch Panels
- Wire Layout Diagram Simplifies Termination and Reduces Untwisting
- Toolless Design Requires No Punchdown or Specialty Tooling
- UL Listed



Item#	Quantity	Price
Black		
S45-3600B	1ea/Bag	\$7.95
S45-3600B-25	25/Pack	\$187.95
White		
S45-3600W	1ea/Bag	\$7.95
S45-3600W-25	25/Pack	\$187.95



10G STP Toolless Keystone Jack

Specifications

- Fully Shielded Sink Alloy Shell
- Narrow 180° Degree Design Supports Installation in Patch Panels
- Enhanced Crosstalk Cancellation
- Wire Layout Diagram Simplifies Termination and Reduces Untwisting
- Toolless Design Requires No Punchdown or Specialty Tooling
- UL Listed



Item#	Quantity	Price
S45-3750	1ea/Bag	\$9.95
S45-3750-25	25/Pack	\$237.50



Keystone Snap-On ID Bars

Specifications

- Easily Identify and categorize specific keystones
- (6) Colors- Blue, Green, Orange, Purple, Red, Yellow - 1 Set per Bag
- Compatible with most Simply45s Keystones



Item#	Quantity	Price
S45-3790	1 Set/Bag	\$4.95



HDMI Keystone Coupler

Specifications

- Female to Female coupler
- Keeps AV set up clean and hidden
- For connecting passive HDMI cables only.



Item#	Quantity	Price
Black		
S45-3301B	1ea/Bag	\$9.95
S45-3301B-10	10/Pack	\$99.50
White		
S45-3301W	1ea/Bag	\$9.95
S45-3301W-10	10/Pack	\$99.50



USB Type C Keystone Coupler


Specifications

- USB Type C 3.1 Gen II
- Female to Female



Item#	Quantity	Price
Black		
S45-3302B	1ea/Bag	\$6.50
S45-3302B-10	10/Pack	\$65.95
White		
S45-3302W	1ea/Bag	\$6.50
S45-3302W-10	10/Pack	\$65.95

Patch Cables



PRO Series Cat6a UTP Slim Style Patch Cable Item# SC-PC17XXSLXX

Scan for
All Variety
Details



Specifications

- Cable Construction: U/UTP
- Jacket Material/Rating: PVC-UV
- Fire Safety Rating: CMR FT4
- 3rd Party UL c(UL) Rated
- Indoor/Outdoor UV Sun Resistant
- 600 MHz Enhanced Tested Bandwidth
- ISO/IEC 11801 Class Ea
- Transmission Standards 10G+
- PoE Rating (IEEE 802.3af,at,bt) 90W Type 1-4
- Solid BC Wire Conductors
- 28 AWG
- 10GBase-T Component Rated
- Conductor Insulation: HDPE
- Pair Separator/Spline
- Snagless Molded Boot

Lengths	Length Code	Price	Colors
6in/0.15m	00	1 Pack: \$3.85 10 Pack: \$34.65	BK BL WT
1ft/0.3m	01	1 Pack: \$4.25 10 Pack: \$37.95	
3ft/0.91m	03	1 Pack: \$5.50 10 Pack: \$48.50	
6ft/1.8m	06	1 Pack: \$6.00 10 Pack: \$54.75	
10ft/3.05m	10	1 Pack: \$7.65 10 Pack: \$68.70	
15ft/4.5m	15	1 Pack: \$10.70	



Installer Series Cat6 UTP Channel Rated Patch Cable Item# SC-PC26XXXX

Scan for
All Variety
Details



Specifications

- Cable Construction: U/UTP
- Jacket Material/Rating: PVC-UV
- Fire Safety Rating: CMR FT4
- 3rd Party UL c(UL) Rated
- Indoor Rated
- 550 MHz Enhanced Tested Bandwidth
- ISO/IEC 11801 Class E
- PoE Rating (IEEE 802.3af,at,bt) 60/90W Class 3-4
- Solid BC Wire Conductors
- 26 AWG
- Conductor Insulation: HDPE
- Pair Separator/Spline
- Snagless Molded Boot

Lengths	Length Code	Price	Colors
6in/0.15m	00	1 Pack: \$2.10 10 Pack: \$18.75	BK BL WT
1ft/0.3m	01	1 Pack: \$2.35 10 Pack: \$20.95	
2ft/0.6m	02	1 Pack: \$2.70 10 Pack: \$24.50	
3ft/0.91m	03	1 Pack: \$3.00 10 Pack: \$26.95	
5ft/1.5m	05	1 Pack: \$3.85 10 Pack: \$34.65	
7ft/2.1m	07	1 Pack: \$5.00 10 Pack: \$44.95	
10ft/3.05m	10	1 Pack: \$6.10 10 Pack: \$54.75	
14ft/4.2m	14	1 Pack: \$8.50	
25ft/7.6m	25	1 Pack: \$13.50	

Patch Cables



Installer Series Cat5e UTP

Channel Rated Patch Cable
Item# SC-PC25XXXX

Scan for
All Variety
Details



Specifications

- Cable Construction: U/UTP
- Jacket Material/Rating: PVC
- Fire Safety Rating: CMR FT4
- 3rd Party UL c(UL) Rated
- Indoor Rated
- 350 MHz Enhanced Tested Bandwidth
- ISO/IEC 11801 Class D
- PoE Rating (IEEE 802.3af,at,bt)
- 15/30W Type 1-2
- Solid BC Wire Conductors
- 26 AWG
- Conductor Insulation: HDPE
- Snagless Molded Boot

Lengths	Length Code	Price	Colors
6in/0.15m	00	1 Pack: \$1.50 10 Pack: \$12.95	BK BL WT
1ft/0.3m	01	1 Pack: \$1.80 10 Pack: \$15.95	
2ft/0.6m	02	1 Pack: \$1.95 10 Pack: \$17.50	BK BL WT
3ft/0.91m	03	1 Pack: \$2.30 10 Pack: \$20.80	
5ft/1.5m	05	1 Pack: \$3.00 10 Pack: \$26.95	BK BL WT
7ft/2.1m	07	1 Pack: \$3.85 10 Pack: \$34.65	
10ft/3.05m	10	1 Pack: \$5.00 10 Pack: \$44.95	BK BL WT
14ft/4.2m	14	1 Pack: \$7.50	
25ft/7.6m	25	1 Pack: \$10.95	BK BL WT



Cat6a UTP Slim Style

Component Rated Patch Cable
Item# C6APC-SL-XX-XX

Scan for
All Variety
Details



Specifications

- Indoor Rated PVC Jacket
- 10GBaseT, 550-600MHz
- Stranded BC
- 4PR
- UTP
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class Ea
- IEEE 802.3bt, UL CMR
- Snagless Molded Boot

Lengths	Length Code	Price	Colors
6in/0.15m	0.5	\$3.70	BK BL WT
1ft/0.3m	1	\$3.80	
3.28ft/1m	3	\$7.30	BK BL WT
6.5ft/2m	6	\$9.20	
10ft/3.05m	10	\$4.40	BK BL WT
15ft/4.5m	15	\$6.00	



Cat6a Shielded

10GBaseT Patch Cable
Item# C6APC-XX-XX

Scan for
All Variety
Details



Specifications

- Indoor Rated PVC Jacket
- 10GBaseT, 550-600MHz
- 26AWG Stranded BC
- S/FTP
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class Ea
- IEEE 802.3bt, UL CMR
- Snagless Molded Boot

Lengths	Length Code	Price	Colors
6in/0.15m	0.5	\$2.20	BK BL WT
1ft/0.3m	1	\$3.10	
3.28ft/1m	3	\$3.80	BK BL WT
6.5ft/2m	6	\$5.70	
10ft/3.05m	10	\$7.60	BK BL WT
15ft/4.5m	15	\$10.50	



Cat6 Unshielded Patch Cable Item# C6PC-X-XX

Scan for
All Variety
Details



Specifications

- Indoor Rated PVC Jacket
- 550MHz
- 24AWG Stranded BC
- 4PR
- UTP
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class E
- IEEE 802.3bt, UL CMR
- Snagless Molded Boot

Lengths	Length Code	Price	Colors
1ft/0.3m	1	\$1.90	BK BL WT
2ft/0.5m	2	\$2.50	GN GY YL
3ft/0.91m	3	\$2.80	RD
5ft/1.52m	5	\$3.80	
7ft/2.1m	7	\$4.30	
10ft/3.05m	10	\$5.40	
14ft/4.2m	14	\$7.20	
25ft/7.6m	25	\$11.60	



Non-Booted Cat6 UTP Patch Cable Item# C6PCNB-X-BL

Scan for
All Variety
Details



Specifications

- Indoor Rated PVC Jacket
- 550MHz
- 23AWG Stranded BC
- 4PR
- UTP
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class E
- IEEE 802.3bt, UL CMR
- PVC CM Jacket

Lengths	Length Code	Price	Colors
1ft/0.3m	1	\$1.60	BL
3ft/0.91m	3	\$2.50	
7ft/2.1m	7	\$3.80	
14ft/4.2m	14	\$6.70	



Cat5e Unshielded Patch Cable Item# C5PC-X-XX

Scan for
All Variety
Details



Specifications

- Indoor Rated PVC Jacket
- 350MHz
- 26AWG Stranded BC
- 4PR
- UTP
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class D
- IEEE 802.3bt, UL CMR
- Snagless Molded Boot

Lengths	Length Code	Price	Colors
1ft/0.3m	1	\$1.20	BK BL WT
2ft/0.5m	2	\$1.60	GN GY YL
3ft/0.91m	3	\$2.80	RD OR PUR
5ft/1.52m	5	\$3.80	
7ft/2.1m	7	\$4.30	
10ft/3.05m	10	\$5.40	
14ft/4.2m	14	\$7.20	
25ft/7.6m	25	\$11.60	



Non-Booted Cat5e UTP 10GBaseT Patch Cable Item# C5PCNB-X-BL


Scan for
All Variety
Details



Specifications

- PVC Jacket
- 10GBaseT, 550MHz
- 24AWG Stranded BC
- 4PR
- UTP
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class Ea
- IEEE 802.3bt, UL CMR

Lengths	Length Code	Price	Colors
5ft/1.52m	5	\$1.90	BL
7ft/2.1m	7	\$2.80	
10ft/3.05m	10	\$3.50	
14ft/4.2m	14	\$4.80	
25ft/7.6m	25	\$6.90	



SCP EasyFiber Patch Cables Fiber Patch Cable

Scan for
All Variety
Details



Specifications

- SCP-EasyFiber® featuring Corning® SMF-28® Ultra provides substantially less signal loss and superior bend performance than traditional fiber patch cables.
- OFNR Riser Indoor/Outdoor
- Fiber Count Duplex (2 strands)
- Strength Member Aramid Yarn
- Internal Jacket 0.9mm Tight buffer
- Outer Jacket Size 2mm x 2

Lengths	Length Code	Price	Colors
Multimode OM3 - LC/LC - UL OFNR - Indoor/Outdoor			
Item# EFP-OM3R-LCLC-XXX			
5ft/1.52m	5FT	\$8.50	AQ
7ft/2.1m	7FT	\$9.50	
10ft/3.05m	10FT	\$10.90	
14ft/4.2m	14FT	\$12.80	
Single Mode OS2 - LC/LC - UL OFNR - Indoor/Outdoor			
Item# EFP-OS2R-LCLC-XXX			
5ft/1.52m	5FT	\$8.00	YL
7ft/2.1m	7FT	\$8.60	
10ft/3.05m	10FT	\$9.30	
14ft/4.2m	14FT	\$10.30	
Single Mode OS2 - Simplex - SC-APC - UL OFNR - Indoor/Outdoor			
Item# EFP-OS2R-SIM-SCA-XXX			
5ft/1.52m	5FT	\$4.30	YL
7ft/2.1m	7FT	\$4.70	
10ft/3.05m	10FT	\$4.80	
14ft/4.2m	14FT	\$5.40	



SimplyTEST™

Powered by  TREND NETWORKS



Simplified Test Solutions for the Installation of Wire, Cable, and Fiber.

SimplyTEST™ is on a mission to deliver test solutions that simplify the installation of wire, cable, and fiber. Through partnerships with industry leaders in data cable and network testing equipment, we have curated a world-class portfolio of products backed by our best-in-class customer service and support.

Better Together!

Simply Brands™ has partnered with Trend Networks bringing two industry innovators together to deliver high-quality copper and fiber installation products, coupled with world-class testing solutions. Simply Brands is committed to staying focused on our core competencies providing best-in-class end-to-end connectivity solutions, while Trend Networks specializes in delivering innovative data cable and network testing equipment.

NEW AnyWARE Cloud App

Upload the results to the AnyWARE Cloud where you can create and manage test reports and send professional PDF reports without leaving the job site.



Verification Testers - Now With Reporting!



Qualification Testers



Certification Testers



Fiber Testers



Security IP Camera Testers



SecuriTEST IP Digital/ Analog/HD Coax CCTV Tester



Specifications

- Connect to various cameras using RJ45, Wi-Fi or BNC ports
- Power the camera with 12V from the Li-Ion battery or PoE/PoE+
- Comprehensive camera setup with aim, focus, PTZ, presets and network settings
- Faster camera login using the unique QuickIP™ function
- Provide proof of installation with PDF reports that show camera parameters and multiple video screen-shots
- Eliminate guesswork with data cable and network troubleshooting tools



Item#	Quantity	Price
ST-171000	1/package	\$871.95

1-954-928-8600 • SALES@SIMPLYBRANDS.COM

All Prices Subject to Change



VDV II Series Cable Testers/Verifiers



Features	ST-158007	ST-158008	ST-158005	ST-158006
Price	\$194.95	\$256.95	\$524.95	\$744.95
Create and manage test reports with AnyWARE cloud	✓	✓	✓	✓
Coax (F/BNC/RCA)	✓	✓	✓	✓
Category 6Pin (RJ11/12/14/25)	✓	✓	✓	✓
Category 8Pin (RJ45)	✓	✓	✓	✓
Wiremap for Miswires, Split Pairs, Shorts and Opens	✓	✓	✓	✓
Hub Blink	✓	✓	✓	✓
Ethernet Detection	✓	✓	✓	✓
Analog Tone Generator	✓	✓	✓	✓
Voltage Protection	✓	✓	✓	✓
Shielded Cable Testing	✓	✓	✓	✓
Single Screen Results	✓	✓	✓	✓
Large 2.9" Display		✓	✓	✓
Backlight with adjustable timeout		✓	✓	✓
Carry Case		✓	✓	✓
Cable Length		✓	✓	✓
Distance to Open		✓	✓	✓
Distance to Short (TDR)			✓	✓
PoE Detection with Voltage Information			✓	✓
Media Service Detection			✓	✓
Nominal Network Rate & Duplex Information			✓	✓
Identifies the powered pairs. PoE switch or mid-span injector			✓	✓
Accurately measure the maximum power available				✓
Extended Power Test Supports PoE up to 90W (PoE++)				✓
Test all PoE Classes (0-8) and Types (af/at/bt)				✓
PoE Pass / Fail indication to IEEE 802.3 standard				✓
Maximum voltage (main handset)	60V for 10 sec	60V for 10 sec	60V continuous	60V continuous
Maximum voltage remote terminator	10V	10V	10V	10V
Maximum length measurement/resolution		1-1476ft/0.5ft	1-1476ft/0.5ft	1-1476ft/0.5ft
Calibration method		Mutual Capacitance	Velocity of Propagation	Velocity of Propagation
Calibration method range		10-40 pF/ft	59%-89%	59%-89%

The VDV II Series are easy to use cable testers that check the integrity of copper cables commonly found in domestic, commercial or industrial voice, data or video installations, including telephone wiring, data network and video/security cabling.

Employing state-of-the-art technology, VDV II offers functionality not previously available in a wiremapper. The advanced wiremap engine accurately displays complex wiring faults instantaneously while TDR (Time Domain Reflectometry) aids troubleshooting and improves on-site productivity.

Specifications

- Measures cable length
- Provides distance to fault (TDR)
- Identifies wiring errors instantly
- Determines services running: ISDN, PBX and PoE
- RJ-11, RJ-12, RJ-45 and COAX ports
- Uses standard 9V battery
- 12 Remotes for wiremap and 24 port identifiers.



Kit of 12 RJ45 Remote Units

Specifications

- 12 Numbered RJ45 Tester Remotes
- Simultaneously Test, Map, and ID 12 RJ45 data drops
- Works for all Cat5e, Cat6 and Cat6a STP & UTP cables
- Blue case protects tester remotes
- Compatible with St-158005, ST-158006, ST-158007 & ST-158008



Item#	Quantity	Price
ST-158050	1/kit	\$125.95




Kit of 24 RJ45 Identifiers (#1-#24)

Specifications

- 24 Numbered RJ45 ID Remotes
- Simultaneously Map & ID 24 data drops
- Works for all Cat5e, Cat6 and Cat6a STP & UTP cables
- RJ45 ID Remotes work on Shielded and Unshielded cables
- Blue plastic holder protects ID remotes
- Compatible with St-158005, ST-158006, ST-158007 & ST-158008



Item#	Quantity	Price
ST-158051	1/kit	\$75.95



Kit of 12 Coax Remote Units (#1-#12)

Specifications

- 12 Numbered Coax "F Connector" ID Remotes
- Simultaneously Map & ID 24 coax drops
- Works for all RG59, RG6 & RG6Q cables
- Coax ID remotes work on Shielded and Unshielded cables
- Blue plastic holder protects ID remotes
- Compatible with St-158005, ST-158006, ST-158007 & ST-158008



Item#	Quantity	Price
ST-158053	1/kit	\$84.95

Ask The Expert

Scan this QR code to be connected via live chat with one of our product experts.



Tone & Probe Kit for Data Cable Tracing



Specifications

- Tracker for RJ45, Cat 5e, Cat 6, Cat6A, Coax, Ethernet, telephone lines, & more
- Trace longer cables using the industry-leading power output
- Solve issues faster with power supply for external talk sets

- Verify cabling with polarity & continuity
- Locate weak signals using the highly sensitivity probe
- Easier cable tracing with both audible & visual indicators
- Operates in dark areas using the LED torch

Item#	Quantity	Price
ST-180000	1/each	\$139.95



SignalTEK Ethernet Bandwidth Tester



Specifications

- Determine max bandwidth up to 10 GB/s
- Verify Multi-Gig upgrades on existing cabling
- Pass/Fail to 1/2.5/5/10Gb IEEE standards
- Eliminate PoE guesswork up to 90W
- Copper and fiber interfaces up to 10Gb
- TREND AnyWARE Cloud and PDF reporting



Features	ST-156006	ST-156005	ST-157003
Price	\$2009.95	\$2855.95	\$7754.95
Advanced wiremap for miswires, split pairs, opens and shorts	✓	✓	✓
Distance to opens and shorts (TDR)	✓	✓	✓
PoE/PoE+ detection	✓	✓	✓
Tone generator for cable tracing (probe required for detection)	✓	✓	✓
User replaceable RJ45 inserts	✓	✓	✓
Support for up to 12 wiremap remotes	✓	✓	✓
Backlit color screen	✓	✓	✓
Touchscreen	✓	✓	✓
Custom wiremap	✓	✓	✓
1GB transmission testing of passive copper cable	✓	✓	✓
Internal memory for 5000 test reports	✓	✓	✓
Generate test reports (CSV or PDF)	✓	✓	✓
Send test reports from your mobile phone using the free TREND AnyWARE app	✓	✓	✓
AnyWARE App Reporting (iPhone & Android)	✓	✓	✓
Max bandwidth test up to 1GB/s		✓	✓
Fiber optic cable interface (requires SFP modules)		✓	✓
Optical interface with general power indication		✓	✓
Hub blink for port identification		✓	✓
DHCP client		✓	✓
Switch detection - 10/100/100 Mbps		✓	✓
PBX and ISDN service detection		✓	✓
Port identification using LLDP/ CDP/ EDP		✓	✓
Network scan		✓	✓
Ping and Traceroute testing		✓	✓
PoE/ PoE+ testing		✓	✓
1Gb transmission testing of passive and active copper and fiber optic cable		✓	✓
1Gb data tests simulating servers, video streams, VoIP phones or CCTV cameras		✓	✓
Autotest button performs a suite of network tests		✓	✓
AnyWARE Cloud Base Reporting Storage			✓
Switch Speed - 100M, 1G, 2.5G, 5G, 10G			✓
VLAN, PING, TraceRoute, Hub blink, NetScan			✓
CDP/LLDP/EDP port information			✓
Uptime efficiency and 72 hour event log			✓
Testing with packet loss, jitter and delay			✓
Prove network performance up to 10G			✓
Max bandwidth test up to 10Gb/s			✓
Data transmission test 1/2.5/5/10Gb			✓
NbaseT/Multi-Gigabit test 1/2.5/5/10Gb			✓



LanTEK IV-S Series Cable Certifier



The VDV II Series are easy to use cable testers that check the integrity of copper cables commonly found in domestic, commercial or industrial voice, data or video installations, including telephone wiring, data network and video/security cabling.

Employing state-of-the-art technology, VDV II offers functionality not previously available in a wiremapper. The advanced wiremap engine accurately displays complex wiring faults instantaneously while TDR (Time Domain Reflectometry) aids troubleshooting and improves on-site productivity.

Specifications

- 7 second test time
- World's fastest Cloud enabled certifier
- VisiLINQ™ permanent link adapters
- Project navigation in the Cloud
- Dual Core CPU
- Stores up to 5000 cable tests
- Sapphire Protection Plan available to reduce the cost of ownership, minimizes downtime, and protects against unforeseen repair bills

Packages Include:

- LanTEK IV-S Display/ Remote handsets
- Li-ion Battery (2)
- Univ. Power Adapter (2)
- Hang. Strap (2)
- Quick Ref. Guide
- Carry Case
- CAT6A RJ45 VisiLINQ Permanent Link Adapters (2)
- CAT6A Channel Adapters (2)

Model	Bundle Contents	Item#	Quantity	Price
LanTEK IV-S 500Mhz (with PL/CH Adapters)	Standard Package Only	ST-163008	1/box	\$13,229.95
	+ 1 Year of Sapphire Care Support	ST-LT4500S	1/box	\$13,539.95
	+ 3 Years of Sapphire Care Support	ST-LT4500S3Y	1/box	\$15,077.95
	+ FiberTEK IV Fiber Optic Cable Adapter & Accessories, 1 Year of Sapphire Care Support	ST-LT4500FS	1/box	\$23,997.95
	+ FiberTEK IV Fiber Optic Cable Adapter & Accessories, 3 Years of Sapphire Care Support	ST-LT4500FS3Y	1/box	\$28,312.95
LanTEK IV-S 3000MHZ (with PL/CH Adapters)	Standard Package Only	ST-163009	1/box	\$14,453.95
	+ 1 Year of Sapphire Care Support	ST-LT43000S	1/box	\$14,684.95
	+ 3 Years of Sapphire Care Support	ST-LT43000S3Y	1/box	\$16,201.95
	+ FiberTEK IV Fiber Optic Cable Adapter & Accessories, 1 Year of Sapphire Care Support	ST-LT43000FS	1/box	\$24,753.95
	+ FiberTEK IV Fiber Optic Cable Adapter & Accessories, 3 Years of Sapphire Care Support	ST-LT43000FS3Y	1/box	\$28,312.95

Complete Protection for Your Certifiers

The new Sapphire Care Plan for LanTEK® and FiberTEK® cable certifiers is designed to help minimize down time, reduce the cost of ownership and protect against unforeseen repair bills. The certifier and all accessories are covered for standard repairs during the term of the Sapphire Care Plan.



Sapphire
CARE PLAN

Learn More



LanTEK IV-S

New dual-core CPU inside with twice the memory

Partner Finder

Provides audible tone and visible indicator when connected to the remote unit

Intuitive User Interface

Simplified user interface for easy setup and operation

Touchscreen

High resolution impact resistant touchscreen for ease of use

Beyond CAT8/Class II

LanTEK IV-S 3000 MHz exceeds highest current standards by 50% for future applications

Performs All Extended Measurements

TCL / ELTCTL Resistance
Unbalance Shield integrity

Voltage Protection

Provides immediate notification/protection if accidentally connected to PoE

Complete Connectivity

Wi-Fi, USB A, USB C

Live Wiremap

Instant wiremap result before the Autotest begins

Label Printing Connectivity

Easily send label IDs to printers for fast and accurate labeling

Integrated Kickstand

Allows for convenient placement on a desk or shelf for easy viewing

Rugged Design

Rubberized housing, protected screen and protected measurement port (Patented)

More Info?

Read our
Beginner's Guide
to Copper Cable
Certification
Technical Bulletin:



• 7 Second Test Time (Cat 6A)

One of the fastest test times in the world

• Patented VisiLING™ increases productivity

Operate the certifier in the palm of your hand.

• Future proof investment

Certify links up to Cat8.1 and Cat8.2.*

• Certify up to 3000MHz

Test up to 3000MHz providing room for future ratified ISO/TIA test standards.*

• Label printer connectivity saves time

Create and print complex naming conventions to a label printer.

• No downtime or unexpected bills

The Sapphire Care Plan will minimize down time and reduce the cost of ownership.



SimplyTEST™

Powered by  TREND NETWORKS

Fiber Cable Meters



FiberMASTER Fiber Optics Testers



The new FiberMASTER series of fiber optic testers will make it easier and faster to verify, troubleshoot and certify fiber optic cabling. The OTDR, PON OTDR, Power Meter and Light Source, and Inspection Probe will enable cable installers to get the dependable test results needed, while saving thousands of dollars.

As one of the smallest OTDRs in the world you will find them easier to carry and operate while the rubberized housing will protect your investment. The simplified setup options makes them easy to use, saving you time on training and reducing the likelihood of errors. Our New York Research and Development center of excellence has over 30 years experience designing OTDRs providing you with the most advanced, compact optical test systems available.

Specifications

- One of the world's smallest OTDRs
- Save 50% compared to other premium brand
- Distance accuracy verified by German test lab
- Pass/Fail report to TIA/ISO/IEC/IEEE
- Free CertSoft PC Reporting Software

Model	Item#	Quantity	Price
FiberMASTER Quad Light Source	ST-R240LSIV	1/kit	\$2,908.95
FiberMASTER Multimode OTDR	ST-R240MIPV	1/kit	\$3,517.95
FiberMASTER PON OTDR	ST-R240PIP	1/kit	\$6,914.95
FiberMASTER MM/SM Power Meter	ST-R240PMIV	1/kit	\$1,506.95
FiberMASTER Power Meter and Light Source	ST-R240PMLS	1/Kit	\$4,320.95
FiberMASTER Quad OTDR	ST-R240QIP	1/Kit	\$6,483.95
FiberMASTER Single-mode OTDR	ST-R240SIPV	1/Kit	\$4,514.95

More Info?

View product
overviews
and more!



SimplyTEST - Fiber Cable Meters



FiberMASTER Fusion Splicer Kits



FiberMASTER S60 and S40 Fusion Splicers offers superior splice performance in as little as 6 seconds. With industry-leading repeatability, your last splice will be as accurate as your first. Safeguarding your investment has never been easier with unmatched customer support and a 3-year warranty as standard. Sapphire Care Plan is also available to minimize downtime and avoid unexpected service or repair costs.

- Robust and Reliable – Built for field use in a variety of real-world conditions.
- Dependable Performance – Industry leading with splice loss as low as 0.01dB.
- Consistent Repeatability – FiberMASTER achieves maximum performance and industry-leading repeatability over hundreds of splices.

Model	Item#	Quantity	Price
FiberMASTER S40 Adaptive Clad Alignment Fusion Splicer Kit	ST-R301S40K	1/Each	\$3,307.95
FiberMASTER S60 Active Core Alignment Fusion Splicer Kit	ST-R301S60K	1/Each	\$6,152.95



Fiber Optics Launch Cables



SimplyTEST OTDR Launch Cables are designed to measure complete link loss of a fiber. An OTDR launch cable, which connects the OTDR to the link-under-test, discloses the insertion loss and reflectance of the near-end connection.

Model	Item#	Quantity	Price
Launch Cable, OM3, 150m, SC-LC	ST-R240MLSCLC	1/Each	\$259.95
Launch Cable, OM3, 150m, SC-SC	ST-R240MLSCSC	1/Each	\$259.95
Launch Cable, OM3, 150m, SC-ST	ST-R240MLSCST	1/Each	\$259.95
Launch Cable, SM G.657 A1, 150m, SC-LC	ST-R240SLSCLC	1/Each	\$259.95
Launch Cable, SM G.657 A1, 150, SC-SC	ST-R240SLSCSC	1/Each	\$259.95
Launch Cable, SM G.657 A1, 150m, SC-SC APC	ST-R240SLSCSCA	1/Each	\$259.95
Launch Cable, SM G.657 A1, 150m, SC-ST	ST-R240SLSCST	1/Each	\$259.95



FiberMASTER Video Inspection Probe



Specifications

- Auto-centering
- Pass/Fail
- Includes 1.25mm and 2.5mm universal adapters.
- Compatible with FiberMASTER OTDR, Light Source and Power Meter and CertSoft Test Management Software

Model	Item#	Quantity	Price
FiberMASTER Video Inspection Probe	ST-R240VIP	1/Each	\$1,459.95
FiberMASTER Video Inspection Probe Tip - 1.25mm	ST-R240VIP125U	1/Each	\$208.95
FiberMASTER Video Inspection Probe Tip - 1.25mm APC	ST-R240VIP125UA	1/Each	\$298.95
FiberMASTER Video Inspection Probe Tip - 2.5mm	ST-R240VIP250U	1/Each	\$193.95
FiberMASTER Video Inspection Probe Tip - 2.5mm APC	ST-R240VIP250UA	1/Each	\$278.95
FiberMASTER Video Inspection Probe Tip - LC	ST-R240VIPLC	1/Each	\$195.95
FiberMASTER Video Inspection Probe Tip - LC/APC	ST-R240VIPLCA	1/Each	\$225.95
FiberMASTER Video Inspection Probe Tip - SC	ST-R240VIPSC	1/Each	\$195.95
FiberMASTER Video Inspection Probe Tip - SC/APC	ST-R240VIPSCA	1/Each	\$225.95



SimplyAV™



SimplyAV Universal Dongle Adapter Ring Holder

Ready for the presentation only to find out that your dongle or adapter has gone astray? Worry no more... now that you have The SimplyAV ProAV Adapter Ring. The ProAV Adapter Ring keeps your HDMI® dongles and adapters corralled and secured for their next connection.

SimplyAV™ offers high-quality audio and video hardware solutions that are both innovative and industry-leading as far as performance. This is what separates our products from the competition making SimplyAV™ simply better.

Supports Latest Technology
HDMI v2.0b, DisplayPort 1.4,
Mini-DisplayPort, USB Type C



What makes ProAV different from any other solution?

We developed our adapter ring holder to be a true universal HDMI dongle adapter ring holder. No matter the brand or type of pigtail dongle or adapter, all can be quickly and securely attached.

Secondly, our industry leading dongles support up to 8K HDMI, DisplayPort and USB standards. Our dongles support HDMI 2.1 with 8K@60 4:2:0 48Gbps plus Dynamic HDR; DisplayPort 1.4 supporting 8K/4K up to 32Gbps (input); and USB Type C 4K.

The quality of our dongles is unmatched in the industry. We feature aircraft aluminum housing for better heat dissipation that is necessary for any true 4K content. We tested so many brands of dongles and adapters and found that most of them only supported up to 9Gbps, which isn't even 1080p and so far away from the 8K and 4K resolutions that are becoming standard today.

SimplyAV™ offers high-quality audio and video hardware solutions that are both innovative and industry-leading as far as performance.

This is what separates our products from the competition making SimplyAV™ simply better.

ProAV Dongle Ring Unique Features:



Dongle & Adapter Harnesses

Allows for fast and easy attachment of any brand pigtail dongle or adapter.



Combination Lock

For security and easy changing of Harnesses. No tools to lose.




Theft Resistant

A plastic-coated cut-resistant steel ring connected to a combination lock allows for anchoring to desks, tables or any secure structure.

Your Connector Solution Center for Cat5e, Cat6, Cat6a, Cat7, & Cat7a

Simply45[®]
PRO SERIES

	 S45-1500P	 S45-1550P	 S45-1600P	 S45-1650P	 S45-1700P	 S45-1750P	 S45-1755P
Category Type	Cat5e	Cat5e	Cat6	Cat6	Cat6/6a	Cat6/6a	Cat6a/7/7a
Cable Type	UTP	STP	UTP	STP	UTP	STP	STP
AWG	24	24	23	23	23	23	23
Conductor Range	.95-1.05mm .037"-.041"	.95-1.05mm .037"-.041"	.95-1.05mm .037"-.041"	1.05-1.20mm .041"-.047"	1.05-1.20mm .041"-.047"	1.05-1.20mm .041"-.047"	1.15-1.35mm .045"-.053"
Max Outer Jacket OD	6.5mm/0.255"	6.5mm/0.255"	7.0mm/0.276"	8.0mm/0.315"	7.4mm/0.291"	8.0mm/0.315"	8.0mm/0.315"
Pass-Through Style - Easy to Verify Wiring Sequence	✓	✓	✓	✓	✓	✓	✓
Cap45™ - Isolation Cap, Prevents Shorts	✓	✓	✓	✓	✓	✓	✓
Bar45™ - Simplifies Cable Insertion, Reduces NEXT				✓		✓	✓
Shielded Ground Style	-	Internal (1 pc)	-	External (1 pc)	-	External (2pc)	External (2pc)
Hi/Lo Stagger Design - For Large Conductors				✓	✓	✓	✓
Tools & Accessories							
S45-B001 - Integrated Strain Relief for Cat5e UTP & STP Max OD 6.5mm, 0.255"	✓	✓					
S45-B002 - Integrated Strain Relief-Cat6/6a UTP Max OD 7.0mm, 0.276"			✓		✓		
S45-B002P - Integrated Strain Relief-Cat6/6a UTP with Locking Pin Max OD 7.0mm, 0.276"			✓		✓		
S45-B003 - Snagless Boot for All UTP & STP RJ45 Max OD 8.5mm, 0.335"	✓	✓	✓	✓	✓	✓	✓
S45-B004P - Snagless Boot for Shielded External Ground RJ45		✓		✓		✓	✓
S45-B005P - Integrated Strain Reliefs for Cat6a w/Locking Pin			✓		✓		
S45-C100 - Heavy Duty RJ45 Crimp Tool	✓	✓	✓	✓	✓	✓	✓
S45-C101 - PROSeries RJ45 Universal Crimp Tool	✓	✓	✓	✓	✓	✓	✓
S45-C110 - Installer Series Dual Cavity Crimp Tool	✓	✓	✓	✓	✓	✓	✓
S45-120P - PROSeries Dual Cavity Crimp Tool	✓	✓	✓	✓	✓	✓	✓

Color Coded

for easy plug identification:



CAT5E



CAT6



CAT6/6A



10G




**I'm a Poster! Tear me out
for quick reference!**

Connector Selector Guide

Simply45[®] INSTALLER SERIES

Simply45[®] STANDARD SERIES

								
S45-1500	S45-1550	S45-1600	S45-1700	S45-1000	S45-1050	S45-1100	S45-1150	S45-1155
Cat5e	Cat5e	Cat6	Cat6/6a	Cat5e	Cat5e	Cat6	Cat6	Cat6a/7/7a
UTP	STP	UTP	UTP	UTP	STP	UTP	STP	STP
24	24	23	23	24	24	24	23	23
.95-1.05mm .037"-.041"	.95-1.05mm .037"-.041"	.95-1.05mm .037"-.041"	1.00-1.10mm .039"-.043"	.95-1.05mm .037"-.041"	.95-1.05mm .037"-.041"	1.05-1.17mm .041"-.046"	1.10-1.20mm .043"-.047"	1.21-1.45mm .047"-.057"
6.5mm/0.255"	6.5mm/0.255"	7.0mm/0.276"	7.4mm/0.291"	6.5mm/0.255"	6.1mm/0.240"	7.4mm/0.291"	8.0mm/0.315"	8.0mm/0.315"
✓	✓	✓	✓					
						✓	✓	✓
-	Internal (1 pc)	-	-	-	Internal (1 pc)	-	External (2pc)	External (2pc)
			✓			✓	✓	✓
✓	✓			✓	✓			
		✓	✓			✓		
		✓	✓			✓		
✓	✓	✓	✓	✓	✓	✓	✓	✓
	✓				✓		✓	✓
		✓	✓			✓		
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓

Features on ALL Simply45[®] RJ45 Connectors

- Wide Mouth Jars with Color Lids Reinforces Plug Color
- Connector Body Material Polycarbonate
- Material Rating UL94V-0 Commercial "Fire" Rated
- UL94V-0 Application Plenum (CMP), LSZH & Riser (CMR)
- Contact Style 3 Prong Pin Style
- Crimps on Solid & Stranded Cable Reduce inventory needs
- Power Applications PoE, PoE+ & PoH
- Contact Material Phosphor Bronze
- Base Contact Plating 100μ of nickel plating
- Surface Contact Plating 50μ 24ct Gold
- Pass Through Style Easy to verify wiring sequence
- Cap45™ Isolation Cap, Prevents Shorts
- Bar45™ Simplifies cable insertion, reduces NEXT
- UL Listed E520672
- Limited Lifetime Warranty

SimplyAV - ProAV Dongles

ProAV 4K-8K Dongle Products



Product Overview

Scan to see a breakdown of the ProAV HDMI loaded dongle ring.



Item Name	Item#	Quantity	Price
Adapter Rings			
ProAV 8K Loaded Dongle - Includes DisplayPort 1.4, Mini-DisplayPort 1.4, USB Type-C, HDMI Harness, Dongle Ring, 3 Pigtail Harnesses	SAV-L002	1/Box	\$219.95
ProAV 4K Loaded - Includes DisplayPort1.4, Mini-DisplayPort1.4, USB Type-C, HDMI Port Saver, HDMI infrastructure cable harness, Dongle harness locking tool with extra screw/lock.	DO-L001	1/Box	\$136.00
ProAV Unloaded - Includes 3 dongle harnesses for attaching pigtail dongles, 3 Adapter harnesses for attaching adapters, 1 HDMI dongle harness for securely attaching the ProAV to the HDMI cable, 1 Harness tool for locking your dongle harnesses	DO-U001	1/Box	\$63.50
Adapters			
ProAV 4K DisplayPort 1.4 Pigtail Dongle Adapter	DO-D001	1/Box	\$49.95
ProAV 4K Mini-DisplayPort 1.4 Pigtail Dongle Adapter	DO-D002	1/Box	\$49.95
ProAV 4K USB Type-C Pigtail Dongle Adapter	DO-D003	1/Box	\$57.95
HDMI Port Saver Pigtail Dongle Adapter	DO-D004	1/Box	\$26.95
Harnesses			
Dongle Harnesses (3) - Includes Harness Locking Tool & extra screw/lock	DO-H001	1/Box	\$18.95
Adapter Harnesses (3) - Includes Harness Locking Tool & extra screw/lock	DO-H002	1/Box	\$18.95

Dry and Gel Filled B-Connectors



Specifications

- Designed to help users crimp 26-20 AWG insulated wires in a single step
- Funnel-entry design to help provide easy wire insertion and ideal positioning without wire strand hang-up
- Large opening for multiple wires and heavy wire insulation
- Comes in 10x100 piece bags
- Available in dry and gel filled variety



Item Name	Item#	Quantity	Price
B-Connector Dry Indoor White	SAV-B1000	1000/Box	\$78.95
B-Connector Gel Outdoor Blue	SAV-B1000G	1000/Box	\$83.95

External Ground Crimp Tool



Specifications

- For shielded connectors with ext. ground tabs
- Cable jacket ranges from 0.215" (5.5mm) to 0.335" (8.5mm)
- Crimp cables 22-18 AWG
- Durable Hardened high carbon steel
- Non-ratcheted with spring-loaded, easy-open design
- Handle lock for easy storage
- Ergonomic Grip
- Limited Lifetime Warranty



Item#	Quantity	Price
S45-C360	1/Blister	\$39.95



HDMI Cables

HDMI Contractor Packs



Specifications

- 8K 48Gbps HDMI 2.1 Ultra High Speed with Ethernet
- Dynamic HDR
- Enhanced Audio Return Channel
- Sturdy box with reinforced handle
- Cables stacked and easily dispense from bottom front
- Reorder card reminder when quantity gets low
- Ledger on box to track cables removed
- Stackable box makes storage easy
- Forest Stewardship Council (FSC) certification
- Box made from recycled materials
- Biobased Ink Printing
- 100% Recyclable materials
- No plastic packaging

Item#	Length	Quantity	Price
Contractor Pack 8K HDMI			
992ECO-1M-30	1m/3.3ft	30 Pack	\$122.50
992ECO-2M-20	2m/6.5ft	20 Pack	\$98.95
992ECO-3M-15	3m/10ft	15 Pack	\$98.95



Specifications

- 4K 18Gbps HDMI 2.0 High Speed with Ethernet
- HDR
- Audio Return Channel
- Sturdy box with reinforced handle
- Cables stacked and easily dispense from bottom front
- Reorder card reminder when quantity gets low
- Ledger on box to track cables removed
- Stackable box makes storage easy
- Forest Stewardship Council (FSC) certification
- Box made from recycled materials
- Biobased Ink Printing
- 100% Recyclable materials
- No plastic packaging

Item#	Length	Quantity	Price
Contractor Pack 4K HDMI			
944ECO-1M-30	1m/3.3ft	30 Pack	\$89.95
944ECO-2M-20	2m/6.5ft	20 Pack	\$74.95
944ECO-3M-15	3m/10ft	15 Pack	\$74.95



HDMI Cables

ProSeries 8K UltraHD HDMI-MPO Dongle Adapter Extender Kit



Specifications

- Snug-Tite™ HDMI Plug
- Thinner, Lighter and More Flexible
- Plug and Play Installation
- High EMI protection
- External Power for High Compatibility
- INCLUDED IN BOX: (2) HDMI/MPO Dongles, (2) MPO protector, (2) 5V Power Cord, Pulling Capsule, Instruction Manual

Item#	Quantity	Price
998-DO-EXT	1/Box	\$394.95

UL Plenum MPO/MPO SCP EasyFiber™ Channel Cable




Specifications

- Premium ultra-bendable
- Laser-optimized OM3 multimode fiber
- Female/Female
- Connect to both source/sink 998-DO dongles.
- MPO Connector: 11.5mm Wx8.0mm H



Item#	Quantity	Length	Price
EFP-998-P-15	1ea/Bag	15ft/4.5m	\$60.40
EFP-998-P-25	1ea/Bag	25ft/7.6m	\$72.70
EFP-998-P-50	1ea/Bag	50ft/15m	\$104.20
EFP-998-P-100	1ea/Bag	100ft/30.5m	\$173.20
EFP-998-P-200	1ea/Bag	200ft/61m	\$310.30
EFP-998-P-300	1ea/Bag	300ft/91.5m	\$423.30

Male/Female MPO SCP-EasyFiber™ Optical Fiber Jumper Cable



Specifications

- Premium ultra-bendable
- Laser-optimized OM3 multimode fiber
- Male/Female
- Used when connecting longer length channel cable



Item#	Quantity	Length	Price
EFP-998MF-P-3	1ea/Bag	3ft/1.8m	\$35.95
EFP-998MF-P-6	1ea/Bag	6ft/1.8m	\$41.70
EFP-998MF-P-15	1ea/Bag	15ft/4.5m	\$60.40
EFP-998MF-P-50	1ea/Bag	50ft/15.2m	\$104.20

MPO Keystone Jack



Specifications

- MPO Keystone Jack for SCP-EasyFiber™ MPO Patch Cables
- Narrow Snap-in Design
- Panel/Wallplate Mount



Item#	Quantity	Price
F-KJ-MPO-WT	1ea/Bag	\$9.50

MPO Coupler



Specifications

- Narrow Snap-in Design
- Panel/Wallplate Mount
- Use to Daisy-Chain up to 300m/1000ft.



Item#	Quantity	Price
EFP-MPO-COU	1ea/Bag	\$4.95



UltraFlex by SimplyAV 8K 48Gbps HDMI Cable with Silicon Jacket

Specifications

- Ultra Flexible, Durable, and Soft Silicone Cable
- Low Profile/Compact Design
- 5x more durable and flexible than PVC cables
- Retains performance across wide range of temperatures
- Low profile connector housings
- Tested to ensure low EMI
- Biocompatible - Safe for human skin
- Perfect for tight spaces
- 30% smaller connector design
- Universal compatibility
- ATC tested and certified
- Lifetime warranty



Item#	Quantity	Length	Price
SAV-2001	1ea/Bag	1m/3.3ft	\$21.80
SAV-2002	1ea/Bag	2m/6.5ft	\$27.90
SAV-2003	1ea/Bag	3m/10ft	\$43.70
SAV-2005	1ea/Bag	5m/16.4m	\$89.10



8K 48Gbps Ultra High Speed HDMI Cable

Specifications

- 4K - 48/50/60 - 100/120 (2160p) 8MP
- 5K - 48/50/60 - 100/120 (2160p) 11MP
- 8K - 48/50/60 - 100/120* (4320p) 33MP
- 10K - 48/50/60* - 100/120* (4320p) 44MP
- High Bandwidth - 48 Gbps
- High Frame Rate - 120Hz
- HDR - Dynamic HDR
- BT.2020 Colorimetry - 10/12 4:4:4
- HEAC - HDMI Ethernet Audio Control
- eARC - Enhanced Audio Return Channel
- 32 Channel Audio - 5.1 and 7.1 Surround Sound
- Full High Definition 3D
- VESA DSC 1.2a



Item#	Quantity	Length	Price
992UHS-0.5M	1ea/Bag	0.5m/1.6ft	\$10.95
992UHS-3M	1ea/Bag	3m/10ft	\$20.95
992UHS-5M	1ea/Bag	5m/16.4m	\$37.95



Custom Install Series- Premium Certified HDMI Cable W/ Ethernet, 4k/Ultra HD

Specifications

- Full 4K/Ultra HD Support - 4x Resolution of 1080p
- Snug-Tite™ Grip maximizes connectivity
- MAX EMI Protection - Triple Shielded Connectors/Cable
- Anti-Counterfeiting Label with verifiable QR Code
- ATC Tested with Guaranteed Performance
- 24k Gold Plated for Optimum Signal Transfer
- Backward Compatible to Previous HDMI versions



Item#	Quantity	Length	Price
990UHD-3	1ea/Bag	3ft/0.91m	\$18.50
990UHD-6	1ea/Bag	6ft/1.8m	\$20.50
990UHD-10	1ea/Bag	10ft/3m	\$27.50
990UHD-15	1ea/Bag	15ft/4.5m	\$34.50
990UHD-20	1ea/Bag	20ft/6m	\$54.95



ProSeries 8K 48Gbps HDMI Cable, Certified Ultra High Speed

Specifications

- New improved connector over-mold for easier installation
- Shorter strain relief improves bend radius
- Durable commercial-grade construction
- Superior CL2 fire safety rating
- Gold-plated Type A connectors
- Flexible and Protective CL2/FT4 In-Wall Rated Jacket



Item#	Quantity	Length	Price
SAV-9920.5M	1ea/Bag	0.5m/1.6ft	\$10.50
SAV-9921M	1ea/Bag	1m/3.3ft	\$11.95
SAV-9922M	1ea/Bag	2m/6.5ft	\$14.95
SAV-9923M	1ea/Bag	3m/10ft	\$17.95
SAV-9925M	1ea/Bag	5m/16.4m	\$32.95



4K/Ultra HD Ultra Slim Premium Certified HDMI Cable W/Ethernet

Specifications

- Full 4K/Ultra HD Support - 4x Resolution of 1080p
- Snug-Tite™ Grip maximizes connectivity
- MAX EMI Protection - Triple Shielded Connectors/Triple Shielded Cable
- Smaller Profile Connector and Thinner Cable
- Anti-Counterfeiting Label with verifiable QR Code
- ATC Tested with Guaranteed Performance
- 24k Gold Plated for Optimum Signal Transfer
- Backward Compatible to Previous HDMI versions



Item#	Quantity	Length	Price
991UHD-0.5M	1ea/Bag	0.5m/1.6ft	\$19.90
991UHD-1M	1ea/Bag	1m/3.3ft	\$21.20
991UHD-2M	1ea/Bag	2m/6.5ft	\$22.70
991UHD-2.5M	1ea/Bag	2.5m/4.2m	\$26.00



Ultra Slim HDMI Cable- High Speed W/Ethernet

Specifications

- 4k/Ultra HD HDMI Cable
- 50% Smaller Connector Housings And Thin Cable Diameters Of 4.5mm Or Less
- True 4k Ultra HD Standard Of 4k@60 4:4:4 (2160p), Full 18gbps
- UL CL2 Black PVC
- FULL 18Gbps, ARC, HDCP2.2



Item#	Quantity	Length	Price
940-1.6B	1ea/Bag	0.5m/1.6ft	\$8.95
940-13B	1ea/Bag	13ft/4m	\$21.95
940-15B	1ea/Bag	15ft/4.5m	\$43.50
940-3B	1ea/Bag	3.3ft/1m	\$9.95
940-6B	1ea/Bag	6ft/1.8m	\$10.95
940-8B	1ea/Bag	8.2ft/2.5m	\$13.50

HDMI Cables



Premium Certified 4K Ultra HD 990UHDV Series HDMI Cable High Speed

Specifications

- Full 4K/Ultra HD Support - 4x Resolution of 1080p
- Snug-Tite™ Grip maximizes connectivity
- MAX EMI Protection - Triple Shielded Connectors/Cable
- Anti-Counterfeiting Label with verifiable QR Code
- ATC Tested with Guaranteed Performance
- 24k Gold Plated for Optimum Signal Transfer
- Backward Compatible to Previous HDMI versions



Item#	Quantity	Length	Price
990UHDV-3	1ea/Bag	3ft/0.91m	\$17.95
990UHDV-6	1ea/Bag	6ft/1.8m	\$19.50
990UHDV-10	1ea/Bag	10ft/3m	\$25.50
990UHDV-15	1ea/Bag	15ft/4.5m	\$32.50
990UHDV-20	1ea/Bag	20ft/6m	\$49.50



Custom Install Series 4K HDMI Cable - High Speed HDMI w/Ethernet

Specifications

- SCP Exclusive Snug-Tite™ Grip maximizes connectivity
- 24k Gold Plated for Optimum Signal Transfer
- Connect to Source
- Connect to Display
- Flexible Protective In-Wall Rated Jacket
- True 4K/UltraHD 4K@50/60 4:4:4 2160p Full 18Gbps
- 32 Channel Audio-11.2 Surround Sound
- ARC-Audio Return Channel
- HEAC
- HD-3D-Full High Definition 3D
- HDCP 2.2All
- 3ft, 6ft, 10ft and 15ft - Passive / Bi-Directional
- 25ft, 30ft, 35 and 50ft - Active Chipset / Unidirectional



Item#	Quantity	Length	Price
944E-3	1ea/Bag	3ft/0.91m	\$8.50
944E-6	1ea/Bag	6ft/1.8m	\$10.50
944E-10	1ea/Bag	10ft/3m	\$19.50
944E-15	1ea/Bag	15ft/4.5m	\$21.95
944E-20	1ea/Bag	20ft/6m	\$38.95
944E-25	1ea/Bag	25ft/7.6m	\$67.95
944E-30	1ea/Bag	30ft/9m	\$75.50
944E-35	1ea/Bag	35ft/10.7m	\$78.95
944E-50	1ea/Bag	50ft/15m	\$117.95



Active Optical 4K HDR HDMI Cable Fiber/Copper Hybrid with Detachable Connector

Specifications

- Snug-Tite™ Grip for Secure Connectivity
- 4K@60 4:4:4 24Gbps
- Plug and Play Installation
- Supporting HDMI 2.1 up to 24 Gbps (6Gbps/ch * 4)
- Thinner, Lighter and More Flexible
- Detachable Connector - Type D/A Adapter
- Includes Pulling Capsule for Easy Installation through Conduit & Tight Spaces
- Reduced Risk of EMI & RFI for Maximum Signal Integrity
- No External Power Required
- Optional USB Power on Rx Side
- CL3 In-Wall Rated, Low Smoke Zero Halogen EN50575:2014 compliant or CMP Plenum



Item#	Quantity	Length	Price
995AOC-10M	1ea/Bag	0.5m/1.6ft	\$8.95
995AOC-15M	1ea/Bag	13ft/4m	\$21.95
995AOC-20M	1ea/Bag	15ft/4.5m	\$43.50
995AOC-30M	1ea/Bag	3.3ft/1m	\$9.95
997AOC-P-15M	1ea/Bag	6ft/1.8m	\$10.95
940-8B	1ea/Bag	8.2ft/2.5m	\$13.50



USB 3.2 Gen 2 Type-C Male/Male Cable

Specifications

- USB-IF Certified
- Full-featured USB-C to C E-Mark chipset for Power Delivery support
- Compliant with USB 3.2 Gen2 and backwards compatible with USB 3.2 Gen1 and USB 2.0
- Supports data transfer rate up to 20Gbps Supports Power Delivery up to 5A/20V/100W
- Supports video display up to 8K at 60Hz through DisplayPort™
- Alternate Mode Full EMI protection OD = 5.2mm, TPE Jacket Available Length: 1m/3.2ft



Item#	Length	Quantity	Price
USBC32-1M	1m/3.3ft	1/Box	\$26.50
USBC32-2M	2m/6.5ft	1/Box	\$76.50
USBC32-3M	3m/10ft	1/Box	\$80.50
USBC32-5M	5m/16ft	1/Box	\$88.50



SimplyFIBER™



SimplyFIBER™ – Innovative Fiber Optic Connectors and Accessories Premiumly Designed To Be Simple To Use

Introducing SimplyFIBER™ as our newest Simply Brands® family member of products. SimplyFiber™ offers premium fiber optics connectors, tools, and accessories designed to revolutionize the fiber optics industry.



Reusable Up to 5 times



High Clarity Matching Gel



No Adhesives or Polishes



1 Minute or Less Termination




Visual Verification Install

SimplyFIBER Superior Fiber Optic Solutions


SimplyFIBER mechanical connectors are factory pre-polished and field-installable. Our wedge plate allows for easy fiber insertion. V-groove technology ensures precision fiber alignment, stability, and long-lasting holding power. The proprietary index-matching gel provides excellent continuity for low loss terminations with single-mode or multimode optical fibers.

Feature	SimplyFIBER
Installation Speed	Rapid deployment with fewer steps and tools. Quicker completion and reduced labor costs.
Signal Integrity	Low attenuation maintains strong signal over long distances, ensuring reliability.
Compatibility	Compatible with SC and LC connectors, offering versatility and easy integration with systems
Precision & Reliability	Strict quality control ensures precision and reliability, reducing installation errors.
Design & Form Factor	Compact design saves space without compromising performance; ideal for tight spaces.
Cost Efficiency	Cost-effective due to reduce installation time and minimized errors; durable with fewer replacements.
User Experience	Easy to use, reducing training needs and improving efficiency; great for less experienced technicians.


Fiber connections as simple as 1,2,3,4!



Strip



Cleave



Insert



Terminate



Scan to watch How-to-video

SimplyFiber - LC Connectors - Single-Mode



LC/APC SM 250/900µm Mechanical Connector

Specifications

- Premium single-mode mechanical reusable connector
- High clarity matching gel for 250/900µm fiber
- Includes Connector, boot, and wedge plate



Item#	Quantity	Price
SF-LCASM	1ea/Bag	\$21.95
SF-LCASM-10	10/Bag	\$193.95



LC/UPC SM Mechanical Connector

Specifications

- Premium single-mode mechanical reusable connector
- High clarity matching gel for 250/900µm fiber
- Includes Connector, boot, and wedge plate



Item#	Quantity	Price
SF-LCUSM	1ea/Bag	\$21.95
SF-LCUSM-10	10/Bag	\$193.95

SimplyFiber - LC Connectors - Multi-Mode



LC/PC MM 50 µm OM2 Mechanical Connector

Specifications

- Premium single-mode mechanical reusable connector
- High clarity matching gel for 250/900µm fiber
- Includes Connector, boot, and wedge plate



Item#	Quantity	Price
SF-LCPMM2	1ea/Bag	\$21.95
SF-LCPMM2-10	10/Bag	\$193.95



LC/PC MM 62.5µm OM1 Mechanical Connector

Specifications

- Premium single-mode mechanical reusable connector
- High clarity matching gel for 250/900µm fiber
- Includes Connector, boot, and wedge plate



Item#	Quantity	Price
SF-LCPMM1	1ea/Bag	\$21.95
SF-LCPMM1-10	10/Bag	\$193.95



LC/PC MM 50µm OM3/4 Mechanical Connector

Specifications

- Premium single-mode mechanical reusable connector
- High clarity matching gel for 250/900µm fiber
- Includes Connector, boot, and wedge plate



Item#	Quantity	Price
SF-LCPMM34	1ea/Bag	\$21.95
SF-LCPMM34-10	10/Bag	\$193.95



LC Assembly Fixture Base/Holder

Specifications

- For assembling LC fiber optic mechanical connectors
- Used with Single Mode and Multi-Mode



Item#	Quantity	Price
SF-LCAFBH	1ea/Bag	\$15.95

SimplyFiber - SC Connectors - Single-Mode



SC/APC SM 250/900µm Mechanical Connector

Specifications

- Premium single-mode mechanical reusable connector
- High clarity matching gel for 250/900µm fiber
- Color Coded for easy identifying



Item#	Quantity	Price
SF-SCASM	1ea/Bag	\$21.95
SF-SCASM-10	10/Bag	\$193.95



SC/UPC SM Mechanical Connector

Specifications

- Premium single-mode mechanical reusable connector
- High clarity matching gel for 250/900µm fiber
- Color Coded for easy identifying



Item#	Quantity	Price
SF-SCPM2	1ea/Bag	\$21.95
SF-SCPM2-10	10/Bag	\$193.95

SimplyFiber - SC Connectors - Multi-Mode



SC/PC MM 50µm OM2 Mechanical Connector

Specifications

- Premium single-mode mechanical reusable connector
- High clarity matching gel for 250/900µm fiber
- Color Coded for easy identifying



Item#	Quantity	Price
SF-SCPM2	1ea/Bag	\$21.95
SF-SCPM2-10	10/Bag	\$193.95



SC/PC MM 62.5µm OM1 Mechanical Connector

Specifications

- Premium single-mode mechanical reusable connector
- High clarity matching gel for 250/900µm fiber
- Color Coded for easy identifying



Item#	Quantity	Price
SF-SCPM1	1ea/Bag	\$21.95
SF-SCPM1-10	10/Bag	\$193.95



SC/PC MM 50µm OM3/4 Mechanical Connector

Specifications

- Premium single-mode mechanical reusable connector
- High clarity matching gel for 250/900µm fiber
- Color Coded for easy identifying



Item#	Quantity	Price
SF-SCPM34	1ea/Bag	\$21.95
SF-SCPM34-10	10/Bag	\$193.95




SC Assembly Fixture Base/Holder

Specifications

- For assembling SC fiber optic mechanical connectors
- Used with Single Mode and Multi-Mode



Item#	Quantity	Price
SF-SCAFBH	1ea/Bag	\$15.95



Fiber Keystone Jacks




Simplex LC/APC to LC/APC SM Keystone

Specifications

- Premium single-mode mechanical keystone with shutter
- High clarity matching gel for 250/900µm fiber
- Color Coded for easy identifying



Item#	Quantity	Price
Black		
SF-42LCAPCB	1ea/Bag	\$6.50
SF-42LCAPCB-10	10/Bag	\$65.95
White		
SF-42LCAPCW	1ea/Bag	\$6.50
SF-42LCAPCW-10	10/Bag	\$65.95




Duplex LC/PC to LC/PC OM3/4 Keystone

Specifications

- Premium single-mode mechanical keystone with shutter
- High clarity matching gel for 250/900µm fiber
- Color Coded for easy identifying



Item#	Quantity	Price
Black		
SF-42LCMB	1ea/Bag	\$7.50
SF-42LCMB-10	10/Bag	\$74.95
White		
SF-42LCMW	1ea/Bag	\$7.50
SF-42LCMW-10	10/Bag	\$74.95



Simplex LC/UPC to LC/UPC SM Keystone

Specifications

- Premium single-mode mechanical keystone with shutter
- High clarity matching gel for 250/900µm fiber
- Color Coded for easy identifying



Item#	Quantity	Price
Black		
SF-42LCSB	1ea/Bag	\$7.50
SF-42LCSB-10	10/Bag	\$74.95
White		
SF-42LCSW	1ea/Bag	\$7.50
SF-42LCSW-10	10/Bag	\$74.95



Simplex SC/APC to SC/APC SM Keystone

Specifications

- Premium multi-mode mechanical keystone with shutter
- High clarity matching gel for 250/900µm fiber
- Color Coded for easy identifying



Item#	Quantity	Price
Black		
SF-42SCAPCB	1ea/Bag	\$6.50
SF-42SCAPCB-10	10/Bag	\$65.95
White		
SF-42SCAPCW	1ea/Bag	\$6.50
SF-42SCAPCW-10	10/Bag	\$65.95

SimplyFiber - Keystone Jacks



Duplex SC/PC to SC/PC OM3/4 Keystone

Specifications

- Premium single-mode mechanical keystone with shutter
- High clarity matching gel for 250/900µm fiber
- Color Coded for easy identifying



Item#	Quantity	Price
Black		
SF-42SCMB	1ea/Bag	\$6.50
SF-42SCMB-10	10/Bag	\$65.95
White		
SF-42SCMW	1ea/Bag	\$6.50
SF-42SCMW-10	10/Bag	\$65.95




Simplex SC/UPC to SC/UPC SM Keystone

Specifications

- Premium single-mode mechanical keystone with shutter
- High clarity matching gel for 250/900µm fiber
- Color Coded for easy identifying



Item#	Quantity	Price
Black		
SF-42SCSB	1ea/Bag	\$6.50
SF-42SCSB-10	10/Bag	\$65.95
White		
SF-42SCSW	1ea/Bag	\$6.50
SF-42SCSW-10	10/Bag	\$65.95



MPO Adapter Polarity A

Specifications

- Easily link two MPO cables



Item#	Quantity	Price
Black		
SF-42MPOB	1ea/Bag	\$10.95
SF-42MPOB-10	10/Bag	\$107.95
White		
SF-42MPOW	1ea/Bag	\$10.95
SF-42MPOW-10	10/Bag	\$107.95



4 Port Keystone Multimedia Wall Outlet

Specifications

- Made of Durable ABS plastic
- Phillips with straight slot screw head
- White gloss finish



Item#	Quantity	Price
SF-3104W	1ea/Bag	\$9.95



2 Port Fiber Box OM3/4 Adapter

Specifications

- Made of Durable ABS plastic
- Phillips with straight slot screw head
- White gloss finish



Item#	Quantity	Price
LC		
SF-3302LCW	1ea/Bag	\$14.95
SC		
SF-3302SCW	1ea/Bag	\$14.95



Fiber Cleaver with Rotating Blade

Specifications

- One-step fiber cleaver with auto-rotating blade
- 45,000 cleaves
- Offcut collector
- Adjustable blade
- Black Case



Item Name	Item#	Quantity	Price
Fiber Cleaver	SF-CL100	1/Box	\$493.95
Replacement Blade	SF-CL100RB	1ea/Bag	\$76.95

SimplyFiber - Accessories



Fiber Connector Insertion/Extractor Tool

Specifications

- Easily remove or insert fiber connectors
- Recommended for high-density patch panels
- Reaches areas too small for fingers
- Rubber protection securely grips connectors
- SC, LC, MU, & MTRJ connectors (simplex and duplex)
- Accurate & fast to increase efficiency
- Built with high-carbon steel and PVC handles
- Spring-loaded design with ergonomic grip
- Extended reach for recessed panels (10.6")
- Lifetime warranty



Item#	Quantity	Price
SF-IT100	1/kit	\$47.95



Waterproof Inline MPO Fiber Optic Coupler

Specifications

- MPO In-Line Coupler 40G/100G rated
- Connects MPO (female) to MPO (male)
- Single mode and Multimode compatible
- IEC-61757-7 & EIA/TIA-604-5-D Compliant
- Durable Nylon PA66 material, impact resistant
- IP68 waterproof rated with UV resistant
- CE, RoHS, REACH Certified
- Dimension: 4.75" x 1"
- Temperature rating -40 degrees Celsius to +75 degrees Celsius
- Easy to assemble, no tools required
- Recommended for indoor & outdoor applications
- Lifetime Warranty



Item#	Quantity	Price
SF-WPMPO	1/Blister	\$17.95



Fiber SFP Transceivers

Specifications

- Compliant with SFF-8431, SFF-8432, IEEE 802.3ae 10GBASE-SR/SW and 10G Fiber Channel 1200-Mx-SN-I
- Digital diagnostics functions are available
- Hot-pluggable SFP+ footprint
- Supports 9.95 to 10.5 Gb/s bit rates
- Power dissipation < 1W
- RoHS-6 compliant (lead-free)
- Commercial temperature range 0-70°C
- Single 3.3V power supply
- Heated 850nm VCSEL laser
- Receiver limiting electrical interface
- Built-in digital diagnostic functions



Item#	Mode	Quantity	Price
F-SFP10G-MM	Multi	1/Box	\$19.95
F-SFP10G-SM	Single	1/Box	\$29.53

Ask The Expert

Scan this QR code to be connected via live chat with one of our product experts.



45K Cleaver with Rotating Blade

Specifications

- One-step fiber cleaver with auto-rotating blade
- 45,000 cleaves
- Offcut collector
- Adjustable blade, for up to a 12-fiber ribbon



Item Name	Item#	Quantity	Price
45K Cleaver	SF-FCMC	1/Box	\$1586.50
Replacement Blade	SF-FCRB	1ea/Bag	\$258.95



3 Hole Fiber Stripper

Specifications

- Fiber optic stripper
- 3 hole easily strips 1.6 mm-3 mm jackets and access 125 micron bare fiber



Item#	Quantity	Price
SF-S043	1ea/Bag	\$39.95



Fusion Mini All-in-One Fiber Solution



Innovative fiber optic connector solution.

Discover SimplyFIBER revolutionary fiber optic connector solution. Our innovative approach enables easy installation for FTTH, making it accessible for everyone.

- All-in One Splicer + Cleaver
- Package includes: Fusion Mini With Cleaver, Holder Driver, Cable Holder, 250µm Adapter, Sc Holder, Lc Holder, Fiber Stripper & Scissors, Hard Case
- 900µm, 2mm, 3mm round, 2x3mm flat, 4mm
- 1.6Inch Full color touch screen LCD
- Optional Thermal Heater or Fusion Mini Tray Available

Item	Item#	Quantity	Price
Fusion Mini	SF-FM4000	1/Each	\$5,393.95
Thermal Heater 120mm	SF-FMTH120	1/Each	\$1,493.95
Fusion Mini Tray	SF-FMTRAY	1/Each	\$449.95
Fusion Mini Bundle - Free Machine with the purchase of 1000 Connectors			
Free Fusion Mini with 1000 SF-FMLCU	SF-FMLCBUNDLE	1/Each	\$11,175.00
Free Fusion Mini with 500 SF-FMLCU & 500 FMSCU	SF-FMLCSCBUNDLE	1/Each	\$11,175.00
Free Fusion Mini with 1000 SF-FMSCU	SF-FMSCBUNDLE	1/Each	\$11,175.00



Fusion Connectors



Specifications

- Install and maintain junction boxes quicker and easier

Item#	Type	Quantity	Price
SF-FMLCA2M	Fiber Optic Connector LC APC soft (2mm)	1ea/Bag	\$10.95
SF-FMLCA3M	Fiber Optic Connector LC APC soft (3mm)	1ea/Bag	\$10.95
SF-FMLCA9M	Fiber Optic Connector LC APC soft (900µm)	1ea/Bag	\$10.95
SF-FMLCU2M	Fiber Optic Connector LC UPC soft (2mm)	1ea/Bag	\$10.95
SF-FMLCU3M	Fiber Optic Connector LC UPC soft (3mm)	1ea/Bag	\$10.95
SF-FMLCU9M	Fiber Optic Connector LC UPC soft (900µm)	1ea/Bag	\$10.95
SF-FMSCA2M	Fiber Optic Connector SC APC soft (2mm)	1ea/Bag	\$10.95
SF-FMSCA3M	Fiber Optic Connector SC APC soft (3mm)	1ea/Bag	\$10.95
SF-FMSCA9M	Fiber Optic Connector SC APC soft (900µm)	1ea/Bag	\$10.95
SF-FMSCU2M	Fiber Optic Connector SC UPC soft (2mm)	1ea/Bag	\$10.95
SF-FMSCU3M	Fiber Optic Connector SC UPC soft (3mm)	1ea/Bag	\$10.95
SF-FMSCU9M	Fiber Optic Connector SC UPC soft (900µm)	1ea/Bag	\$10.95



Drop Cable Enclosures


Specifications

- Adhesive wing type sleeve for splice point protection
- No heating procedure required
- Easy and quick assembly with low loss



Item#	Type	Quantity	Price
SF-FMSP2MRND	2mm Round Drop Cable Outdoor IC Closure	1ea/Bag	\$10.95
SF-FMSP3MRND	3mm Round Drop cable indoor, Screw type	1ea/Bag	\$10.95
SF-FMSPFLAT	2x3mm Flat Drop Cable Outdoor IC Closure	1ea/Bag	\$10.95

LC Assembly



SC Assembly



SimplyFiber - Accessories



Fiber Optic Cleaner Pens

Specifications

- One click cleaning
- Available in LC and SC models



Connector	Item#	Quantity	Price
LC	SF-CPLC	1/Box	\$36.95
SC	SF-CPSC	1ea/Bag	\$36.95



Quick Evaporating Fiber Optic Cleaner

Specifications

- High purity, no flash point for cleaning ferrules, bulk heads or optical fiber



Item#	Quantity	Price
SF-2000	50/Box	\$37.95



Fiber Optic Wipes

Specifications

- 3" x 3" High Absorbency, Durable, Lint Free Wipes for Wet or Dry Use



Item#	Quantity	Price
SF-2001	50/Box	\$20.95



Fiber Tool Kit with Roll Top Bag

Kit Includes

- Cleaver with Rotating Blade
- 3 Hole Fiber Stripper
- Fiber Cleaner Bottle
- 50 Cleaning Wipes
- Roll Top Carrying Bag
- Qualifies you for our SimplyFiber certification course



Item#	Quantity	Price
SF-SMK1	1ea/Bag	\$1,495.95




SimplyFIBER Certification

Purchase of the SF-SMK1 kit qualifies you for our SimplyFIBER certification course. Scan the QR code here to register and upload your proof of purchase to secure a spot in an upcoming class designed to get you up to speed on fiber theory, best practices, and installation techniques for mechanical fiber connectors. The course dates and available locations will be updated on our SimplyFiber calendar on a regular basis.



SimplyCABLE™

PRO SERIES



SimplyCable PROSeries Category Cable

The SimplyCABLE™ Pro Series Category cable delivers the performance and durability today's integrators need for demanding installs. Built with higher copper content and solid bare-copper conductors, the Pro Series supports up to 600 MHz (Cat6) and 650 MHz (Cat6a) of enhanced tested bandwidth, HDBaseT applications, and PoE up to 90W (IEEE 802.3bt Type 4)—making it ideal for high-bandwidth devices like Wi-Fi 6/6E access points, 4K/8K displays, IP cameras, and building automation systems. Rated for indoor/outdoor, UV-resistant use and UL-listed CMR/FT4, it stands up to a wide range of installation environments, while the crush-resistant packaging protects the cable in transit and on the jobsite. Each 1000ft box or reel comes backed by a 25-year certified system warranty and SimplyBrands' limited lifetime warranty, plus 20 free Simply45® connectors—giving integrators a complete, reliable solution with less time spent on truck rolls and callbacks.



UL94V-0 Commercial Rated
Designed for residential and commercial (plenum) applications.



HDBaseT Approved
Recommended for all commercial & residential certified systems



Limited Lifetime Warranty
Buy with confidence, 100% product protection

Color Coded

for easy plug identification:



CAT5E



CAT6



CAT6/6A



6A/7/7A

Put your PoE network in our hands with SimplyCable PROSeries

Today's networks are powering far more than data—cameras, access points, lighting, kiosks, and access control systems all draw power directly over the same cable that carries their signal. The SimplyCABLE™ Pro Series Cat6 and Cat6a bulk cable is engineered specifically for this reality, supporting PoE up to 90W under IEEE 802.3bt Type 3/4. That headroom matters: as more devices pull higher wattages over longer cable runs, inferior cable heats up, degrading performance and risking damage to both the cable and the connected equipment. The Pro Series' higher copper content and solid bare-copper conductors keep resistance and heat buildup low, so power-hungry devices get consistent, reliable power without compromising the data signal running alongside it.

High-demand devices also need bandwidth the cable has to be able to deliver, and the Pro Series is built to exceed the standard. With enhanced tested bandwidth of 600 MHz for Cat6 and 650 MHz for Cat6a, plus support for 10GBASE-T and HDBaseT transmission, the cable is ready for Wi-Fi 6/6E and 7 access points, 4K/8K displays, multi-sensor and PTZ cameras, and industrial automation systems that would overwhelm a standard-grade cable. The pair separator/spline construction reduces crosstalk between conductors, protecting signal integrity even as bandwidth demands climb—so integrators aren't left troubleshooting intermittent drops or slow throughput after installation.



Electrical Distribution

1-954-928-8600 • SALES@SIMPLYBRANDS.COM

All Prices Subject to Change



PROSeries Cat6a

UTP Indoor/Outdoor UL Bulk Cable
Item# SC-BC3700XX



Price

ED \$317.95

Colors



Specifications

- Cable Construction: U/UTP
- Jacket Material/Rating: PVC-UV
- Fire Safety Rating: CMR FT4
- 3rd Party UL c(UL) Rated
- Indoor/Outdoor UV Sun Resistant
- 650 MHz Enhanced Tested Bandwidth
- ISO/IEC 11801 Class Ea
- Transmission Standards 10G+
- PoE Rating (IEEE 802.3af,at,bt) 90W Type 4
- Solid BC Wire Conductors
- 23+ AWG
- Conductor Insulation: HDPE
- Pair Separator/Spline
- Packaging Type: Premium Reel-in-Box
- Comes with 20 Free Premium RJ45 Connectors S45-1720P
- OD 7.2mm (0.283 in)
- Insulated Conductor OD 1.05mm (0.041in)
- 305m/1000ft Box



PROSeries Cat6

UTP Indoor/Outdoor UL Bulk Cable
Item# SC-BC3600XX



Price


ED \$253.50

Colors



Specifications

- Cable Construction: U/UTP
- Jacket Material/Rating: PVC-UV
- Fire Safety Rating: CMR FT4
- 3rd Party Rated UL c(UL)
- Indoor/Outdoor UV Sun Resistant
- 600 MHz Enhanced Tested Bandwidth
- ISO/IEC 11801 Class E
- Transmission Standards 1G/10G
- PoE Rating (IEEE 802.3af,at,bt) 60W/90W Type 3-4
- Solid BC Wire Conductors
- 23+ AWG
- Conductor Insulation: HDPE
- Pair Separator/Spline
- Packaging Type: Premium Reel-in-Box
- Comes with 20 Free Premium RJ45 Connectors S45-1620P
- OD 6.3mm (0.248 in)
- Insulated Conductor OD 1.05mm (0.041in)
- 305m/1000ft Box



SCP Installer Series Category Cable

The SCP Installer Series Cat6 bulk cable gives integrators a dependable, cost-effective option for everyday structured cabling jobs. With 575 MHz of enhanced tested bandwidth, solid bare-copper 23 AWG conductors, and support for Category 6/Class E applications up to 1G/8G, it handles common installs like IP cameras, VoIP phones, access control readers, POS terminals, and general Ethernet LAN with room to spare. It's PoE-rated for 30W/60W (IEEE 802.3af/at Type 1-3), covering the power needs of most edge devices, and the CMR FT4 fire rating with ETL listing keeps it compliant for indoor runs. The tangle-free Reelex II packaging speeds up pulls on the jobsite, and every 1000ft box includes 20 free Simply45® connectors plus a limited lifetime warranty—making it a reliable, budget-friendly choice for standard network installations.



ETL Rated

Designed for residential and commercial (plenum) applications.



HDBaseT Approved

Recommended for all commercial & residential certified systems



Limited Lifetime Warranty

Buy with confidence, 100% product protection



Installer Series Cat6

UTP Indoor/Outdoor ETL Bulk Cable
Item# Cat6-XX-ETL



Price



\$229.95

Colors



Specifications

- Cable Construction: U/UTP
- Jacket Material/Rating: PVC
- Fire Safety Rating: CMR FT4
- 3rd Party Rated: ETL c(ETL)
- Indoor Installation
- 575 MHz Enhanced Tested Bandwidth
- ISO/IEC 11801 Class E
- Transmission Standards 1G/8G
- PoE Rating (IEEE 802.3af,at,bt) 30W/60W Type 2-3
- Solid BC Wire Conductors
- 23 AWG
- Conductor Insulation: HDPE
- Pair Separator/Spline
- Reelex II No Tangle Box
- OD 6.0mm (0.236 in)
- Insulated Conductor OD 0.99mm (0.038in)




Electrical Distribution

1-954-928-8600 • SALES@SIMPLYBRANDS.COM

All Prices Subject to Change



STANDARD SERIES



SCP Standard Series Category Cable

The SCP Standard Series Cat6 bulk cable is a solid option for basic network installs where cost matters most. It delivers 550 MHz of enhanced tested bandwidth with solid bare-copper 23 AWG conductors, meeting Category 6/Class E requirements for 1G Ethernet and covering common low-voltage applications like IP cameras, VoIP phones, access control readers, thermostats, and general LAN wiring. It's PoE-rated for 15W/30W (IEEE 802.3af/at Type 2), enough for lighter-draw edge devices, and carries an ETL listing with a CMR FT4 fire rating for safe indoor use. Packaged in a tangle-free Reelex II pullbox and backed by a limited lifetime warranty, it's a dependable entry-level choice for integrators running straightforward Cat6 jobs without the added performance headroom of the Installer or Pro Series.



ETL Rated

Designed for residential and commercial (plenum) applications.



HDBaseT Approved

Recommended for all commercial & residential certified systems



Limited

Lifetime Warranty

Buy with confidence, 100% product protection



Standard Series Cat6
UTP Indoor ETL Bulk Cable
Item# SC-BC1600XX



Price

ED \$203.50

Colors



Specifications

- Cable Construction: U/UTP
- Jacket Material/Rating: PVC
- Fire Safety Rating: CMR FT4
- 3rd Party Rated: ETL c(ETL)
- Indoor Installation
- 550 MHz Enhanced Tested Bandwidth
- ISO/IEC 11801 Class E
- Transmission Standards 1G
- PoE Rating (IEEE 802.3af,at,bt) 15W/30W Type 1-2
- Solid BC Wire Conductors
- 23 AWG
- Conductor Insulation: HDPE
- Pair Separator/Spline
- Reelex II No Tangle Box
- OD 6.0mm (0.236in)
- Insulated Conductor OD 0.99mm (0.038in)
- 305m/1000ft Box

SimplyBRANDS cable selector guide will assist with your **SimplyBRANDS** selection process to easily identify the correct cable required to properly support the bandwidth, transmission rate & PoE requirements that your installed devices & applications need to perform at the highest level.

All Series
Available in 9 colors

- BK=Black
- BL=Blue
- GY=Gray
- GN=Green
- OR=Orange
- PUR=Purple
- RD=Red
- WT=White
- YL=Yellow



SimplyCABLE™
PRO SERIES



SimplyCABLE™
PRO SERIES



SCP Structured Cable Products™




SCP Structured Cable Products™

Category Type	Cat6a	Cat6	Cat6	Cat6
Part Number Series	SC-BC3700XX	SC-BC3600XX	CAT6-XX-ETL	SC-BC1600XX
MSRP	\$315.95	\$254.95	\$229.95	\$203.50
QR Code				
Cable Construction	U/UTP	U/UTP	U/UTP	U/UTP
Jacket Material/Rating	PVC-UV	PVC-UV	PVC	PVC
Fire Safety Rating	CMR FT4	CMR FT4	CMR FT4	CMR FT4
3rd Party Rated	UL c(UL)	UL c(UL)	ETL c(ETL)	ETL c(ETL)
Installation Type	Indoor/Outdoor UV Sun Res	Indoor/Outdoor UV Sun Res	Indoor	Indoor
Tested Bandwidth	650 MHz	600 MHz	575 MHz	550 MHz
ISO/IEC 11801 Class Type	Class Ea	Class E	Class E	Class E
Transmission Standards	10G+	10G	8G	1G
PoE Rating	90W Type 4	60W/90W Type 3-4	30W/60W Type 2-3	15W/30W Type 1-2
Wire Conductors	Solid BC	Solid BC	Solid BC	Solid BC
Wire AWG	23 AWG	23 AWG	23 AWG	23 AWG
Conductor Insulation	HDPE	HDPE	HDPE	HDPE
Pair Separator/Spline	Yes	Yes	Yes	Yes
Cable Overall Diameter OD	7.2mm (0.283 in)	6.3mm (0.248 in)	6.2mm (0.244 in)	6.0mm (0.236 in)
Insulated Conductor OD	1.05mm (0.041in)	1.05mm (0.041in)	1.0mm (0.039 in)	0.99mm (0.038 in)
Packaging Type	Premium Reel-in-Box	Premium Reel II Box	Reel II Box	Reel II Box
Packaged Length (ft/m)	1000ft/305m	1000ft/305m	1000ft/305m	1000ft/305m
20 Free Connectors	S45-1720P	S45-1620P	-	-


Applications

Higher rated cables are backwards compatible to lower rated cables.





SCP Structured Cable Products®



Structured Cable Products

Founded in 2001, Structured Cable Products (SCP) is a leading global manufacturer and supplier of low voltage cables and accessories. The SCP brand is known worldwide for its industry leading new product development, product quality, performance and value. Now operating as a brand under the SimplyBrands umbrella, together we offer industry leading solutions supported by a global network of distribution partners across North America, Latin America, Europe, Middle East, Africa, and Asia-Pacific regions.



ETL Rated

Designed for residential and commercial (plenum) applications.



HDBaseT Approved

Recommended for all commercial & residential certified systems



Limited

Lifetime Warranty

Buy with confidence, 100% product protection



SCP Cat7 Class Fa

Class Fa Indoor/Outdoor UL Bulk Cable
Item# CAT7A-XX




Specifications

- 10GBaseT, 1200 MHz
- 23AWG Solid BC
- 4PR
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class Fa
- IEEE 802.3bt
- 305m/1000ft Box

Item#	Type	Color	Price
 CAT7A-XX	Cat7a 10GBaseT	 	\$493.50
CAT7A-LSZH-BL	Cat7a Low Smoke Zero Halogen		\$611.50

SCP - Bulk Cable - Category




SCP Cat6a Class Ea Bulk Cable



Specifications

- 10GBaseT, 600 MHz
- 23AWG Solid BC
- 4PR
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class Ea
- IEEE 802.3bt
- 305m/1000ft Box

Item#	Type	Color	Price
ED CAT6A-F/UTP-P-BL	F/UTP Plenum	BL	\$875.95
ED CAT6A-SHP-BL	ETL Plenum	BL	\$1002.95
ED CAT6A-U/FTP-XX	UL Riser	BL WT	\$423.95
ED CAT6A-U-DB	Direct Burial Unshielded U/UTP	BK	\$411.95
ED CAT6A-SH-DB	Direct Burial Shielded U/FTP	BK	\$467.50
ED CAT6A-P-XX	Unshielded Plenum UL	BK GY RD BL OR WT GN PUR YL	\$623.95
CAT6A-P-XX-ETL	Unshielded Plenum ETL	BK BL WT	\$560.95
ED CAT6A-XX	Unshielded Plenum UL	BK BL OR WT GN YL	\$320.95



SCP Cat6 - Class E Bulk Cable



Specifications

- 550-600MHz
- 23AWG Solid BC
- 4PR
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class E
- IEEE 802.3bt
- 305m/1000ft Box

Item#	Type	Color	Price
ED CAT6SHP-XX	Shielded Plenum	BL GY WT	\$707.50
ED CAT6SH-XX	Shielded UL	BL GY WT BK	\$324.95
CAT6-S-BL	Siamese (side x side) Unshielded	BL WT	\$487.50
ED CAT6-P-XX	Unshielded Plenum UL	BK GY BL WT GN PUR YL	\$428.95
CAT6-P-XX-ETL	Unshielded Plenum ETL	BK GY BL WT GN YL	\$398.95
CAT6-XX	Unshielded PVC UL	BK BL GN RD YL	\$233.50
CAT6-AER	Aerial	BK	\$347.50
CAT6-DB	Unshielded Direct Burial	BK	\$299.95
ED CAT6SH-DB	Shielded Direct Burial	BK	\$380.95

SCP - Bulk Cable - Category




SCP Cat5e Class D Bulk Cable



Specifications

- 350MHz
- 24AWG Solid BC
- 4PR
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class D
- IEEE 802.3bt
- 305m/1000ft Box, Some colors available in 152m/500ft

Item#	Type	Color	Price
ED CAT5E-SH-XX	Shielded Non-Plenum	BL GY WT BK	\$242.95
ED CAT5E-25PR-DB	25-Pair Unshielded Non-Plenum Direct Burial	BL GY WT	\$1510.5
ED CAT5E-P-XX	Unshielded Plenum UL	BK GY BL WT GN YL	\$271.50
CAT5E-P-XX-ETL	Unshielded Plenum ETL	BK WT	\$253.50
ED CAT5E-S-BL	Unshielded Non-Plenum Siamese (Side x Side)	BL	\$316.50
CAT5E-XX	Unshielded Non-Plenum PVC UL	BK GY RD BL OR WT GN PUR YL	1000ft: \$178.50 500ft: \$95.50
ED CAT5E-XX-ETL	Unshielded Non-Plenum PVC ETL	BK GY RD BL OR WT GN PUR YL	1000ft: \$171.50 500ft: \$89.95
CAT5E-AER	Shielded Aerial	BK	\$296.50
CAT5E-DB	Unshielded Direct Burial	BK	1000ft: \$220.50 500ft: \$75.61
CAT5E-DB-GEL	Direct Burial Gel Type	BK	\$233.95
CAT5E-IN/OUT-XX	Direct Burial Gel Type	BK WT	\$129.93
ED CAT5E-SH-DB	Shielded Direct Burial	BK	\$290.95




SCP Cat3 Class C Bulk Cable



Specifications

- 24AWG
- PVC Jacket
- ANSI/TIA 568.2-D
- ISO/IEC 11801 Class C
- IEEE 802.3bt
- 305m/1000ft Box

Item#	Type	Color	Price
ED CAT3-3PR-GY	3 Pair UTP	GY	\$132.95
ED CAT3-2PR-GY	2 Pair UTP	GY	\$102.95



Automation, Lighting & Control Cable



Lutron System Compatible Bulk Cable




Specifications

- For use with Lutron® Grafix Eye Systems for specialty lighting and window shade systems
- Available in PVC rated CM and Low Smoke Zero Halogen (LSZH/LSOH) for commercial, marine, and institutional applications. CPR Euroclass Eca or Dca-s3,d2,a3
- UL listed, NEC: CM rated, CEC: CMG FT4, UL 13 and 444, NEC Article 725 and 800. EU RoHS, CE. UL 1685 vertical tray.
- Also compatible with the AMX AXLink™ Systems.

Item#	Type	Compare to	Color	Price
ED LUT-BLUE	2C/12 AWG Stranded BC + 1C/18 AWG Stranded BC + 2C/22 AWG Stranded Shielded w/Drain - Blue w/Dark Blue Stripe	Lutron GRX-CBL-46L-500	BL	\$464.95
ED LUT-GREEN LUT-GREEN-HDBX LUT-GREEN-500	Control/Keypad- 2C/22 AWG Shielded + 2C/18 AWG Stranded+Drain - Blue w/ Green Stripe	Lutron GRX-CBL-346S	BL	1000ft: \$375.50 HD Box: \$365.95 500ft: \$188.50
ED LUT-QS LUT-QS-1000	2C/16 AWG + 2C/22 AWG Shielded + Drain, UL CM, PVC JKT	Lutron® QSH-CBL-M	WT	500ft: \$247.50 1000ft: \$482.50
LUT-QS12	2C/12 AWG + 2C/22 AWG TP (Wt/Pur) Shielded w/Drain, UL CM, Indoor/Outdoor UV Sun Res, PVC Jkt - Blue w/Orange Stripe - 500FT/152M Spool	Lutron® QSH-CBL-L	BL	\$431.95
ED LUT-BLUE-P	Plenum- 2C/12 AWG Stranded BC + 1C/18 AWG Stranded BC + 2C/22 AWG Stranded Shielded AI Foil + Drain, UL CMP- PLENUM JKT - White w/Blue Stripe- 500FT/152M Spool	Lutron® GRX-PCBL-46L	WT	\$593.50
ED LUT-GREEN-P	Plenum- Control/Keypad- 2c/22 AWG Shielded + 2c/18 AWG Stranded + Drain, UL CMP Plenum Jkt- White W/Green Stripe- 305m/1000ft Spool	Lutron GRX-PCBL-346S	WT	\$544.50
ED LUT-QS-P LUT-QS-P-1000	Plenum - 2C/16 AWG + 2C/22 AWG Shielded Plus Drain, UL CMP Plenum Jkt - White- 500ft/152m Spool	Lutron® QSH-CBLP-M	WT	500ft: \$505.50 1000ft: \$985.50

SCP - Bulk Cable - Control



Crestron System Compatible Bulk Cable



Specifications

- For use with Crestron® control systems, touchpanels, keypads, tuners, audio processors, video switchers, camera pan/tilts, expansion modules, and other Crestron devices.
- RG6 coax allow for distribution of CATV/ Satellite and broadband video.

Item#	Type	Compare to	Color	Price
CREST-1	Crest Bus Cable- 2C/22 AWG BC Stranded, Al Foil Shield W/Drain + 2C/18 AWG BC Stranded, UL CM, PVC Jacket - 1000ft/305m Spool	CRESTRON CRESNET-NP	TE	\$392.95
CREST-1-P	Plenum Crest Bus Cable- 2C/22 AWG BC Stranded, Al Foil Shield W/Drain + 2C/18 AWG BC Stranded, CMP Rated Jkt - 1000ft/305m Spool	CRESTRON CRESNET-NP	BL	\$545.95



Vantage Compatible Bulk Cable



Specifications

- Compatible with Vantage™ control systems.
- These cables are manufactured to exacting manufacturer specifications.

Item#	Type	Color	Price
VANTAGE-16/2	2C/16 AWG 65 Strand Vantage Control Cable, Rated 600v, PVC Jkt - 1000ft Spool	PU	\$457.50



Access Control Compatible Bulk Cable



Specifications

- Compatible with Access control systems.
- These cables are manufactured to exacting manufacturer specifications.

Item#	Type	Color	Price
ED ACC-1	Access Control Composite- 2C/22 AWG + 4C/22 AWG + 4C/18 AWG + 6C/22 AWG Shielded- Bundled- UL CM PVC Jkt- 500ft Spool	GN YL	\$599.95
ACC-1-P	2C/22 AWG + 4C/22 AWG + 4C/18 AWG + 6C/22 AWG Shielded- Bundled - UL CMP Jkt- 500ft Spool	YL	\$808.50




DMX Lighting Control Bulk Cable



Specifications

- 1 Pair 24AWG Stranded, Twisted, and Shielded Cable NEC Type CM and CEC YPTE CMG FT4
- UL 444 Type (UL) CM, CMG/CL2 c(UL) EU RoHS 2011/65/EU Compliant.
- Supports USITT Standards for DMX512 and RS485 120Ω impedance.
- Low Capacitance.
- Descending feet and Zone/Outlet Jkt Markings.

Item#	Type	Color	Price
DX24/2-BK	DMX512/RS485 120Ω - 2C/24AWG STR TC (7x32) FPE (Blue/White), Dual Foil/Braid Shield w/Drain, UL CM PVC Jkt - 305m/1000ft Spool	BK	\$375.50
DX24/4-BK	DMX512/RS485 120Ω - 4C/24AWG STR TC (7x32) FPE (BL/WT, BK/RD), Dual Foil/Braid Shield w/Drain, UL CM PVC Jkt - 305m/1000ft Spool	BK	\$511.50




LED Strip Lighting Bulk Cable



Specifications

- UL 13, Type CL2/3R - EU RoHS 2011/65/EU Compliant

Item#	Type	Color	Price
14/6-RGBTW-BK	6C/14 AWG 41-Strand BC, LED RGB-TW Cable, Unshielded, UL CL2/3R FT4, PVC Jkt- 500ft Spool	BK	\$689.95
16/6-RGBTW-BK	6C/16 AWG 26-Strand BC, LED RGB-TW Cable, Unshielded, UL CL2/3R FT4, PVC Jkt- 500ft Spool	BK	\$454.50




KNX Certified EIB Bus Bulk Cable



Specifications

KNX is the approved worldwide standard for Home and Building Control. KNX is the world's only open Standard for control in both residential and commercial buildings. KNX recognition and certification is administered by the KNX Association. The SCP KNX Bus cable is officially "Recognized" by KNX.

Item#	Type	Color	Price
EIB-BUS-2X2-LSZH	LSZH - 2 PAIR, 20 AWG (0.8MM) SOL BC, AL FOIL SH, CE EN50575 Dca-s1,d1,a1 LSZH - 1000ft/305m Spool	GN	\$499.95
EIB-BUS-2X2-P	Plenum Rated EIB Bus Cable- KNX Certified TP1 Reg: 820/22372/26 Plenum 2 PAIR, 20 AWG (0.8MM) SOL BC, AL FOIL SH, c(ETL)us CMP 5015458 - 1000ft/305m Spool	GN	\$569.95



Coaxial Bulk Cable

Item#	Type	Color	Price
RG6/U Quad Shield Coax - Solid Bare Copper (BC)			
ED RG6/UQ-P-ETL-WT	RG6/U QUAD SHIELD PLENUM 18 AWG BC 60%/40% Aluminum Braid, ETL - 1000 FT Spool- WHITE	WT	\$521.50
RG6/UQ-BC-XX RG6/UQ-BC-XX-5 RG6/UQ-BC-XX-SPL	RG6/U Quad Shield COAX 3.0 GHz 18 AWG BC, 60%/40% Aluminum Braid, UL CM, PVC JKT - Box or Spool	BK WT	1000ft: \$190.50 500ft: \$100.50
RG6/UQ-S-BC-WT	RG6/U Quad Shield Siamese Dual COAX 3.0GHz- 2x 18 AWG BC, 60%/40% Aluminum Braid- 500 FT Spool- WHITE	WT	\$132.95
RG6/U Quad Shield Coax - Solid Copper Clad Steel (CCS)			
RG6/UQ-CCS-BK-ETL-CMR	RG6/U Quad Shield 3.0 GHz 18 AWG CCS, 60%/40% Aluminum Braid, ETL CMR- 1000Ft Box- BLACK	WT	\$137.95
RG6/UQ-CCS-XX RG6/UQ-CCS-XX-5 RG6/UQ-CCS-XX-SPL	RG6/U Quad Shield COAX 3.0 GHz 18 AWG CCS, 60%/40% Aluminum Braid, UL CM, PVC JKT - Box or Spool	BK WT	1000ft: \$116.95 500ft: \$59.95
ED RG6/UQ-CCS-XX-ETL ED RG6/UQ-CCS-XX-5-ETL ED RG6/UQ-CCS-XX-ETL-SPL	RG6/U Quad Shield COAX 3.0 GHz 18 AWG CCS, 60%/40% Aluminum Braid, UL CM, PVC Jkt - Box or Spool	BK WT	1000ft: \$111.95 500ft: \$56.95
RG6/UQ-S-CCS-WT	RG6/U Quad Shield Siamese Dual COAX- 3.0GHz, 2x 18 AWG CCS 60%/40% Aluminum Braid- 500 FT Spool	WT	\$132.95
RG6/U Tri Shield Coax			
RG6/U-T-CCS-WT-500	RG6/U Tri Shield COAX- PVC Jkt- WHITE- 500FT Box	WT	\$132.95
RG6/U Dual Shield Coax - Solid Bare Copper (BC)			
RG6/UQ-CCS-XX RG6/UQ-CCS-XX-5	RG6/U CATV COAX 3.0 GHz 18 AWG BC, Aluminum Foil, 60% Aluminum Braid, UL CM, EN50575:2014 Eca, PVC Jkt	BK WT	1000ft: \$149.95 500ft: \$80.50
RG6/U-BC-MES	RG6/U CATV COAX 3.0 GHz 18 AWG BC, Aluminum Foil, 60% Aluminum Braid W/ Messenger- UL CM PVC Jkt- Black- 500ft Reel-in Box	BK	\$98.95
RG6/U-S-BC-BK	RG6/U Siamese (Shotgun) Dual Shield CATV Coax 75Ohm, 18 AWG BC, AL Foil, 60% AL Braid, UL CM, PVC Jkt- Black - 500ft/152mm Reel-in Box	BK	1000ft: \$111.95 500ft: \$56.95
RG6/U Dual Shield Coax - Solid Copper Clad Steel (CCS):			
RG6/U-P	RG6/U Plenum CATV 18 AWG CCS 60% Aluminum Braid - 1000ft Spool	WT	\$529.50
RG6/U-P-ETL-WT	RG6/U Dual Shield Plenum Coax -18 AWG CCS, 60% Aluminum Braid, ETL, CMP Jkt- White -1000ft Spool	WT	\$495.95
ED RG6/U-CCS-XX RG6/U-CCS-XX-5 RG6/U-CCS-XX-SPL	RG6/U Dual Shield CATV Coax 75Ohm, 18 AWG CCS, Aluminum Foil, 60% Aluminum Braid, UL CM, PVC Jkt - Box or Spool	BK WT	1000ft: \$95.95 500ft: \$49.50
ED RG6/U-CCS-XX-ETL ED RG6/U-CCS-XX-5-ETL ED RG6/U-CCS-XX-ETL-SPL	RG6/U Quad Shield COAX 3.0 GHz 18 AWG CCS, 60%/40% Aluminum Braid, UL CM, PVC Jkt - Box or Spool	BK WT	1000ft: \$88.50 500ft: \$46.50
RG6/U-S-CCS-BK-RIB	RG6/U Siamese Dual COAX CATV 2x 18 AWG CCS 60% Aluminum Braid - BLACK - 500 FT Reel-in Box	WT	\$132.95

SCP - Bulk Cable - Coax

Item#	Type	Color	Price
RG6/U 95% Coax			
RG6/U95-BK	RG6/U CCTV 18 AWG BC 95% BC Braid- 1000ft Box	BK	\$322.50
RG6/U95-S-BK RG6/U95-S-BK-500	RG6/U CCTV Coax Siamese- 18 AWG BC, 95% BC Braid + 2C/18 AWG PWR- 1000 Ft Spool	BK	1000ft: \$508.50 500ft: \$263.50
RG11/U Coax			
RG11/U	RG11/U Coax 3.0GHz 14 AWG CCS, 60% Al Braid- Black- 1000 Ft Spool	BK	\$239.50
RG11/U-DB	Rg11/U 14awg CCS Foil+60%Al Braid Direct Burial Flooded - PE Jacket - 1000 Ft Spool	BK	\$265.50
RG59/U 95% BC Braid - Non-plenum			
RG59/U95-BK RG59/U95-WT	RG59/U Coax CCTV 20 AWG BC, 95% BC Braid, CM Rating-1000 Ft Reel-in-Box	BK WT	\$132.95
RG59/U95-S-BK RG59/U95-S-BK-5 RG59/U95-S-BK-5-RIB RG59/U95-S-WT RG59/U95-S-WT-5-RIB	RG59/U Siamese Coax CCTV- 20 AWG BC, 95% BC Braid + 18/2 PWR	BK WT	1000ft: \$340.50 500ft: \$170.50
RG59/U Dual Copper Shield - Plenum			
RG59/U95-S-P	RG59/U Siamese Plenum- 20 AWG BC, 95% BC Braid + 18/2 PWR, CMP Rating- 1000 FT Spool	WT	\$661.50
RG59/U CCA Braid - Non-plenum			
RG59/U-CCA-BK-RIB RG59/U-CCA-BK-5-RIB RG59/U-CCA-WT-5-RIB	RG59/U Coax CCTV 20 AWG BC, 95% Braid, FR-PVC JKT Reel-in-Box	BK WT	1000ft: \$340.50 500ft: \$170.50
RG59/U-S-CCA-BK-5-RIB RG59/U-S-CCA-WT RG59/U-S-CCA-WT-5-RIB	RG59/U Siamese 20 AWG 95% CCA Braid + 18/2 PWR- Reel-in-Box	BK WT	1000ft: \$266.50 500ft: \$137.95
RG59/U CCA Braid - Direct Burial:			
RG59/U-S-DB RG59/U-S-DB-500	RG59/U Siamese Direct Burial 20 AWG BC, 95% Braid + 18/2 PWR	BK	1000ft: \$474.95 500ft: \$242.50
RG59/U CCA Braid - Direct Burial:			
ED RG6/UQ-DB	RG6/U Quad Shield Coax Direct Burial- 18 AWG BC 60%/40% Aluminum Braid, Gel Filled, Direct Burial LLDPE Jacket -1000 Ft/305m Spool	BK	\$209.95
ED RG6/UQ-DB-CCS	RG6/U Quad Shield Direct Burial 18 AWG CCS 60%/40% Aluminum Braid, Gel Filled, PE Jacket - 1000 Ft Spool	BK	\$185.95
ED RG6/U-DB	RG6/U 3.0 GHz CATV Direct Burial 18 AWG CCS 60% Aluminum Braid, Gel Filled, PE Direct Burial Jacket - 1000 Ft Spool	BK	\$134.95

Follow Us on Social Media!



Facebook




Instagram



Linkedin



Youtube



Electrical Low Voltage Bulk Cable


Item#	Type	Color	Price
Lighting/Ballast Control Cables			
ED 18/2DC-WT-1000	2C/18 AWG Solid BC- Low Voltage LED Dimmer Cable- Violet/Gray conductors, CMR PVC Jacket - White- 1000ft Spool	WT	\$204.95
ED 18/2DC-P-WT-1000	2C/18 AWG Solid BC- Plenum - Low Voltage LED Dimmer Cable- Violet/Gray conductors, CMP Jacket - White- 1000ft Spool	WT	\$258.95
ED 16/2DC-WT-1000	2C/16 AWG Solid BC - Low Voltage LED Dimmer Cable- Violet/Gray conductors, CMR PVC Jacket - White- 1000ft Spool	WT	\$296.50
ED 16/2DC-P-WT-1000	2C/16 AWG Solid BC- Plenum - Low Voltage LED Dimmer Cable- Violet/Gray conductors, CMP Jacket - White- 1000ft Spool	WT	\$332.50
Landscape Wire			
ED 14/2L-500	14/2C Landscape Lighting Cable 500ft spool	BK	\$342.95
ED 12/2L-500	2C/12 AWG Lighting Cable- 500FT	BK	\$550.50
ED 10/2L-500	2C/10 AWG Lighting Cable - Low Voltage Landscape- Siamese- Direct Burial - 500Ft Spool	BK	\$764.50
Thermostat Cables			
20/2T-500	2C/20 AWG Solid Thermostat Cable, PVC - 500 FT SPOOL	BR	\$59.50
20/3T-500	3C/20 AWG Solid Thermostat Cable, PVC - 500 FT SPOOL	BR	\$96.95
18/2T 18/2T-WT	2C/18 AWG Solid Thermostat Cable, PVC - 500 FT SPOOL	WT BR	\$92.95
18/3T 18/3T-WT	3C/18 AWG Solid Thermostat Cable, PVC - 500 FT SPOOL	WT BR	\$134.95
18/4T 18/4T-WT	4C/18 AWG Solid Thermostat Cable, PVC - 250 FT SPOOL	WT BR	\$92.50
18/5T 18/5T-WT	5C/18 AWG Solid Thermostat Cable, PVC - 250 FT SPOOL	WT BR	\$104.50
18/6T 18/6T-WT	6C/18 AWG Solid Thermostat Cable, PVC - 250 FT SPOOL	WT BR	\$134.50
18/8T 18/8T-WT	8C/18 AWG Solid Thermostat Cable, PVC - 250 FT SPOOL	WT BR	\$170.50
18/10T 18/10T-WT	10C/18 AWG Solid Thermostat Cable, PVC - 250 FT SPOOL	WT BR	\$212.95



SCP-EasyFiber™ Ultra Bendable Bulk Cable


Item#	Type	Color	Price
SCP-EasyFiber™ Multimode OM3 50/125, 10G Rated, UL Riser Rated OFNR			
EF-OM3R-DUP-AQ	Duplex Zip OM3 Riser - w/Corning® ClearCurve® - Duplex Zip 10G Multimode OM3 50/125, 2.0mm, UL Riser OFNR, 1000ft/305m Reel-in-Box	AQ	\$323.95
EF-OM3R-4DIST-AQ	4 Strand OM3 Riser w/Corning® ClearCurve® - 4 Strand Tight Buffered Distribution, 10G Multimode OM3 50/125, UL Riser OFNR, 1000ft/305m Reel-in-Box	AQ	\$488.50
EF-OM3R-6DIST-AQ EF-OM3R-6DIST-AQ500	6 Strand OM3 Riser 10G Multimode, ITU-T G.651.1, UL E329066 OM3 50/125 Distribution OFNR, IEC 60793-2-10 A1a.2, TIA-492AAAC	AQ	1000ft: \$617.50 500ft: \$316.50
EF-OM3R-12DIST-AQ500	2C/16 AWG Solid BC- Plenum - Low Voltage LED Dimmer Cable- Violet/Gray conductors, CMP Jacket - White- 1000ft Spool	AQ	\$667.50
SCP-EasyFiber™ Multimode OM3 50/125, 10G Rated, UL Plenum Rated OFNP, Indoor/Outdoor Rated			
EF-OM3P-2DIST-BK	2 Strand OM3 Plenum w/Corning® ClearCurve® - Tight Buffered Distribution 10G Multimode OM3 50/125, UL Plenum OFNP, Indoor/Outdoor UV Sun Res Jacket, 1000ft/305m Reel-in-Box	BK	\$314.95
EF-OM3P-4DIST-BK	4 Strand OM3 Plenum Bend Insensitive SCP-EasyFiber™ w/Corning® ClearCurve® - Tight Buffered Distribution, 10G Multimode OM3 50/125, UL Plenum OFNP, Indoor/Outdoor UV Sun Res Jacket, 1000ft/305m Reel-in-Box	BK	\$662.50
EF-OM3P-6DIST-BK	6 Strand OM3 Plenum w/Corning® ClearCurve® - Tight Buffered Distribution, 10G Multimode OM3 50/125, UL Plenum OFNP, Indoor/Outdoor UV Sun Res Black Jacket, 1000ft/305m Reel in Box	BK	\$1,034.95
EF-OM3P-12DIST-BK EF-OM3P-12DIST-BK500	12 Strand OM3 Plenum w/Corning® ClearCurve® - Tight Buffered Distribution, 10G Multimode OM3 50/125, Indoor/Outdoor UV Sun Res Jacket	BK	1000ft: \$1,571.50 500ft: \$799.50
SCP-EasyFiber™ Single Mode OS2 Cables - OS2 9/125, UL Riser Rated OFNR			
EF-OS2R-SIM-WT	Simplex Drop OS2 w/Corning® SMF-28® Ultra - Single Mode OS2 9/125, 4.8mm, Indoor/Outdoor, UV Sun Res, 2000ft/610m Reel-in-Box	WT	\$305.95
EF-OS2R-DUP-YL	Duplex Zip OS2 Riser w/Corning® SMF-28® Ultra - Single Mode OS2 9/125, 2.0mm, 2000ft/610m Reel-in-Box	YL	\$435.95
EF-OS2R-6DIST-YL1000	6 Strand OS2 Riser - w/Corning® SMF-28® Ultra - Tight Buffered Distribution, Single Mode OS2 9/125, 1000ft/305m Reel-in-Box	YL	\$485.95
EF-OS2R-12DIST-YL1000	12 Strand OS2 Riser w/Corning® SMF-28® Ultra - Tight Buffered Distribution Single Mode OS2 9/125, 2.0mm, 1000ft/305m Reel-in-Box	YL	\$810.50
SCP-EasyFiber™ Single Mode OS2 Cables - OS2 9/125, UL Plenum Rated OFNP Indoor/Outdoor Rated			
EF-OS2P-2DIST-BK1000 EF-OS2P-2DIST-BK	2 Strand OS2 9/125 Plenum Single Mode G-657.A2, Tight Buffered Distribution, UL E329066 OS2 9/125 Distribution OFNP Indoor/Outdoor UV Sun Res	BK	1000ft: \$318.95 2000ft: \$635.50
EF-OS2P-6DIST-BK1000 EF-OS2P-6DIST-BK	6 Strand OS2 Plenum w/Corning® SMF-28® Ultra - Tight Buffered Distribution, Single Mode OS2 9/125, Indoor/Outdoor UV Sun Res Jacket	BK	1000ft: \$599.50 2000ft: \$1,198.50
EF-OS2P-12DIST-BK1000	12 Strand OS2 Plenum w/Corning® SMF-28® Ultra - Tight Buffered Distribution, Single Mode OS2 9/125, Indoor/Outdoor UV Sun Res Jacket 1000ft/305m	BK	\$998.95
SCP-EasyFiber™ Single Mode OS2 Cables - OS2 9/125, Direct Burial Rated			
EF-OS2-2LT-DB	Direct Burial/Outdoor 2 Strand OS2 9/125 Single Mode, Loose Tube, G-657. A2, Gel Filled UV Sun Res PE Jacket, Rodent Resistant -1000ft/305m Spool	BK	\$370.50
EF-OS2-6LT-DB	Direct Burial/Outdoor 6 Strand OS2 9/125 Single Mode, Loose Tube, G-657. A2, Gel Filled UV Sun Res PE Jacket, Rodent Resistant - 1000ft/305m Spool	BK	\$559.50






Fire Alarm Bulk Cable

Item#	Type	Color	Price
Unshielded FPLR 300V 75°C			
ED 22/4FPLR-XXXX	4C/22 AWG SOLID BC, FPLR, UL	RD	1000ft: \$164.95 500ft Box: \$86.95 500ft Coil: \$82.50
22/6FPLR	6C/22 AWG SOLID BC FPLR, UL, RED JKT- 500 FT BOX	RD	\$239.95
ED 18/2FPLR-XXXX	2C/18 AWG SOLID FPLR PVC - Available in Box or Spool	RD WT	1000ft: \$186.95 500ft: \$96.95
18/2FPLR-STR-RIB	2C/18 AWG Stranded BC, UL FPLR PVC - 1000ft Reel-in-Box	RD	\$201.95
ED 18/4FPLR-XXXX	4C/18 AWG SOLID FPLR PVC - Available in Box or Spool	RD WT	1000ft: \$345.95 500ft: \$173.95
18/4FPLR-STR-RIB	4C/18 AWG Stranded BC, UL FPLR PVC - 1000ft Reel-in-Box	RD	\$353.50
ED 16/2FPLR-XXXX	2C/16 AWG SOLID FPLR PVC	RD BL GN WT	1000ft: \$288.95 500ft: \$149.50
16/4FPLR	4C/16 AWG SOLID FPLR PVC- 1000 FT SPOOL	RD	\$549.95
ED 14/2FPLR-XXXX	2C/14 AWG SOLID FPLR PVC	RD BL OR	1000ft: \$442.50 500ft: \$224.95
ED 14/4FPLR	4C/14 AWG SOLID FPLR PVC- 1000 FT SPOOL	RD	\$892.50
ED 12/2FPLR	2C/12 AWG SOLID FPLR PVC- 1000 FT SPOOL	RD	\$707.95
Shielded FPLR 300V 75°C			
ED 18/2FPLR-SH	2C/18 AWG SOLID FPLR SHIELDED PVC - 1000 FT SPOOL	RD	\$227.50
ED 18/4FPLR-SH	4C/18 AWG SOLID FPLR SHIELDED PVC - 1000 FT SPOOL	RD	\$399.95
ED 16/2FPLR-SH-XX	2C/16 AWG SOLID FPLR SHIELDED PVC- 1000 FT SPOOL	RD WT	\$344.95
ED 16/4FPLR-SH	4C/16 AWG SOLID FPLR SHIELDED PVC - 1000 FT SPOOL	RD	\$611.50
Unshielded FPLP (Plenum) 300V 75°C			
ED 18/2FPLP	2C/18 AWG SOLID FPLP PLENUM - 1000 FT SPOOL	RD	\$217.50
ED 18/4FPLP-XXXX	4C/18 AWG SOLID FPLP PLENUM	RD	1000ft: \$365.50 500ft: \$188.50
ED 16/2FPLP-XXXX	2C/16 AWG SOLID BC FPLP PLENUM	RD BL GN WT	1000ft: \$186.95 500ft: \$96.95
ED 16/4FPLP-XXXX	4C/16 AWG SOLID FPLP PLENUM	RD	1000ft: \$587.50 250ft: \$155.50
ED 14/2FPLP-XXXX	2C/14 AWG SOLID FPLP PLENUM	RD BL YL	1000ft: \$493.50 500ft: \$266.95
ED 14/4FPLP	4C/14 AWG SOLID FPLP PLENUM- RED- 1000 FT SPOOL	RD	\$934.50
ED 12/2FPLP	2C/12 AWG SOLID BC FPLP PLENUM - 1000 FT SPOOL	RD	\$733.50
Shielded FPLP (Plenum) 300V 75°C			
ED 18/2FPLP-SH	2C/18 AWG SOLID FPLP SHIELDED PLENUM - 1000 FT SPOOL	RD	\$257.50
ED 18/4FPLP-SH	4C/18 AWG SOLID FPLP SHIELDED PLENUM - 1,000 FT SPOOL	RD	\$431.50
ED 16/2FPLP-SH-XX	2C/16 AWG SOLID FPLP SHIELDED PLENUM - 1000 FT SPOOL	RD WT	\$372.95
ED 16/4FPLP-SH	4C/16 AWG SOLID FPLP SHIELDED PLENUM- 1000 FT SPOOL	RD	\$680.95
ED 14/2FPLP-SH	2C/14 AWG SOLID FPLP SHIELDED PLENUM- 1000 FT SPOOL	RD	\$491.95



Multipurpose - Audio, Communications, & Control Bulk Cable

Item#	Type	Color	Price
Balanced Line Level Audio			
ED 22/2ESH	2C/22 AWG TC TWISTED PAIR BLACK/RED, AL FOIL SHIELD W/DRAIN, UL CL2R, EN50575:2014 Eca, HD PVC JKT - 1000ft/305m	GY	\$158.95
ED 22/4EPSH	4C/22 AWG TC TWISTED PAIR, EACH PAIR AL FOIL SHIELD W/DRAIN, UL CL2R, EN50575:2014 Eca, PVC JKT - 1000ft/305m	GY	\$311.95
Non-Plenum - Riser Unshielded			
ED 18/2-GY-XXXX	2C/18 AWG BC 16-Strand Unshielded Security/Audio, UL CMR, PVC JKT- Gray- 1000 FT Box	GY WT	1000ft: \$183.95 500ft Box: \$95.50 500ft Coil: \$93.95
ED 18/3-GY	3C/18 AWG BC 16-Strand Unshielded Security/Audio , UL CMR, PVC Jkt- 1000ft/305m	GY	\$662.50
ED 18/4-XXXX	4C/18 AWG BC 16-Strand Unshielded Security/Audio , UL CMR, PVC JKT - 1000 FT Box	GY WT	1000ft: \$348.95 500ft Box: \$178.50
ED 18/6-GY-XX	6C/18 AWG STRANDED BC, SECURITY , PVC JKT	GY	1000ft: \$560.50 500ft: \$283.50
ED 16/2-GY	2C/16 AWG BC 26 Strand, Unshielded Multipurpose, UL CMR, PVC JKT - 1000ft - Box or Spool	GY	\$295.50
ED 16/4-GY-SPL	4C/16 AWG BC Stranded, Unshielded Multipurpose, UL CMR, PVC JKT - 1000ft	GY	\$563.50
ED 14/2-GY	2C/14 AWG 19-Strand BC, Unshielded Multipurpose, UL CMR, PVC - 1000ft	GY	\$477.95
ED 14/4-GY	4C/14 AWG 19-Strand BC, Unshielded Multipurpose, UL CMR PVC- Gray - 1000ft Spool	GY	\$899.95
Non-Plenum - Riser Shielded			
ED 22/2SH-GY	2C/22 AWG Stranded BC, Shielded, Multipurpose/Security , UL CMR PVC Jkt	GY	\$125.50
ED 22/4SH-GY-XXX	4C/22 AWG Stranded BC, Shielded, Multipurpose/Security , UL CMR PVC Jkt	GY	1000ft: \$206.95 500ft: \$110.95
ED 22/6SH-XX-XXX	6C/22 AWG Stranded BC, Shielded, Multipurpose/Security , UL CMR PVC Jkt	GY WT	1000ft: \$266.95 500ft: \$136.50
ED 22/8SH-GY	8C/22 AWG STRANDED SHIELDED w/DRAIN, PVC- 1000ft	GY	\$368.95
ED 18/2SH-GY	2C/18 AWG Stranded BC, Shielded, Multipurpose, UL CMR PVC Jkt - 1000 FT	GY	\$222.95
ED 18/3SH-GY	3C/18 AWG BC 16-Strand Overall AL Foil Shield w/Drain, Security/Audio, UL CMR, PVC Jkt - 1000ft/305m	GY	\$297.95
ED 18/4SH-GY-XXX	4C/18 AWG Stranded BC, Shielded, Multipurpose, UL CMR PVC Jkt	GY	1000ft: \$411.95 500ft: \$211.50
ED 18/8SH-GY	8C/18 AWG Stranded BC, Shielded, Multipurpose, UL CMR PVC Jkt - 1000ft	GY	\$815.95
ED 16/2SH-GY	2C/16 AWG 26-Strand BC, Shielded, Multipurpose, UL CMR PVC Jkt - 1000ft	GY	\$335.95
ED 16/4SH-GY	4C/16 AWG STRANDED SHIELDED PVC - 1000ft	GY	\$633.95
ED 14/2SH-GY	2C/14 AWG 19-Strand BC, Shielded, Multipurpose, UL CMR PVC Jkt - 1000ft	GY	\$563.95
ED 14/4SH-GY	4C/14 AWG STRANDED BC, SHIELDED, PVC JKT - 1000ft	GY	\$1,028.95



Multipurpose - Audio, Communications, & Control Bulk Cable

Item#	Type	Color	Price
Plenum - Unshielded			
ED 22/2P	2C/22 AWG STRANDED BC, SECURITY CABLE, UL CMP PLENUM JKT - 1000ft/305m	WT	\$130.50
ED 22/4P-XXX	4C/22 AWG Stranded BC, Plenum, UL CMP/CL3P, Jkt - 1000ft/305m	WT	1000ft: \$214.50 500ft: \$109.50
ED 22/6P-XXX	6C/22 AWG Stranded BC, Plenum, UL CMP/CL3P, Jkt - 1000ft/305m Spool	WT	1000ft: \$295.50 500ft: \$149.95
ED 18/2P-XXX	2C/18 AWG Stranded BC, Plenum, UL CMP FT6, Jacket - 1000ft/305m Spool	WT	1000ft: \$222.95 500ft: \$114.95
ED 18/3P	3C/18 AWG BC 16-Strand Plenum Rated Multipurpose Security/Audio Cable, UL CMP/CL3P Jkt- White - 1000ft/305m Spool	WT	\$299.95
ED 18/4P-XXX	Plenum 4C/18 AWG Stranded BC Unshielded, Security-Audio-Alarm, UL CMP/CL3P FT6 FPLP, Jkt	WT	1000ft: \$413.50 500ft: \$207.95
ED 18/6P	6C/18 AWG Stranded BC, Plenum, UL CMP/CL3P, Jkt - 1000ft/305m Spool	WT	\$614.50
ED 18/8P	8C/18 AWG Stranded BC, Plenum, UL CMP/CL3P, Jkt - 1000ft/305m Spool	WT	\$770.95
ED 16/2P-XX	2C/16AWG Plenum, 26 Strand BC, UL CMP FT6, Jacket - 1000ft/305m Spool	WT BK	\$362.95
ED 16/4P-XX	4C/16AWG Stranded (19) BC, Plenum, UL CMP FT6, Jkt - 1000ft/305m Spool	WT BK	\$637.50
ED 14/2P-XXX	2C/14 AWG Stranded (19) BC, Plenum, UL CMP FT6 - 1000ft/305m Spool	WT BK	\$539.95
ED 14/4P-XX	4C/14 AWG Stranded (19) BC, Plenum, UL CMP FT6, - 1000ft/305m Spool	WT BK	\$967.50
ED 12/2P-XX	2C/12 AWG Stranded BC, Plenum, UL CMP FT6 - 1000ft/305m Spool	WT BK	\$838.50
Plenum - Shielded			
ED 22/2SHP	2C/22 AWG Stranded BC, Shielded w/Drain, Plenum, UL CMP/CL3P - 1000ft/305m	WT	\$163.50
ED 22/4SHP	4C/22 AWG Stranded BC, Shielded w/Drain, Plenum, UL CMP/CL3P - 1000ft/305m Box	WT	\$254.95
ED 22/6SHP-XX	6C/22 AWG Stranded BC, Shielded w/Drain, Plenum, UL CMP/CL3P - 1000ft/305m	WT	1000ft: \$333.95 500ft: \$170.95
ED 22/8SHP	8C/22 AWG Stranded BC, Shielded w/Drain, Plenum, UL CMP/CL3P - 1000ft/305m	WT	\$399.95
ED 18/2SHP	2C/18 AWG Stranded BC, Shielded w/Drain, Plenum, UL CMP/CL3P - 1000ft/305m	WT	\$260.95
ED 18/3SHP-WT	3C/18 AWG Stranded BC, Shielded w/Drain, Plenum, UL CMP/CL3P - 1000ft/305m	WT	\$345.95
ED 18/4SHP-XX	4C/18 AWG Stranded BC, Shielded w/Drain, Plenum, UL CMP/CL3P - 1000ft/305m	WT	1000ft: \$449.95 500ft: \$227.50
ED 18/6SHP	6C/18 AWG Stranded BC, Shielded w/Drain, Plenum, UL CMP/CL3P - 1000ft/305m	WT	\$629.95
ED 16/2SHP	2C/16 AWG Stranded (19) Shielded w/Drain, Plenum, UL CMP/CL3P FT6 - 1000ft/305m	WT	\$406.50
ED 16/4SHP	4C/16 AWG STRANDED SHIELDED PLENUM - 1000ft	WT	\$683.95
ED 14/2SHP	2C/14 AWG Stranded BC, Shielded w/Drain, Plenum, UL CMP/CL3P, Jkt - 1000ft/305m	WT	\$607.50




Security & Burglar Alarm Bulk Cable

Item#	Type	Color	Price
Stranded Copper - Non Plenum - Riser Unshielded Coil Packs			
ED 22/2COIL-XX	2C/22 AWG STRANDED BC COIL PACK, UL CMR PVC JKT - 500 FT COIL	BK BL GN GY OR BN BE WT YL	500ft: \$44.50 1000ft (WT): \$89.50
ED 22/4COIL-XX	4C/22 AWG STRANDED BC, COIL PACK, UL CMR PVC JKT - 500 FT COIL	BK OR BN GY WT YL BL GN	\$82.50
Solid Copper - Non Plenum - Riser Unshielded Coil Packs			
ED 22/2SOL-COIL-XX	2C/22 AWG Solid BC, Security Cable, UL CMR PVC Jkt - 500 Ft Coil Pack	GY OR BN BE WT YL BL GN	\$41.95
ED 22/4SOL-COIL-XX	4C/22 AWG SOLID COPPER PVC COIL PACK - 500 FT	BK BL GN GY OR BN BE WT YL	\$78.95
Stranded Copper - Non-Plenum - Riser Unshielded			
22/2-XX	2C/22 AWG STRANDED BC, UL CMR PVC JKT	GY WT	1000ft: \$84.95 500ft: \$42.95
22/2ZIP-1000	2C/22 AWG Stranded BC Unshielded, ZIP Cable (side x side construction), Multipurpose, UL CMR PVC Jkt - 1000 Ft Box	WT	\$117.95
22/2SOL-WT	2C/22 AWG Solid BC Unshielded, Multipurpose Security Cable, UL CMR PVC Jkt	WT	1000ft: \$ \$83.50 500ft: \$41.50
22/4-XX	4C/22 AWG 7-Strand BC, Unshielded Multipurpose Security & Alarm Cable, UL CMR PVC Jkt	GY WT	1000ft: \$137.50 500ft: \$73.50
22/4SOL-WT	4C/22 AWG SOLID COPPER PVC	WT	1000ft: \$154.50 500ft: \$81.95
22/6-GY	6C/22 AWG 7-Strand BC, Unshielded Multipurpose Security & Alarm Cable, UL CMR PVC Jkt	GY WT	1000ft: \$245.50 500ft: \$128.50
22/8-GY	8C/22 AWG 7-Strand BC, Unshielded Multipurpose Security & Alarm Cable, UL CMR PVC Jkt- Gray - 1000 Ft Box	GY	1000ft: \$332.50 500ft: \$168.95
22/10-500	10C/22 AWG 7 Strand BC Multipurpose Security/Alarm Cable, UL CMR, PVC Jkt - 500 Ft Spool	WT	\$249.95
22/12-500	"12C/22 AWG 7-Strand BC Multipurpose Security/Alarm Cable, UL CMR PVC Jkt - 500 Ft Spool	WT	\$284.95




Bulk Speaker Cable

Item#	Type	Color	Price
Stranded Copper - Non Plenum - Riser Unshielded Coil Packs			
12/2OFC-HD-XX	Indoor/Outdoor Pro Grade Speaker Cable - 2c/12 AWG 65 Strand OFC, Sun Res HD PVC JKT, UL CMR - 500 Ft/152m Reel In Box	BK WT	\$479.50
12/4OFC-HD-XX	Indoor/Outdoor Pro Grade Speaker Cable- 4C/12 AWG 65 Strand OFC, Sun Res HD PVC Jkt - 500 Ft/152m Spool	BK WT	\$895.50
14/2OFC-HD-BK	Pro Grade Indoor/Outdoor Speaker Cable- 2C/14 AWG 105 Strand Oxygen Free Copper, UL CMR, EN50575:2014 Eca Sun Res HD PVC Jkt - 500 Ft/152m Box	BK WT PUR	\$289.50
14/4OFC-HD-BK	Indoor/Outdoor Pro Grade Speaker Cable- 4C/14 AWG 105 Strand Oxygen Free Copper, UL CMR, EN50575:2014 Eca, Direct Bury/Sun Res HD PVC Jkt - 500ft/152m Reel In Box	BK WT PUR	\$523.50
16/2OFC-HD-BK	Indoor/Outdoor Pro Grade Speaker Cable- 2C/16 AWG 65 Strand Oxygen Free Copper, UL CMR, EN50575:2014 Eca, Direct Bury/Sun Res HD PVC Jkt - 500ft/152m Box	BK WT PUR	\$178.50
16/4OFC-HD-BK	Indoor/Outdoor Pro Grade Speaker Cable - 4C/16 AWG 65 Strand OFC, UL CMR, Sun Res HD PVC Jkt - 500ft/152m Box	BK WT PUR	\$322.50
In-Wall Series UL			
ED 12/2OFC-WT	2C/12 AWG 65 Strand Oxygen Free Copper, UL CMR PVC JKT - 500ft/152m Box	WT	\$435.95
ED 12/4OFC-WT	4C/12 AWG 65 Strand Oxygen Free Copper, EN50575:2014 Eca, UL CMR PVC JKT - 500ft/152m Spool	WT	\$815.50
ED 14/2OFC-XX	2C/14 AWG 105 Strand Oxygen Free Copper, - UL CMR, PVC JKT - 500ft/152m Box	BK WT PUR	\$244.50
ED 14/4OFC-XX	4C/14 AWG 105 Strand Oxygen Free Copper, UL CMR, PVC JKT- 500ft/152m Box	BK WT PUR	\$482.95
ED 16/2OFC-XX	2C/16 AWG 65 Strand Oxygen Free Copper, UL CMR, PVC JKT	BK WT PUR	1000ft: \$293.95 500ft: \$156.95
ED 16/4OFC-XX	4C/16 AWG 65 Strand Oxygen Free Copper, UL CMR, EN50575:2014 Eca, PVC JKT - 500 FT/152M BOX	WT PUR	\$288.95
In-Wall Series ETL:			
12/2OFC-ETL-WT	2C/12AWG 65 Strand Oxygen Free Copper Standard, ETL CMR, PVC Jacket - 500ft/152m Spool	WT	\$413.95
14/2OFC-ETL-XX	2C/14AWG 105 Strand Oxygen Free Copper Standard, ETL CMR, PVC Jacket - 500ft/152m Box	BK WT	\$236.95
14/4OFC-ETL-XX	4C/14AWG 105 Strand Oxygen Free Copper Standard, ETL CMR, PVC Jacket- Black - 500ft/152m Spool	BK WT	\$467.95
16/2OFC-ETL-XX	2C/16 AWG 65 Strand Oxygen Free Copper Standard, ETL CMR, PVC Jacket- Black - 500ft/152m Box	BK WT	\$148.50
16/4OFC-ETL-XX	4C/16 AWG 65 Strand Oxygen Free Copper Standard, ETL CMR, PVC Jacket- Black - 500ft/152m Box	BK WT	\$280.50
Contractor Series			
14/2SP-41-YL	2C/14 AWG 41 Strand Speaker Cable, PVC Jkt	YL	1000ft: \$470.95 500ft: \$242.95
14/4SP-41-YL	4C/14 AWG 41 Strand Speaker Cable, PVC JKT - 500ft Box	YL	\$470.95
16/2SP-26-XX	2C/16 AWG 26 Strand Speaker Cable - 500ft Box	BL	1000ft: \$288.95 500ft: \$155.50
16/4SP-26-XX	4C/16 AWG 26 Strand BC Standard Speaker Cable, EN50575 Eca, PVC Jkt	BK WT	\$288.95



Direct Burial Speaker Cable

Item#	Type	Color	Price
Landscape / Direct Burial ProSeries Speaker Cables			
ED 12/2SP-DB	Direct Burial Speaker Cable- 2C/12AWG 65 Strand Oxygen Free Copper, Gel Filled, LLDPE Jkt- Black- 1000ft/305m Spool	BK	\$972.95
ED 14/2SP-DB-500	Direct Burial Speaker Cable- 2C/14AWG 105 Strand Oxygen Free Copper, Gel Filled, UV Sun Res, Outdoor Installs, LLDPE JKT - 500FT/152M Spool	BK	\$280.50
14/2SP-DBWBT-500	Direct Burial Speaker Cable w/Water Block Tape - 2C/14awg 105 Strand OFC, UV Sun Res, Outdoor Installs, LLDPE Jkt - 152m/500ft Spool	BK	\$259.50
ED 14/4SP-DB-GEL	Direct Burial Speaker Cable- 4C/14 AWG 105 Strand OFC, Gel Fill, UV Sun Res, Outdoor Installs, LLDPE JKT	BK	1000ft: \$1,004.50 500ft: \$535.50
14/4SP-DBWBT-500	Direct Burial Speaker Cable w/Water Block Tape - 4C/14awg 105 Strand OFC, UV Sun Res, Outdoor Installs, LLDPE Jkt - 152m/500ft Spool	BK	\$515.50
Unshielded Direct Burial - Multi-Purpose			
ED 14/4DB	4C/14 AWG 105 Strand BC, Direct Burial Cable, WBT, UV Sun Res, Outdoor Installs, LLDPE Jkt	BK	1000ft: \$997.50 500ft: \$506.95
ED 16/2DB	2C/ 16 AWG 65 STRAND DIRECT BURIAL, WBT, UV SUN RES, OUTDOOR INSTALLS, LLDPE JKT	BK	\$367.50
ED 16/4DB	4C/16 AWG 65 STRAND BC, DIRECT BURIAL, WBT, UV SUN RES, OUTDOOR INSTALLS, LLDPE JKT	BK	1000ft: \$700.50 500ft: \$356.95
ED 18/2DB-500	2C/18AWG STRANDED BC DIRECT BURIAL, WBT, UV SUN RES, OUTDOOR INSTALLS, LLDPE JKT- BLACK- 500 FT SPOOL	BK	\$143.95
Shielded Direct Burial - Multi-Purpose			
ED 12/2SHDB	Shielded Direct Burial Cable- 2C/12 AWG 65 Strand OFC, Al Foil, Drain, WBT, UV Sun Res, Outdoor Installs, LLDPE Jkt	BK	\$1,031.50
ED 14/2SHDB	Shielded Direct Burial Speaker Cable- 2C/14 AWG 105 Strand OFC Shielded W/Drain- WBT, UV Sun Res, Outdoor Installs, LLDPE Jkt	BK	1000ft: \$594.95 500ft: \$299.95
ED 16/2SHDB	Shielded Direct Burial Speaker Cable- 2C/16 AWG 65 Strand OFC, WBT, UV Sun Res, Outdoor Installs, LLDPE JKT	BK	1000ft: \$403.50 500ft: \$206.50
ED 18/2SHDB	2C/18 AWG BC Stranded Shielded Direct Burial, WBT, Al Foil, UV Sun Res, Outdoor Installs, LLDPE Jkt - 1000 FT SPOOL	BK	\$324.95
ED 18/4SHDB	4C/18 AWG BC Stranded, Shielded Direct Burial, Al Foil, WBT, UV Sun Res, Outdoor Installs, LLDPE JKT - 1000 FT Spool	BK	\$583.50
ED 18/6SHDB	6C/18 AWG BC Stranded Shielded Direct Burial, Al Foil, WBT, UV Sun Res, Outdoor Installs, LLDPE JKT - 1000ft Spool	BK	\$695.95



Structured Composite Cable

Item#	Type	Color	Price
New SCP EasyFiber® Composite Cables			
HNC-EF-1	Copper/Fiber Composite - (1) Cat6 UTP UL CMR (White) + (1) Simplex OS2 SCP EasyFiber w/Corning SMF-28 Ultra, UL OFNR (Yellow), Black Overall Jacket-1000ft/305m Spool	BK	\$404.50
ED HNC-EF-2	Copper/Fiber Composite - (2) Cat6 UTP UL CMR (White/Gray) + (1) Cat6a U/FTP UL CMR (Blue) + (1) RG6/UQ CCS + (1) 2-Strand Tight Buff Dist OM3 SCP EasyFiber w/Corning Clearcurve, UL OFNR (Aqua), Blue Overall Jacket-500ft/152m Spool	BL	\$1,005.95
HNC-EF-3	Copper/Fiber Composite - (2) Cat6 UTP UL CMR (White/Gray) + (1) Cat6a U/FTP UL CMR (Blue) + (1) 2-Strand Tight Buff Dist OM3 SCP EasyFiber w/Corning Clearcurve, UL OFNR (Aqua), Blue Overall Jacket-500ft/152m Spool	BL	\$938.50
ED HNC-1-XX	1x CAT5E 24 AWG UTP + 1x RG6/U QUAD SHIELD COAX BC- (SIAMESE)- 500 FT SPOOL	WT BL	1000ft: \$432.95 500ft: \$218.50
ED HNC-8	2x CAT6 23 AWG UTP + 2x RG6/U QUAD SHIELD COAX BC- (BUNDLED)- 500 FT SPOOL- BLUE	BL	\$635.95
ED HNC-10	4x CAT5E (HNCPRO) 24 AWG SOLID BC, 4PR, UTP (BUNDLED), EN50575:2014 Eca, UL CM, PVC JKT- BLACK- 500FT/305M SPOOL	BK	\$493.50
ED HNC-11	4x CAT6 (HNCPROPLUS) 23 AWG SOLID BC, 4PR, UTP (BUNDLED), EN50575:2014 Eca, UL CM, PVC JKT- BLACK- 500 FT/152M SPOOL	BK	\$634.50
ED HNC-15	1x CAT6 550 MHz 23 AWG SOLID BC 4PR, UTP + 1x RG6/U QUAD SHIELD COAX BC -SIAMESE, UL CM- PVC JKT - BLUE- 1000FT/305M SPOOL	BL	\$491.50
ED HNC-18	3x CAT6 (HNCPROPLUS) 23 AWG SOLID BC, UTP + 1x RG6/U QUAD SHIELD COAX BC - (BUNDLED)- EN50575:2014 Eca, UL CM, PVC JKT- BLUE- 500 FT/152M SPOOL	BL	\$569.95




Subscribe to Our Newsletter

Sign up to our newsletter to receive news, tips, and updates to expand your potential with SimplyBrands Products and services.

Ask The Expert

Scan this QR code to be connected via live chat with one of our product experts.





Europe Warehouse Inventory

Located in The Netherlands servicing the EMEA region.



Automation, Lighting & Control Bulk Cable



Item#	Type	Jacket/Color	Length
Lutron System Compatible Cables - Compliance: UL CM CL2/3, FT4 75C; EN50575 Dca & Eca; LSZH - IEC 60332-1-2; RoHS; UL 444			
LUT-BLUE-LSZH	2C/12AWG BC Str + 1C/18AWG BC Str + 2C/22AWG BC Str FPE Twisted Pair, Shielded w/Ground	LSZH - White w/Blue Stripe	152m/500ft Spool
LUT-GREEN-D-BX	2C/18AWG BC Str (BK,RD) + 2C/22AWG BC Str FPE, Twisted Pair (PUR, WT) Shielded w/Ground	PVC - White w/Green Stripe	305m/1000ft Box
LUT-GREEN-LSZHBL-XX	2C/18AWG BC Str (BK,RD) + 2C/22AWG BC Str HDPE, Twisted Pair (PUR, WT) Shielded w/Ground, 5.3mm OD	LSZH - Blue w/Green Stripe	305m/1000ft Box 305m/1000ft Spool
LUT-QS-LSZH	2C/16AWG BC Str + 2C/22AWG BC Str FPE, Twisted Pair, Shielded w/Ground	LSZH - White	305m/1000ft Spool 152m/500ft Spool
LUT-QS12-LSZH	2C/12AWG BC Str + 2C/22AWG BC Str FPE, Twisted Pair, Shielded w/Ground, Indoor/Outdoor UV Sun Res	UV Sun Res LSZH - Blue w/Orange Stripe	152m/500ft Spool
Lutron System Compatible Cables - Compliance: UL CM CL2/3, c(UL) FT4 75C; LSZH; EN50575 Dca EuroClass; RoHS			
CREST-1-D CREST-1-LSZH-TL	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str FPE, Twisted Pair, Shielded	PVC - Teal w/Yellow Stripe LSZH - Teal w/Yellow Stripe	305m/1000ft Spool
DMX System Compatible Cables - Compliance: Low Smoke Zero Halogen; EN50575 Dca EuroClass; RoHS			
DX24/2-LSZH-BK	DMX512/RS485 120Ω - 2C/24AWG STR TC (7x32) FPE (Blue/White), Dual Foil/Braid Shield w/Drain	LSZH- Black	305m/1000ft Spool
DX24/4-LSZH-BK	DMX512/RS485 120Ω - 4C/24AWG STR TC (7x32) FPE (Blue/White), Dual Foil/Braid Shield w/Drain	LSZH- Black	305m/1000ft Spool
KNX Cables - Compliance: EN50575 Dca-s1,d1,a1 EuroClass; IEC 60332-1-2; IEC 60754-1-2; IEC 61034-1-2; IEC 61156; RoHS			
EIB-BUS-2X2-LSZH	DMX512/RS485 120Ω - 2C/24AWG STR TC (7x32) FPE (Blue/White), Dual Foil/Braid Shield w/Drain	LSZH- Black	305m/1000ft Spool
Universal Control/Bus Cables - Compliance: UL CM CL2/3, c(UL) FT4 75C; LSZH; EN50575 Dca EuroClass; RoHS; Class 2/3 Low Voltage Power			
CTRL-1-D CTRL-1-LSZH	2C/18AWG BC Str w/Ground + 2C/22AWG BC Str FPE, Twisted Pair, Shielded	PVC - Yellow w/Red Stripe LSZH - Yellow w/Red Stripe	305m/1000ft Spool
CTRL-2-D	2C/16AWG BC Str w/Ground + 2C/22AWG BC Str FPE, Twisted Pair, Shielded	PVC - Yellow LSZH - Yellow	152m/500ft Spool



Analog Audio Bulk Cable



Item#	Type	Jacket/Color	Length
22/2ESH-LSZH	2C/22AWG BC Str Twisted Pair w/Drain, Shielded	HD LSZH - Gray	305m/1000ft Box
22/4EPSH-LSZH-BX	(2) Pair 22AWG BC Str Twisted Pair w/Drain, Each Pair Shielded	HD LSZH - Gray	305m/1000ft Box

Coaxial Cable

Bulk Cable



Item#	Type	Jacket/Color	Length
RG6/U Quad Shield Coax - Compliance: UL TYPE CATV CMP, CMR, CM c(UL); RoHS; NEC: CATV, CATVR, CMR, CM			
RG6/UQ-BC-XX	18AWG SOL BC F-FEP, Bonded AL Foil + AL Braid 60% + AL Foil + AL Braid 40%	UV Sun Res PVC - Black, White	305m/1000ft Box 152m/500ft Box
RG6/UQ-CCS-BK	18AWG SOL CCS FPE, Bonded AL Foil + AL Braid 60% + AL Foil + AL Braid 40%	UV Sun Res PVC - Black	305m/1000ft Box
RG6/U Dual Shield Coax - Compliance: UL TYPE CATV c(UL) CM; RoHS; EN50575 Eca			
RG6/U-BC-BK	18AWG SOL BC FPE, Bonded CU Foil, 60% AL Braid	UV Sun Res PVC - Black	305m/1000ft Spool
Type 100 Dual Screen Coax - Compare with WF-100			
SCP100-LSZH-BK	18AWG SOL BC FPE, CU Foil/CU Braid	LSZH - Black	250m/820ft Spool



Category Cable

Bulk Cable



Item#	Construction	Jacket/Color	Installation Rating	Length
PROSeries CAT6A				
SC-BC3700LSD-XX	Unshielded U/UTP Low Smoke Zero Halogen (LSZH) - HDBaseT Enhanced 600 MHz 23+awg Sol BC, 4PR, UTP, LSZH center spline + 20pk S45-1720P RJ45	LSZH - Blue, Green, White	Dca-s1,d1,a1	305m/1000ft ProSeries RIB
SC-BC3700D-XX	Unshielded U/UTP Indoor/Outdoor Rated PVC Jacket - HDBaseT Enhanced 600 MHz 23+awg Sol BC, 4PR, UTP, flame resistant center spline + 20pk S45-1720P RJ45	PVC - Blue, Black	Dca-s3,d2,a3	305m/1000ft ProSeries RIB
PROSeries CAT6				
SC-BC3600LSD-XX	Unshielded U/UTP Low Smoke Zero Halogen (LSZH) HDBaseT Enhanced 550 MHz 23+awg Sol BC, 4PR, UTP, LSZH center spline + 20pk S45-1620P RJ45	LSZH - Black, Green, White	Dca-s1,d1,a1	305m/1000ft ProSeries Tangle Free Box
SC-BC3600D-XX	Unshielded U/UTP Indoor/Outdoor Rated PVC Jacket HDBaseT Enhanced 550 MHz 23+awg Sol BC, 4PR, UTP, LSZH center spline + 20pk S45-1620P RJ45	UV Sun Res PVC - Black, Blue	Dca-s3,d2,a3	305m/1000ft ProSeries Tangle Free Box
SCP CAT7A Class Fa 1200MHz tested 10GBaseT; Descending FT and Zone/Outlet Jkt Markings				
CAT7A-LSZH-BL-B2	4pr 23+AWG S/FTP, SOL BC / SFPE,	LSZH - Blue	B2ca-s1a,d1,a1	305m/1000ft Spool
CAT7A-STR-LSZH-WT	4pr 26AWG Stranded Bare Copper, S/FTP Indoor/Outdoor Rated Small Cable Diameter Stranded. Sun Resistant	UV Sun Res LSZH - White	Dca-s2,d2,a1	300m/984ft Spool
SCP Cat6a Premium ProSeries				
Cat6a Premium ProSeries Low Smoke Zero Halogen				
CAT6ASH-PREM-LS-BL-B2	Shielded U/FTP Low Smoke Zero Halogen (LSZH) 4pr 23+AWG U/FTP SOL BC / SFPE	LSZH - Blue	B2ca	305m/1000ft Spool
CAT6ASH-PREM-LS-XX	Shielded U/FTP Low Smoke Zero Halogen (LSZH) 4pr 23+AWG U/FTP SOL BC / SFPE	LSZH - Black, Ice Blue	Dca	305m/1000ft Reel in Box
CAT6ASH-PREM-BK-D	Shielded U/FTP PVC - Indoor/Outdoor UV Sun Resistant - UL CMR Riser/In-Wall Rated 4pr 23+AWG U/FTP SOL BC / SFPE	UV Sun Res PVC - Black	UL CMR/Euro:Dca	305m/1000ft Reel in Box
Cat6a Premium ProSeries Indoor-Outdoor UL CMR Rated				
CAT6A-PREM-BK-D	Unshielded U/UTP PVC - Indoor/Outdoor UV Sun Resistant - UL CMR Riser/In-Wall Rated 4pr 23+AWG U/UTP SOL BC/ HDPE/Flame Resistant Center Spline	UV Sun Res PVC - Black	UL CMR/Euro: Dca-s3,d2,a3	305m/1000ft Spool

Item#	Construction	Jacket/Color	Installation Rating	Length
SCP Cat6a Standard Series (Formerly Eco Series)				
CAT6ASH-ECO-LS-XX	Cat6a Standard Series Shielded U/FTP Low Smoke Zero Halogen (LSZH) 4pr 23AWG, U/FTP SOL BC/SFPE	LSZH - Black, Ice Blue, White	Dca-s2,d2,a1	305m/1000ft Reel in Box
SC-BC1700LSBLD	Unshielded U/UTP Low Smoke Zero Halogen (LSZH) 4pr 23AWG U/UTP SOL BC /HDPE /Flame Resistant Center Spline	LSZH - Blue	Dca-s2,d2,a1	305m/1000ft Box
SC-BC1700BLD	Unshielded U/UTP PVC ETL CMR 4pr 23AWG U/UTP SOL BC/HDPE/Flame Resistant Center Spline	PVC - Blue	Dca-s3,d2,a3	305m/1000ft Box
Cat6a Direct Burial - Outdoor				
CAT6A-SH-DB	4pr 23AWG U/FTP SOL BC/SFPE	LLDPE- Black	UV Sun Res Direct Burial Outdoor	305m/1000ft Spool
SCP Cat6 Premium Pro Series				
Cat6 Premium ProSeries Low Smoke Zero Halogen				
CAT6-PREM-LS-BK-B2	U/UTP Unshielded Low Smoke Zero Halogen (LSZH) 4pr 23+AWG U/UTP SOL BC / SFPE / Flame Resist Center Spline	LSZH - Black	B2ca-s1a,d1,a1	305m/1000ft Reel in Box
CAT6-PREM-LS-XX	U/UTP Unshielded Low Smoke Zero Halogen (LSZH) 4pr 23+AWG U/UTP SOL BC / SFPE / Flame Resist Center Spline	LSZH - Black, Blue	Dca-s2,d2,a1	305m/1000ft Box
CAT6SH-WT-LSZH	Shielded F/UTP Low Smoke Zero Halogen (LSZH) 4pr 23AWG F/ UTP SOL BC / HDPE / Flame Resist Center Spline	LSZH - White	Dca-s2,d2,a1	305m/1000ft Spool
Cat6 Premium ProSeries - Higher Copper Content - Higher Bandwidth Support, Higher PoE				
CAT6-PREM-XX-D	U/UTP Indoor/Outdoor UV Sun Res - HDBaseT Recognized - UL CMR 4pr 23+AWG U/UTP SOL BC/HDPE/Flame Resist Center Spline	UV Sun Res PVC - Black, Blue, Green	Dca-s3,d2,a3	305m/1000ft Box
SCP Cat6 Installer Series				
CAT6-XX-ETL-D	500MHz ETL Verified CMR In-Wall Rated PVC Jacket. EuroClass: Dca-s3,d2,a3 PoE: IEEE 802.3at Type3 PoE 60W -	PVC - Black, Blue, Gray, White	ETL CMR/EU:Dca	305m/1000ft Tangle Free Box
Cat6 Installer Series Direct Burial - Outdoor Only				
CAT6-DB	Puncture & Impact Resistant 4pr 23AWG U/UTP SOL BC/HDPE/ Gel Fill/Center Spline	LLDPE - Black	Direct Burial/UV Outdoor	305m/1000ft Spool
CAT6SH-DB	4pr 23AWG F/UTP SOL BC/HDPE/Center Spline	LLDPE - Black	Direct Burial/UV Outdoor	305m/1000ft Spool
SCP Cat6 Standard Series (Formerly Eco Series)				
SC-BC1600LSXXD	Unshielded U/UTP Low Smoke Zero Halogen 550MHz 4pr 23AWG U/UTP SOL BC/HDPE/Flame Resist Center Spline	LSZH - Black, Blue, White	Dca-s2,d2,a1	305m/1000ft Box
SC-BC1600XXD	Unshielded Indoor In-Wall Rated ETL CMR 550MHz 4pr 23AWG U/UTP SOL BC/HDPE/Flame Resist Center Spline	PVC - Black, Blue, White	ETL CMR/Dca	305m/1000ft Box
SCP Cat5e Premium ProSeries				
Cat5e Premium ProSeries Low Smoke Zero Halogen				
CAT5E-PREM-LS-BK	Unshielded U/UTP Low Smoke Zero Halogen 4pr 24AWG U/UTP SOL BC / HDPE	LSZH - Black	Dca-s2,d2,a1 or Dca-s1,a1,d1 PoE: IEEE 802.3af,at Type 1-2	305m/1000ft Box
CAT5ESH-LS-BL-D	Shielded F/UTP Low Smoke Zero Halogen (LSZH) 4pr 24AWG F/ UTP SOL BC/HDPE	LSZH - Blue	Dca-s2,d2,a1 or Dca-s1,d1,a1 PoE: IEEE 802.3af,at Type 1-2	305m/1000ft Box
Cat5e Premium ProSeries Indoor/Outdoor UL CMR				
CAT5E-PREM-BK-D	Unshielded U/UTP Indoor/Outdoor UV Sun Res 4pr 24AWG U/ UTP SOL BC / HDPE	UV Sun Res PVC- Black	UL CMR/Euro:Dca	305m/1000ft Box
SCP Cat5e Installer Series				
Cat5e Premium ProSeries Low Smoke Zero Halogen				
CAT5E-XX-D	Unshielded U/UTP Indoor In-Wall Rated PVC Jkt 4pr 24AWG U/ UTP SOL BC / HDPE	PVC - Black, Blue, Green, Orange	UL/ETL CMR/Euro:Dca	305m/1000ft Box
CAT5E-DB	Direct Burial & UV Sun Res LLDPE Jkt 4pr U/UTP SOL BC / HDPE/Water Block Tape	LLDPE - Black	Direct Burial/UV Sun Res	305m/1000ft Spool


EU Warehouse Inventory



SCP-EasyFiber® UltraBendable Bulk Cable



Item#	Type	Jacket/Color	Length
Multimode OM3 50/125 - SCP EasyFiber® Featuring Corning ClearCurve®, LSZH EN50575 B2ca EuroClass-s1a,d1,a1 - Indoor/Outdoor Rated - UV Sun Res			
EF-OM3LSB2-2DIST-BK	2 Strand Tight Buffered Distribution, 10G, 2.0mm	LSZH - Black	200m/656ft Reel-in-Box
EF-OM3LSB2-4DIST-BK	4 Strand Tight Buffered Distribution, 10G, 2.0mm	LSZH - Black	200m/656ft Reel-in-Box
EF-OM3LSB2-8DIST-BK	8 Strand Tight Buffered Distribution, 10G, 2.0mm	LSZH - Black	200m/656ft Reel-in-Box
Multimode OM3 50/125 - SCP EasyFiber® Featuring Corning ClearCurve®, LSZH EN50575 Dca-s1,d1,a1 - Indoor/Outdoor Rated - UV Sun Res			
EF-OM3LSD-DUP-AQ	Duplex Zip OM3 LSZH - 10G, 2.0mm	LSZH - Aqua	200m/656ft Reel-in-Box
EF-OM3LSD-4DIST-AQ	4 Strand Tight Buffered Distribution, 10G, 2.0mm	LSZH - Aqua	200m/656ft Reel-in-Box
EF-6DIST-OM3LSZH-BK	6 Strand OM3 - Tight Buffered Distribution, 10G	LSZH - Aqua	305m/1000ft Reel-in-Box
EF-12DIST-OM3LSZH-BK	12 Strand OM3 - Tight Buffered Distribution, 10G	LSZH - Aqua	305m/1000ft Reel-in-Box
Single Mode SMF-28® Ultra OS2 9/125 B2ca EuroClass - SCP-EasyFiber® Featuring Corning® SMF-28® Ultra, B2ca-s1a,d1,a1 Indoor/Outdoor UV Sun Res			
EF-OS2LSB2-2DIST-BK	2 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm	LSZH - Black	500m/1640ft Reel-in-Box
EF-OS2LSB2-4DIST-BK	4 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm	LSZH - Black	500m/1640ft Reel-in-Box
EF-OS2LSB2-8DIST-BK	8 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm	LSZH - Black	500m/1640ft Reel-in-Box
Single Mode SMF-28® Ultra OS2 9/125 Dca EuroClass - SCP-EasyFiber® Featuring Corning® SMF-28® Ultra, LSZH Dca-s1,d1,a1 Indoor/Outdoor UV Sun Res			
EF-OS2LSD-DUP-YL	Duplex Zip Single Mode OS2 9/125, 2.0mm	LSZH - Yellow	500m/1640ft Reel-in-Box
EF-6DIST-OS2LSZH-BK	6 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm	LSZH - Black	610m/2000ft Reel-in-Box
EF-12DIST-OS2LSZH-BK	12 Strand Tight Buffered Distribution, Single Mode OS2 9/125, 2.0mm	LSZH - Black	610m/2000ft Reel-in-Box
Single Mode SMF-28® Ultra OS2 9/125 Dca EuroClass - SCP-EasyFiber® Featuring Corning® SMF-28® Ultra, LSZH Dca-s1,d1,a1 Indoor/Outdoor UV Sun Res			
EF-2DISTARM-OS2LSZH-BK	Slim Armored 2 Strand Tight Buffered Distribution, Single Mode	LSZH - Black	610m/2000ft Reel-in-Box
EF-6DISTARM-OS2LSZH-BK	Slim Armored 6 Strand Tight Buffered Distribution, Single Mode	LSZH - Black	610m/2000ft Reel-in-Box



SCP-EasyFiber® ProSeries Patch Cables



Item#	Jacket/Color	Length
SimplyFiber ProSeries OM4 50/125 Duplex LC-LC Patch Cable - 2F Multimode, 2.0mm ZIP, BIF TIA-568.3-E, EN50575 B2ca EuroClass		
SF-PCOM4LCDLS-XX	LSZH - Aqua	0.3m/1ft, 0.5m/1.6ft, 1m/3.3ft, 1.5m/5ft, 2m/6.5ft, 3m/10ft, 5m/16.4ft, 25m/82ft, 30m/98ft, 50m/164ft
SimplyFiber ProSeries OM4 50/125 Duplex LC-SC Patch Cable - 2F Multimode, 2.0mm ZIP, BIF TIA-568.3-E, EN50575 B2ca EuroClass		
SF-PCOM4LCSCLS-XX	LSZH - Aqua	1m/3.3ft, 1.5m/5ft, 2m/6.5ft, 3m/10ft, 5m/16.4ft
SimplyFiber ProSeries OM4 50/125 Duplex SC-SC Patch Cable - 2F Multimode OM4, 2.0mm ZIP, BIF TIA-568.3-E, EN50575 B2ca EuroClass		
SF-PCOM4SCSCLS-XX	LSZH - Aqua	1m/3.3ft, 1.5m/5ft, 2m/6.5ft, 3m/10ft, 5m/16.4ft
SimplyFiber ProSeries OS2 9/125 Single Mode Armored Simplex LC to LC Patch Cable - G.657A1, 3.0mm, Tight-Buffered, EN50575 B2ca EuroClass		
SF-PCOS2LCARMLS-XX	LSZH - Yellow	0.3m/1ft, 0.5m/1.6ft, 1m/3.3ft, 1.5m/5ft, 2m/6.5ft, 3m/10ft, 5m/16.4ft, 25m/82ft, 30m/98ft, 50m/164ft
SimplyFiber ProSeries OS2 9/125 Single Mode Duplex LC to LC Patch Cable - 2F G.657A1, 2.0mm Zip, Tight-Buffered, EN50575 B2ca EuroClass		
SF-PCOS2LCDLS-XX	LSZH - Yellow	1m/3.3ft, 1.5m/5ft, 2m/6.5ft, 3m/10ft, 5m/16.4ft
SimplyFiber ProSeries OS2 9/125 Single Mode Duplex LC-LCA Patch Cable - 2F G.657A1, 2.0mm Zip, Tight-Buffered, EN50575 B2ca EuroClass		
SF-PCOS2LCLCALS-XX	LSZH - Yellow	1m/3.3ft, 1.5m/5ft, 5m/16.4ft
SimplyFiber ProSeries OS2 9/125 Single Mode Duplex LC-SC Patch Cable - 2F G.657A1, 2.0mm Zip, Tight-Buffered, EN50575 B2ca EuroClass		
SF-PCOS2LCSCLS-XX	LSZH - Yellow	1m/3.3ft, 1.5m/5ft, 2m/6.5ft, 3m/10ft, 5m/16.4ft
SimplyFiber ProSeries OS2 9/125 Single Mode Duplex SC-SC Patch Cable - 2F G.657A1, 2.0mm Zip, Tight-Buffered, EN50575 B2ca EuroClass		
SF-PCOS2SCDLS-XX	LSZH - Yellow	1m/3.3ft, 1.5m/5ft, 5m/16.4ft

Speaker Cable

Bulk Cable



Item#	Type	Jacket/Color	Installation Rated	Length
ProSeries Low Smoke Zero Halogen (LSZH) Speaker Cables - EU-International Specifications				
1.5mm2 - B2ca Euroclass - Indoor/Outdoor Rated - UV Sun Res LSZH Jacket				
SP-1.5/2-LSZH-BK-B2	2 Cond (1.5mm2)/30 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	305m/1000ft Spool
SP-1.5/2-LSZH-WT	2 Cond (1.5mm2)/30 Str OFC	LSZH - White	B2ca-s1a,d1,a1	305m/1000ft Spool
2.5mm2 - B2ca Euroclass - Indoor/Outdoor Rated - UV Sun Res LSZH Jacket				
SP-1.5/2-LSZH-XX	2 Cond (2.5mm2)/50 Str OFC	UV Sun Res LSZH - Black, White	B2ca-s1a,d1,a1	305m/1000ft Box 152m/500ft Reel in Box
SP-2.5/4-LSZH-XX	4 Cond (2.5mm2)/50 Str OFC	LSZH - Black, White	B2ca-s1a,d1,a1	152m/500ft Reel in Box
2.5mm2 - Dca Euroclass - Indoor/Outdoor Rated - UV Sun Res LSZH Jacket				
SP-1.5/2-LSZH-XX	2 Cond (2.5mm2)/50 Str OFC	UV Sun Res LSZH - Black, White	Dca-s1,d1,a1	305m/1000ft Box
4.0mm2 - B2ca Euroclass - Indoor/Outdoor Rated - UV Sun Res LSZH Jacket				
SP-4.0/2-LSZH-BK-XXXX	2 Cond (2.5mm2)/50 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	100m/328ft Reel in Box 305m/1000ft Spool 500m/1640ft Spool
SP-4.0/2-LSZH-WT-XXXX	2 Cond (4.0mm2)/56 Str OFC	LSZH - White	B2ca-s1a,d1,a1	
SP-4.0/4-LSZH-BK-XXXX	4 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	B2ca-s1a,d1,a1	100m/328ft Reel in Box 305m/1000ft Spool 500m/1640ft Spool
4.0mm2 - Dca Euroclass - Indoor/Outdoor Rated - UV Sun Res LSZH Jacket				
SP-4.0/2-LSZH-BK-D	2 Cond (4.0mm2)/56 Str OFC	UV Sun Res LSZH - Black	Dca-s1,d1,a1	305m/1000ft Spool
Installer Series Low Smoke Zero Halogen (LSZH) In-Wall Speaker Cable Series				
16/2OFC-LSZH-XX-D	16AWG 2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	LSZH - Black, Purple, White	Dca-s1,d1,a1	152m/500ft Box 305m/1000ft Box
16/4OFC-LSZH-XX-D	16AWG 4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	LSZH - Black, Purple, White	Dca-s1,d1,a1	152m/500ft Box
14/2OFC-LSZH-XX-D	14AWG 2 Cond/105 Strand Oxygen Free Copper, Black/Red, PVC Insulated	LSZH - Black, Purple, White	Dca-s1,d1,a1	152m/500ft Box
14/4OFC-LSZH-XX-D	14AWG 4 Cond/105 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	LSZH - Black, Purple, White	Dca-s1,d1,a1	152m/500ft Reel in Box
12/2OFC-LSZH-XX-D	12AWG 2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated	LSZH - Black, White	Dca-s1,d1,a1	152m/500ft Reel in Box
12/4OFC-LSZH-XX-D	12AWG 4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White, PVC Insulated	LSZH - Black, White	Dca-s1,d1,a1	152m/500ft Spool
NEW - ProSeries Indoor/Outdoor Speaker Cable Series				
16/2OFCTC-HD-XXD	2 Cond/65 Strand Tinned Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - Black, White	UL CMR/EU: Dca	152m/500ft Pull Box
16/4OFCTC-HD-XX-D	4 Cond/65 Strand Tinned Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - Black, White	UL CMR/EU: Dca	152m/500ft Pull Box
14/2OFCTC-HD-XXD	2 Cond/105 Strand Tinned Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - Black, White	UL CMR/EU: Dca	152m/500ft Pull Box 305m/1000ft Spool
14/4OFCTC-HD-XXD	4 Cond/105 Strand Tinned Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - Black, White	UL CMR/EU: Dca	152m/500ft Reel in Box
12/2OFCTC-HD-XXD	2 Cond/65 Strand Tinned Oxygen Free Copper, Black/Red PVC Insulated	HD UV SunRes-PVC - Black, White	UL CMR/EU: Dca	152m/500ft Reel in Box
Installer Series In-Wall Rated Speaker Cables - PVC Jacket				
16/2OFC-BK-D	16AWG 2 Cond/65 Strand Oxygen Free Copper, Black/Red PVC Insulated TP	PVC - Black, Purple, White	UL CMR/EU: Dca	152m/500ft Box
16/4OFC-WT-D	16AWG 4 Cond/65 Strand Oxygen Free Copper, Black/Red, Green/White PVC Insulated TP	PVC - Black, White	UL CMR/EU: Dca	152m/500ft Box
14/2OFC-WT-D	14AWG 2 Cond/105 Strand Oxygen Free Copper, Black/Red PVC Insulated TP	PVC - White	UL CMR/EU: Dca	152m/500ft Box
14/4OFC-WT-D	14AWG 4 Cond/105 Strand Oxygen Free Copper, Black/Red, Green/White PVC Insulated TP	PVC - White	UL CMR/EU: Dca	152m/500ft Reel in Box

EU Warehouse Inventory - Speaker Cable

Item#	Type	Jacket/Color		Length
Standard Series Speaker Cables				
16/2OFC-ETL-WT-D	16AWG 2 Cond/65 Strand Oxygen Free Copper, PVC Insulated	PVC - White	ETL CMR/Dca	152m/500ft Pull Box
16/4OFC-ETL-WT-D	16AWG 4 Cond/65 Strand Oxygen Free Copper, PVC Insulated	PVC - White	ETL CMR/Dca	152m/500ft Pull Box
14/2OFC-ETL-WT-D	14AWG 2 Cond/105 Strand Oxygen Free Copper, PVC Insulated	PVC - White	ETL CMR/Dca	152m/500ft Pull Box
12/2OFC-ETL-WT-D	12AWG 2 Cond/65 Strand Oxygen Free Copper, PVC Insulated	PVC - White	ETL CMR/Dca	152m/500ft Spool
Direct Burial/Outdoor Speaker Cables				
NEW - ProSeries Direct Burial / Outdoor Speaker Cables				
14/2SPTC-DB-152M	14AWG 2 Cond/105 Strand Tinned Copper Oxygen Free, Gel Filled	LLDPE - Black	Direct Burial/UV Outdoor	100m/328ft Spool 152m/500ft Spool
14/4SPTC-DB-100M	14AWG 4 Cond/105 Strand Tinned Copper Oxygen Free, Gel Filled	LLDPE - Black	Direct Burial/UV Outdoor	100m/328ft Spool
14/4SPTC-DB-152M	14AWG 4 Cond/105 Strand Tinned Copper Oxygen Free, Gel Filled	LLDPE - Black	Direct Burial/UV Outdoor	100m/328ft Spool
12/2SPTC-DB-500	12AWG 2 Cond/65 Strand Tinned Copper Oxygen Free, Gel Filled	LLDPE - Black	Direct Burial/UV Outdoor	152m/500ft Spool
Installer Series Direct Burial / Outdoor Speaker Cables				
14/2SP-DBWBT-500	14AWG 2 Cond/105 Stranded Oxygen Free Copper, Water Block Tape	LLDPE - Black	Direct Burial/UV Outdoor	100m/328ft Spool 152m/500ft Pull Box
14/4SP-DBWBT-500	14AWG 4 Cond/105 Stranded Oxygen Free Copper, Water Block Tape	LLDPE - Black	Direct Burial/UV Outdoor	100m/328ft Spool 152m/500ft Pull Box



DisplayPort Interconnect



Item#	Type	Color	Length
DP14-XXM	DP1.4 HBR3 VESA Certified 8K@60Hz 32.4Gbps, Dynamic HDR, DP(m) to DP(m), Passive	PVC - Black	0.5m/1.6ft 1m/3.3ft 1.8m/6ft 3m/10ft 5m/16ft



USB Interconnect



Item#	Type	Color	Length
USBC32-XM	USB Type-C Male/Male 20Gbps USB 3.2 Gen 2 SuperSpeed+, Passive Copper, Power 5A/20V/100W, Video Alt Mode up to 8K@60Hz	TPE - Black	1m/3.3ft 2m/6.5ft 3m/10ft 5m/16ft

HDMI Cable Solutions

See Pages 48-51 for complete specs



Item#	Type	Color	Length
998-DO-EXT	48Gbps HDMI Dongle Extender Kit - Tx & Rx HDMI Dongles, HDMI Type A (m)/MPO (f), (2) USB Power cables, (1) Pulling Capsule.		
B2ca Rated LSZH MPO(f)/MPO(f) EasyFiber™ Patch Cable for HDMI Dongle Extender Kit, Part: 998-DO-EXT.			
EFP-998-LSZH-XX	MPO(f)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl	Aqua	5m/16.4ft, 10m/33ft, 20m/65ft 50m/164ft, 100m/328ft
MPO(male) to MPO(female) EasyFiber™ Patch Cable LSZH B2ca Rated. Must use with MPO Inline or Keystone Coupler			
EFP-998MF-LSZH-XX	MPO(m)/MPO(f) EasyFiber™ Patch Cable. Polarity Type A. 8 Strand OM3 50/125 SCP EasyFiber™ w/Corning® ClearCurve®, LSZH EN50575 B2ca-s1a,d1,a1 Indoor/Outdoor Dbl	Teal	1m/3.28ft, 2m/6.5ft, 5m/16.4ft, 15m/49.2ft
MPO In-Line Couplers - Connects MPO (female) patch lead to MPO (male) patch lead			
EFP-MPO-COU	MPO In-Line Coupler (female to male) for SCP EasyFiber MPO Patch Cables - 1ea/Bag. Mstr Pk 10ea		
SF-WPMPO	SimplyFiber™ Waterproof Inline MPO Coupler (female to male coupler). IP68 Rated. For EasyFiber MPO Patch Cables.		
ProSeries UltraFlex HDMI by SimplyAV - 8K 48Gbps Silicon Jacket			
SAV-200X	UltraFlex by SimplyAV, 8K@60 4:4:4 48Gbps, Silicone Jacket	Silicone - Black	1m/3.28ft, 2m/6.5ft, 3m/10ft, 5m/16.4ft
ProSeries Certified 8K 48Gbps HDMI In-Wall Rated Cables by SimplyAV			
SAV-992XXM	8K 48Gbps, Bare Copper Conductors, Shielded	PVC - Black	1m/3.28ft, 2m/6.5ft, 3m/10ft, 5m/16.4ft
8K 48Gbps Certified Ultra High Speed HDMI Cables (Shielded) Installer Series			
992UHS-XXM	8K 48Gbps, Bare Copper Conductors, Shielded	PVC - Black	0.5m/1.6ft, 1m/3.28ft, 2m/6.5ft, 3m/10ft, 5m/16.4ft
4K 18Gbps Premium Certified v2.0b - ATC Tested/Certified Ultra Slim HDMI Cables (Shielded) Installer Series			
991UHD-XXM	Ultra Slim Premium Certified, Bare Copper Conductors, Shielded	PVC - Black	0.5m/1.6ft, 1m/3.28ft, 2m/6.5ft, 2.5m/8.2ft
4K 18Gbps Premium Certified v2.0b - ATC Tested/Certified HDMI Cables (Shielded) Installer Series			
990UHD-XX	Custom Installation Series 4k Ultra HD Premium Certified with Ethernet	PVC - Black	0.91m/3ft, 1.8m/6ft, 3m/10ft, 4.5m/15ft, 6m/20ft
997AOC Series - 4K 24Gbps HDMI Active Optical (AOC) Solutions - Thinner, More Flexible, More Robust			
997AOC-LSZH-XX	LSZH Rated - 24Gbps 4K Ultra HD Active Optical HDMI	PVC - Black	5m/16.4ft, 10m/33ft, 15m/49ft, 20m/65ft, 25m/82ft, 30m/98ft, 40m/131ft, 50m/164ft
995AOC Series - 4K 24Gbps HDMI Active Optical (AOC) Solutions with Detachable Connector			
995AOC-XX-LSZH	LSZH rated 4K 24Gbps AOC HDMI cable w/detachable connector.	PVC - Black	10m/33ft, 15m/49ft, 20m/65ft, 30m/98ft
995CON-D/A	Replacement Connector for 995AOC - Micro HDMI Type D to HDMI Type A		
Outdoor/Armored AOC 4K 24Gbps HDMI Cables			
996AOC-XXM	Armored 4K 24Gbps AOC HDMI, TPU Jacket, Waterproof Connector Housings	TPU - Black	50m/164ft, 100m/328ft
Active (Unidirectional) 4K HDMI with Snug-Tite™ Grip. CL2/3 In-Wall Rated. Standard Connector Housing			
944E-XX	Active, 4K@50/60 18Gbps, Black PVC, Snug-Tite Grip	PVC - Black	7.6m/25ft, 9m/30ft, 10.7m/35ft, 15m/50ft
Ultra Slim Passive 4K 18Gbps - 50% smaller connector housing & thinner, more flexible cable. 100% Bare Copper Conductors			
940-XXB	Passive, UltraSlim, 4K@50/60 18Gbps	PVC - Black	0.5m/1.6ft, 0.91m/3ft, 1.8m/6ft, 2.5m/8.2ft, 4m/13ft
940-15B	Active Uni-Directional, UltraSlim, 4K@50/60 18Gbps	PVC - Black	4.5m/15ft
SCP Standard Series 8K 48Gbps (HDMI v2.1) Contractor Packs			
992ECO-1M-30	1m/3.3ft - 30pc Contractor Box. Passive HDMI v2.1 8K 48Gbps.	Black	1m/3.3ft
992ECO-2M-20	2m/6.5ft - 20pc Contractor Box. Passive HDMI v2.0 8K 48Gbps.	Black	2m/6.5ft
992ECO-3M-15	3m/10ft - 15pc Contractor Box. Passive HDMI v2.0 8K 48Gbps.	Black	3m/10ft
SCP Standard Series 4K 18Gbps (HDMI v2.0) High Speed with Ethernet Contractor Packs			
944ECO-1M-30	1m/3.3ft - 30pc Contractor Box. Passive HDMI v2.0 4K 18Gbps.	Black	1m/3.3ft
944ECO-2M-20	2m/6.5ft - 20pc Contractor Box. Passive HDMI v2.0 4K 18Gbps.	Black	2m/6.5ft
944ECO-3M-15	3m/10ft - 15pc Contractor Box. Passive HDMI v2.0 4K 18Gbps.	Black	3m/10ft



Simply BRANDS



Turnkey Merchandising

SimplyBRANDS solution shown below includes 5 separate programs that are strategically designed to provide your customers with a wide range of installation products to properly support all their end-to-end connectivity needs. Materials included: Graphic rich out of stock cards, slatwall hooks, header card and enough inventory to get started.

Modular Plugs/Tools



WHERE PERFORMANCE
MEETS AFFORDABILITY

For more information, visit us
at simplybrands.com

SimplyTEST™

Simply45™

SimplyAV™



2'

Structured Wiring



WHERE PERFORMANCE
MEETS AFFORDABILITY

For more information, visit us
at simplybrands.com

SimplyTEST™

Simply45™

SimplyAV™



2'

SimplyFIBER



SimplyTEST™

Simply45™



2'

10'

Flexible Merchandising Program for Cut, Strip, Terminate, Test and Manage your Copper & Fiber Installation Needs

SimplyBRANDS branded solution for your showroom features our unique clear slat wall covers that will easily attach to an existing slatwall display. This turnkey solution provides all merchandising materials needed to properly set up your planogram. These programs are offered in 2 x 4 designs to allow the flexibility to properly support your customers' installation needs.

Cable Ties

WHERE PERFORMANCE
MEETS AFFORDABILITY

For more information, visit us
at simplybrands.com



WHERE PERFORMANCE
MEETS AFFORDABILITY

For more information, visit us
at simplybrands.com



2'

Cable Management



WHERE PERFORMANCE
MEETS AFFORDABILITY

For more information, visit us
at simplybrands.com



2'